

STIC-Biotech/ChemLib

From: Hashemi, Shar
Sent: Monday, August 19, 2002 11:21 PM
To: STIC-Biotech/ChemLib
Subject: Please search ALL NA including Pending SEQ. ID NO: 9, 29-31, 33 (five sequences) for application 10/077,383

Please search ALL NA including Pending SEQ. ID NO: 9, 29-31, 33 (five sequences) for application 10/077,383

Thanks,
Examiner Hashemi
CM1 12D04
703-305-4840

Shar,


The seqs. disclosed for
Seq. IDs 9, 30 & 33 consists
only of "N"s; therefore, no
query match > 0 was
located/retrieved.

Beverly
1E05
C8-4994

Searcher: _____
Phone: _____
Location: _____
Date Picked Up: _____
Date Completed: _____
Searcher Prep/Review: _____
Clerical: _____
Online time: _____

TYPE OF SEARCH:
NA Sequences: _____
AA Sequences: _____
Structures: _____
Bibliographic: _____
Litigation: _____
Full text: _____
Patent Family: _____
Other: _____

VENDOR/COST (where applic.)
STN: _____
DIALOG: _____
Questel/Orbit: _____
DRLink: _____
Lexis/Nexis: _____
Sequence Sys.: _____
WWW/Internet: _____
Other (specify): _____



SEARCH REQUEST FORM


Requestor's Name: _____ Serial Number: _____
Date: _____ Phone: _____ Art Unit: _____

Search Topic:

Please write a detailed statement of search topic. Describe specifically as possible the subject matter to be searched. Define any terms that may have a special meaning. Give examples or relevant citations, authors, keywords, etc., if known. For sequences, please attach a copy of the sequence. You may include a copy of the broadest and/or most relevant claim(s).

STAFF USE ONLY

Date completed: <u>08-26-02</u>	Search Site	Vendors
Searcher: <u>Beverly E 497A</u>	<input type="checkbox"/> STIC	<input type="checkbox"/> IG
Terminal time: <u>20</u>	<input type="checkbox"/> CM-1	<input type="checkbox"/> STN
Elapsed time: _____	<input type="checkbox"/> Pre-S	<input type="checkbox"/> Dialog
CPU time: _____	Type of Search	<input type="checkbox"/> APS
Total time: <u>28</u>	<input type="checkbox"/> N.A. Sequence	<input type="checkbox"/> Geninfo
Number of Searches: _____	<input type="checkbox"/> A.A. Sequence	<input type="checkbox"/> SDC
Number of Databases: <u>1</u>	<input type="checkbox"/> Structure	<input type="checkbox"/> DARC/Questel
	<input type="checkbox"/> Bibliographic	<input checked="" type="checkbox"/> Other <u>CGN</u>



c 32 0 0.0 1 24 US-09-625-102-614 Sequence 614, App
 c 33 0 0.0 1 24 US-09-625-102-836 Sequence 836, App
 c 34 0 0.0 1 24 US-09-625-102-836 Sequence 836, App
 c 35 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 36 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 37 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 38 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 39 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 40 0 0.0 1 24 US-09-625-102-1048 Sequence 1048, App
 c 41 0 0.0 1 24 US-09-625-102-1048 Sequence 1048, App
 c 42 0 0.0 1 24 US-09-625-102-1352 Sequence 1352, App
 c 43 0 0.0 1 24 US-09-625-102-1352 Sequence 1352, App
 c 44 0 0.0 1 24 US-09-634-306B-51773 Sequence 51773, A
 c 45 0 0.0 1 24 US-09-634-306B-51841 Sequence 51841, A

ALIGNMENTS

RESULT 1
 PCT-US93-00977-702
 ; Sequence 702, Application PC/TUS9300977
 ; GENERAL INFORMATION:
 ; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
 ; NUMBER OF SEQUENCES: 711
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Knobbe, Martens, Olson, and Bear
 ; STREET: 620 Newport Center Dr. Sixteenth Floor
 ; CITY: Newport Beach
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 92660
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US93/00977
 ; FILING DATE: 19930129
 ; CLASSIFICATION:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Altman, Daniel E.
 ; REGISTRATION NUMBER: 34,115
 ; REFERENCE/DOCKET NUMBER: HITACHI.006H
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 714-760-0404
 ; TELEFAX: 714-760-9502
 ; INFORMATION FOR SEQ ID NO: 702:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1
 ; TYPE: NUCLEIC ACID
 ; STRANDEDNESS: double
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: cdna to mRNA
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: NO
 ; PCT-US93-00977-702

; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
 ; NUMBER OF SEQUENCES: 711
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Knobbe, Martens, Olson, and Bear
 ; STREET: 620 Newport Center Dr. Sixteenth Floor
 ; CITY: Newport Beach
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 92660
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US93/00977
 ; FILING DATE: 19930129
 ; CLASSIFICATION:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Altman, Daniel E.
 ; REGISTRATION NUMBER: 34,115
 ; REFERENCE/DOCKET NUMBER: HITACHI.006H
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 714-760-0404
 ; TELEFAX: 714-760-9502
 ; INFORMATION FOR SEQ ID NO: 702:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1
 ; TYPE: NUCLEIC ACID
 ; STRANDEDNESS: double
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: cdna to mRNA
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: NO
 ; PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 1; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
 Db 1 T 1

RESULT 3
 US-08-068-298-17
 ; Sequence 17, Application US/08068298
 ; GENERAL INFORMATION:
 ; APPLICANT: MUENCHAU, DARYL, ET AL.
 ; TITLE OF INVENTION: METHOD FOR GENERATING APAMERS OF
 ; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY
 ; NUMBER OF SEQUENCES: 26
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: LYON & LYON
 ; STREET: 611 West Sixth St.
 ; CITY: Los Angeles
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 90017
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/068,298
 ; FILING DATE:
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: 07/659,980

Query Match 0.0%; Score 0; DB 1; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
 Db 1 A 1

RESULT 2
 PCT-US93-00977-702/c
 ; Sequence 702, Application PC/TUS9300977
 ; GENERAL INFORMATION:

; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:
; OTHER INFORMATION: where N also may be isoguanine or
; OTHER INFORMATION: isocytostine
US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 4
US-08-068-298-17/c
; Sequence 17, Application US/08068298
; GENERAL INFORMATION:
; APPLICANT: MUENCHAU, DARYL, ET AL.
; TITLE OF INVENTION: METHOD FOR GENERATING APTAMERS OF
; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY
; TITLE OF INVENTION: NON-PREDETERMINED SEQUENCES
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: LYON & LYON
; STREET: 611 West Sixth St.
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90017
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/068,298
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/659,980
; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:

; OTHER INFORMATION: where N also may be isoguanine or
; OTHER INFORMATION: isocytostine
US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 C 1

RESULT 5
US-08-154-792A-9
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELETYPE: 200251 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
US-08-154-792A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 6
US-08-154-792A-9/c
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.

```

; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 T 1

RESULT 7
US-08-154-792A-24
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

```

; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 A 1

RESULT 8
US-08-154-792A-24/c
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

```

Query Match          0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 T 1

RESULT 9
US-08-163-449A-9
; Sequence 9, Application US/08163449A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
; TITLE OF INVENTION: PRODUCTS,
; TITLE OF INVENTION: AND USES THEREFOR
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/163,449A
; FILING DATE: 07-DEC-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,234
; REFERENCE/DOCKET NUMBER: 44824-CIP-2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
US-08-163-449A-9

Query Match          0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 T 1

RESULT 11
US-08-163-449A-24
; Sequence 24, Application US/08163449A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
; TITLE OF INVENTION: PRODUCTS,
; TITLE OF INVENTION: AND USES THEREFOR
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/163,449A
; FILING DATE: 07-DEC-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,234
; REFERENCE/DOCKET NUMBER: 44824-CIP-2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
US-08-163-449A-9

Query Match          0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 A 1

RESULT 10
US-08-163-449A-9/c
; Sequence 9, Application US/08163449A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard

```

APPLICATION NUMBER: US/08/163,449A
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0;
Gaps 0;

Qy 1 n l
Db 1 A 1

RESULT 12

US-08-163-449A-24/c
Sequence 24, Application US/08163449A

GENERAL INFORMATION:
APPLICANT: Kolodner, Richard D.
APPLICANT: Reenan, Robert A.G.
APPLICANT: Fishel, Richard
TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
TITLE OF INVENTION: PRODUCTS
TITLE OF INVENTION: AND USES THEREFOR
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
ADDRESSEE: ROBERTS & CUSHMAN
STREET: 130 Water Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/163,449A
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)

US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0;
Gaps 0;

Qy 1 n l
Db 1 T 1

RESULT 13

US-08-208-572-10
Sequence 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND
DERIVATIVES
TITLE OF INVENTION: ECEF
NUMBER OF SEQUENCES: 14
CORRESPONDENCE ADDRESS:
ADDRESSEE: CHORTE, HALL, & STEWART
STREET: Exchange Place, 53 State Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/208,572
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Kaplan Esq., Warren A.
REGISTRATION NUMBER: 34,199
REFERENCE/DOCKET NUMBER: 092662-002
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 227-5020
TELEFAX: (617) 227-7566
INFORMATION FOR SEQ ID NO: 10:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-208-572-10

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0;
Gaps 0;

Qy 1 n l
Db 1 A 1

RESULT 14

US-08-208-572-10/c
Sequence 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND
DERIVATIVES

```

; TITLE OF INVENTION: ECFE
; NUMBER OF SEQUENCES: 14
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CHOMATE, HALL, & STEWART
; STREET: Exchange Place, 53 State Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/208,572
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Kaplan Esq., Warren A.
; REGISTRATION NUMBER: 34,199
; REFERENCE/DOCKET NUMBER: 092662-002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 227-5020
; TELEFAX: (617) 227-7566
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-208-572-10

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n l
Db 1 t 1

```

```

RESULT 15
US-08-237-491-6868
; Sequence 6868, Application US/08237491
; GENERAL INFORMATION:
; APPLICANT: Sellhamer, Jeffrey
; APPLICANT: Delegeane, Angelo
; APPLICANT: Jernigan, Colleen
; APPLICANT: Levine, Wendy B.
; TITLE OF INVENTION: SHEAR-STRESSED HUMAN UMBILICAL VEIN
; NUMBER OF SEQUENCES: 7326
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 2730 Sand Hill Road
; CITY: Menlo Park
; STATE: California
; COUNTRY: U.S.A.
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/237,491
; FILING DATE: Concurrently herewith
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:

```

```

; APPLICATION NUMBER: US 08/137,951
; FILING DATE: 14-Oct-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/197,801
; FILING DATE: 17-FEB-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Halluin, Albert P.
; REGISTRATION NUMBER: 25,227
; REFERENCE/DOCKET NUMBER: 8135-025
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 854-3660
; TELEFAX: (415) 854-3694
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 6868:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; IMMEDIATE SOURCE:
; CLONE: Z-068903
; US-08-237-491-6868

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n l
Db 1 c 1

```

```

Search completed: August 25, 2002, 00:32:24
Job time: 16382 sec

```


; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51773
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51773

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 3

US-10-027-632-51841
; Sequence 51841, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51841
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51841

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 Y 1

RESULT 4

US-10-027-632-51841/c
; Sequence 51841, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51841
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51841

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 R 1

RESULT 5

US-10-027-632-52001
; Sequence 52001, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0

; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 0; Gaps 0;

Qy 1 n 1
Db 1 y 1

RESULT 6

US-10-027-632-52001/c
; Sequence 52001, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 0; Gaps 0;

Qy 1 n 1
Db 1 r 1

RESULT 7

US-10-027-632-52051
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483

; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 8

US-10-027-632-52051/c
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 g 1

RESULT 9

US-10-027-632-52156
; Sequence 52156, Application US/10027632
; GENERAL INFORMATION:

APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52156
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52156

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 c l

RESULT 10
US-10-027-632-52156/c
Sequence 52156, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52156
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52156

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 n l
Db 1 g l
RESULT 11
US-10-027-632-52157
Sequence 52157, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52157
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52157

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 c l

RESULT 12
US-10-027-632-52157/c
Sequence 52157, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09

; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52157
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52157

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 13

US-10-027-632-52177
; Sequence 52177, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52177
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52177

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 14

US-10-027-632-52177/c
; Sequence 52177, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676

; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52177
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52177

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 15

US-10-027-632-52215
; Sequence 52215, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52215
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52215

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

Search completed: August 25, 2002, 00:45:45

Job time: 12372 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 25, 2002, 00:32:24 ; Search time 8635 seconds
(without alignments)
50.110 Million cell updates/sec

Title: US-10-077-383-29

Perfect score: 20

Sequence: 1 agagagagagagagagag 20

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 21979536 seqs, 1081749327 residues

Total number of hits satisfying chosen parameters: 43959072

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Pending_Patents_NA_Main:*

- 1: /cgn2_6/ptodata/2/pna/PCTUS_COMB.seq:*
- 2: /cgn2_6/ptodata/2/pna/JS06_COMB.seq:*
- 3: /cgn2_6/ptodata/2/pna/JS07_COMB.seq:*
- 4: /cgn2_6/ptodata/2/pna/JS080_COMB.seq:*
- 5: /cgn2_6/ptodata/2/pna/JS081_COMB.seq:*
- 6: /cgn2_6/ptodata/2/pna/JS082_COMB.seq:*
- 7: /cgn2_6/ptodata/2/pna/JS083_COMB.seq:*
- 8: /cgn2_6/ptodata/2/pna/JS084_COMB.seq:*
- 9: /cgn2_6/ptodata/2/pna/JS085_COMB.seq:*
- 10: /cgn2_6/ptodata/2/pna/JS086_COMB.seq:*
- 11: /cgn2_6/ptodata/2/pna/JS087_COMB.seq:*
- 12: /cgn2_6/ptodata/2/pna/JS088_COMB.seq:*
- 13: /cgn2_6/ptodata/2/pna/JS089_COMB.seq:*
- 14: /cgn2_6/ptodata/2/pna/JS090_COMB.seq:*
- 15: /cgn2_6/ptodata/2/pna/JS091_COMB.seq:*
- 16: /cgn2_6/ptodata/2/pna/JS092_COMB.seq:*
- 17: /cgn2_6/ptodata/2/pna/JS093_COMB.seq:*
- 18: /cgn2_6/ptodata/2/pna/JS094_COMB.seq:*
- 19: /cgn2_6/ptodata/2/pna/JS095A_COMB.seq:*
- 20: /cgn2_6/ptodata/2/pna/JS095B_COMB.seq:*
- 21: /cgn2_6/ptodata/2/pna/JS095C_COMB.seq:*
- 22: /cgn2_6/ptodata/2/pna/JS095D_COMB.seq:*
- 23: /cgn2_6/ptodata/2/pna/JS096A_COMB.seq:*
- 24: /cgn2_6/ptodata/2/pna/JS096B_COMB.seq:*
- 25: /cgn2_6/ptodata/2/pna/JS096C_COMB.seq:*
- 26: /cgn2_6/ptodata/2/pna/JS096D_COMB.seq:*
- 27: /cgn2_6/ptodata/2/pna/JS096E_COMB.seq:*
- 28: /cgn2_6/ptodata/2/pna/JS097A_COMB.seq:*
- 29: /cgn2_6/ptodata/2/pna/JS097B_COMB.seq:*
- 30: /cgn2_6/ptodata/2/pna/JS097C_COMB.seq:*
- 31: /cgn2_6/ptodata/2/pna/JS098A_COMB.seq:*
- 32: /cgn2_6/ptodata/2/pna/JS098B_COMB.seq:*
- 33: /cgn2_6/ptodata/2/pna/JS098C_COMB.seq:*
- 34: /cgn2_6/ptodata/2/pna/JS099A_COMB.seq:*
- 35: /cgn2_6/ptodata/2/pna/JS099B_COMB.seq:*
- 36: /cgn2_6/ptodata/2/pna/JS099C_COMB.seq:*
- 37: /cgn2_6/ptodata/2/pna/JS100_COMB.seq:*
- 38: /cgn2_6/ptodata/2/pna/JS101_COMB.seq:*
- 39: /cgn2_6/ptodata/2/pna/US6000_COMB.seq:*
- 40: /cgn2_6/ptodata/2/pna/US6001_COMB.seq:*
- 41: /cgn2_6/ptodata/2/pna/US6002_COMB.seq:*
- 42: /cgn2_6/ptodata/2/pna/US6003_COMB.seq:*
- 43: /cgn2_6/ptodata/2/pna/US6004_COMB.seq:*

- 44: /cgn2_6/ptodata/2/pna/US6005_COMB.seq:*
- 45: /cgn2_6/ptodata/2/pna/US6006_COMB.seq:*
- 46: /cgn2_6/ptodata/2/pna/US6007_COMB.seq:*
- 47: /cgn2_6/ptodata/2/pna/US6008_COMB.seq:*
- 48: /cgn2_6/ptodata/2/pna/US6009_COMB.seq:*
- 49: /cgn2_6/ptodata/2/pna/US6010_COMB.seq:*
- 50: /cgn2_6/ptodata/2/pna/US6011_COMB.seq:*
- 51: /cgn2_6/ptodata/2/pna/US6012_COMB.seq:*
- 52: /cgn2_6/ptodata/2/pna/US6013_COMB.seq:*
- 53: /cgn2_6/ptodata/2/pna/US6014_COMB.seq:*
- 54: /cgn2_6/ptodata/2/pna/US6015_COMB.seq:*
- 55: /cgn2_6/ptodata/2/pna/US6016_COMB.seq:*
- 56: /cgn2_6/ptodata/2/pna/US6017_COMB.seq:*
- 57: /cgn2_6/ptodata/2/pna/US6018_COMB.seq:*
- 58: /cgn2_6/ptodata/2/pna/US6019_COMB.seq:*
- 59: /cgn2_6/ptodata/2/pna/US6020_COMB.seq:*
- 60: /cgn2_6/ptodata/2/pna/US6021_COMB.seq:*
- 61: /cgn2_6/ptodata/2/pna/US6022_COMB.seq:*
- 62: /cgn2_6/ptodata/2/pna/US6023_COMB.seq:*
- 63: /cgn2_6/ptodata/2/pna/US6024_COMB.seq:*
- 64: /cgn2_6/ptodata/2/pna/US6025_COMB.seq:*
- 65: /cgn2_6/ptodata/2/pna/US6026_COMB.seq:*
- 66: /cgn2_6/ptodata/2/pna/US6027_COMB.seq:*
- 67: /cgn2_6/ptodata/2/pna/US6028_COMB.seq:*
- 68: /cgn2_6/ptodata/2/pna/US6029_COMB.seq:*
- 69: /cgn2_6/ptodata/2/pna/US6030_COMB.seq:*
- 70: /cgn2_6/ptodata/2/pna/US6031_COMB.seq:*
- 71: /cgn2_6/ptodata/2/pna/US6032_COMB.seq:*
- 72: /cgn2_6/ptodata/2/pna/US6033_COMB.seq:*
- 73: /cgn2_6/ptodata/2/pna/US6034_COMB.seq:*
- 74: /cgn2_6/ptodata/2/pna/US6035_COMB.seq:*
- 75: /cgn2_6/ptodata/2/pna/US6036_COMB.seq:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	% Match	Query Length	ID	Description
c 1	20	100.0	21	7	US-08-309-335A-807
c 2	20	100.0	21	9	US-08-309-335A-807
c 3	20	100.0	21	16	US-09-263-959-807
c 4	20	100.0	22	26	US-09-669-187A-908
c 5	20	100.0	22	37	US-10-017-995-908
c 6	20	100.0	24	7	US-08-320-507-8
c 7	20	100.0	24	7	US-08-320-507-9
c 8	20	100.0	24	7	US-08-320-507-10
c 9	20	100.0	24	7	US-08-320-507-11
c 10	20	100.0	24	18	US-09-487-130-1
c 11	20	100.0	24	18	US-09-487-130-2
c 12	20	100.0	24	18	US-09-487-130-3
c 13	20	100.0	24	18	US-09-487-130-4
c 14	20	100.0	24	18	US-09-487-130-5
c 15	20	100.0	25	35	US-09-487-130-6
c 16	20	100.0	25	35	US-09-487-130-6
c 17	20	100.0	25	62	US-09-556-584-570432
c 18	20	100.0	26	62	US-09-556-584-570432
c 19	20	100.0	26	9	US-08-309-335A-538
c 20	20	100.0	26	16	US-09-263-959-538
c 21	20	100.0	27	23	US-09-605-699-2355
c 22	20	100.0	27	29	US-09-735-363A-6
c 23	20	100.0	28	1	PCT-US98-07592-1
c 24	20	100.0	28	7	US-08-369-881-317
c 25	20	100.0	28	8	US-08-408-872-1194
c 26	20	100.0	28	12	US-08-842-608A-1
c 27	20	100.0	28	12	US-08-862-610-1
c 28	20	100.0	28	12	US-08-893-971-2
c 29	20	100.0	28	16	US-09-281-481-2
c 30	20	100.0	28	16	US-09-281-481A-2
c 31	20	100.0	28	32	US-09-857-723-181
c 32	20	100.0	28	32	US-09-857-723-181
c 33	20	100.0	28	32	US-09-857-723-181
c 34	20	100.0	28	32	US-09-857-723-181
c 35	20	100.0	28	32	US-09-857-723-181
c 36	20	100.0	28	32	US-09-857-723-181
c 37	20	100.0	28	32	US-09-857-723-181
c 38	20	100.0	28	32	US-09-857-723-181
c 39	20	100.0	28	32	US-09-857-723-181
c 40	20	100.0	28	32	US-09-857-723-181
c 41	20	100.0	28	32	US-09-857-723-181
c 42	20	100.0	28	32	US-09-857-723-181
c 43	20	100.0	28	32	US-09-857-723-181

c 32 20 100.0 29 3 US-07-795-897-3
c 33 20 100.0 30 12 US-08-893-971-4
c 34 20 100.0 30 16 US-09-281-481-4
c 35 20 100.0 30 16 US-09-281-481A-4
36 20 100.0 32 6 US-08-267-803-46
37 20 100.0 32 8 US-08-469-802-28
38 20 100.0 32 28 US-09-704-424-25724
39 20 100.0 38 16 US-09-213-620B-1242
40 20 100.0 38 16 US-09-213-620C-1242
41 20 100.0 38 18 US-09-411-999-364
42 20 100.0 40 18 US-09-411-999-60
c 43 20 100.0 40 23 US-09-605-702-18866
44 20 100.0 41 1 PCT-US94-04705-66
45 20 100.0 41 4 US-08-055-985-66

Sequence 3, Appli
Sequence 4, Appli
Sequence 4, Appli
Sequence 4, Appli
Sequence 46, Appli
Sequence 28, Appli
Sequence 25724, A
Sequence 1242, A
Sequence 1242, Ap
Sequence 364, App
Sequence 60, Appl
Sequence 18866, A
Sequence 66, Appl
Sequence 66, Appl

ALIGNMENTS

RESULT 1
US-08-309-335A-807/c
; Sequence 807, Application US/08309335A
; GENERAL INFORMATION:
; APPLICANT: Hood, Leroy E.
; APPLICANT: Koop, Ben F.
; APPLICANT: Rowen, Lee
; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH UTI
; NUMBER OF SEQUENCES: 1215
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Seed and Berry
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: US
; ZIP: 98104-7092
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/309,335A
; FILING DATE: 19-SEP-1994
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: McMasters, David D.
; REGISTRATION NUMBER: 33,963
; REFERENCE/DOCKET NUMBER: 240052.406
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 807:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 21 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-309-335A-807

Query Match 100.0%; Score 20; DB 7; Length 21;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 21 AGAGAGAGAGAGAGAG 2

RESULT 2
US-08-531-241A-807/c
; Sequence 807, Application US/08531241A
; GENERAL INFORMATION:

; APPLICANT: Hood, Leroy E.
; APPLICANT: Koop, Ben F.
; APPLICANT: Rowen, Lee
; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH U
; NUMBER OF SEQUENCES: 1279
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Seed and Berry LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: US
; ZIP: 98104-7092
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/531,241A
; FILING DATE: 19-SEP-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: McMasters, David D.
; REGISTRATION NUMBER: 33,963
; REFERENCE/DOCKET NUMBER: 240052.406C1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 807:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 21 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-531-241A-807

Query Match 100.0%; Score 20; DB 9; Length 21;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 21 AGAGAGAGAGAGAGAG 2

RESULT 3
US-09-263-959-807/c
; Sequence 807, Application US/09263959
; GENERAL INFORMATION:
; APPLICANT: Hood, Leroy E.
; APPLICANT: Koop, Ben F.
; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH U
; NUMBER OF SEQUENCES: 1279
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Seed and Berry LLP
; STREET: 6300 Columbia Center, 701 Fifth Avenue
; CITY: Seattle
; STATE: Washington
; COUNTRY: US
; ZIP: 98104-7092
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/263,959
; FILING DATE: 05-MAR-1999
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: McMasters, David D.


```
; REGISTRATION NUMBER: 33,963
; REFERENCE/DOCKET NUMBER: 920010.426C2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 807:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 21 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-09-263-959-807

Query Match      100.0%; Score 20; DB 16; Length 21;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 21 AGAGAGAGAGAGAGAGAG 2

RESULT 4
US-09-669-187A-908/C
; Sequence 908, Application US/09669187A
; GENERAL INFORMATION:
; APPLICANT: Krieg, Arthur M.
; APPLICANT: Schetter, Christian
; APPLICANT: Vollmer, Jorg
; TITLE OF INVENTION: Immunostimulatory Nucleic Acids
; FILE REFERENCE: C1039/7035 (HCL/MAT)
; CURRENT FILING DATE: 2000-09-23
; PRIOR APPLICATION NUMBER: US 60/156,113
; PRIOR FILING DATE: 1999-09-25
; PRIOR APPLICATION NUMBER: US 60/156,135
; PRIOR FILING DATE: 1999-09-27
; PRIOR APPLICATION NUMBER: US 60/227,436
; PRIOR FILING DATE: 2000-08-23
; NUMBER OF SEQ ID NOS: 1145
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 908
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Sequence
US-09-669-187A-908

Query Match      100.0%; Score 20; DB 26; Length 22;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 22 AGAGAGAGAGAGAGAGAG 3

RESULT 5
US-10-017-995-908/c
; Sequence 908, Application US/10017995
; GENERAL INFORMATION:
; APPLICANT: Bratzler, Robert L.
; TITLE OF INVENTION: Inhibition of Angiogenesis by Nucleic Acids
; FILE REFERENCE: C1037/7025 (HCL/MAT)
; CURRENT APPLICATION NUMBER: US/10/017,935
; CURRENT FILING DATE: 2001-12-18
; PRIOR APPLICATION NUMBER: US 60/255,534
; PRIOR FILING DATE: 2000-12-14
; NUMBER OF SEQ ID NOS: 1093
; SOFTWARE: FastSeq for Windows Version 3.0

; SEQ ID NO 908
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Sequence
US-10-017-995-908

Query Match      100.0%; Score 20; DB 37; Length 22;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 22 AGAGAGAGAGAGAGAGAG 3

RESULT 6
US-08-320-507-8
; Sequence 8, Application US/08320507
; GENERAL INFORMATION:
; APPLICANT: Gray
; TITLE OF INVENTION: A method for ranking sequences to
; TITLE OF INVENTION: select target sequence zones of nucleic acids.
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Daniel F. Perez
; STREET: 703 McKinney Ave., Suite 316
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Dos 6.0
; SOFTWARE: WordPerfect 5.2
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/320,507
; FILING DATE: 07-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Perez, Daniel F
; REGISTRATION NUMBER: 33,755
; REFERENCE/DOCKET NUMBER: 1110-2012
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 871-1677
; TELEFAX: (214) 871-1083
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-320-507-8

Query Match      100.0%; Score 20; DB 7; Length 24;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 1 AGAGAGAGAGAGAGAGAG 20

RESULT 7
US-08-320-507-9/c
; Sequence 9, Application US/08320507
```

```

; GENERAL INFORMATION:
; APPLICANT: Gray
; TITLE OF INVENTION: A method for ranking sequences to
; FILE OF INVENTION: select target sequence zones of nucleic acids.
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Daniel F. Perez
; STREET: 703 McKinney Ave., Suite 316
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Dos 6.0
; SOFTWARE: WordPerfect 5.2
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/320,507
; FILING DATE: 07-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Perez, Daniel F.
; REGISTRATION NUMBER: 33,755
; REFERENCE/DOCKET NUMBER: 1110-2012
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 871-1677
; TELEFAX: (214) 817-1083
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-320-507-9
;
; Query Match 100.0%; Score 20; DB 7; Length 24;
; Best Local Similarity 100.0%; Pred. No. 7.4e+02;
; Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
;
QY 1 agagagagagagagagagag 20
DB 24 AGAGAGAGAGAGAGAGAG 5
|||||
;
RESULT 8
US-08-320-507-10/C
; Sequence 10, Application US/08320507
; GENERAL INFORMATION:
; APPLICANT: Gray
; TITLE OF INVENTION: A method for ranking sequences to
; FILE OF INVENTION: select target sequence zones of nucleic acids.
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Daniel F. Perez
; STREET: 703 McKinney Ave., Suite 316
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Dos 6.0
; SOFTWARE: WordPerfect 5.2
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/320,507
; FILING DATE: 07-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Perez, Daniel F.
; REGISTRATION NUMBER: 33,755
; REFERENCE/DOCKET NUMBER: 1110-2012
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 871-1677
; TELEFAX: (214) 817-1083
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-320-507-11
;
; Query Match 100.0%; Score 20; DB 7; Length 24;
; Best Local Similarity 100.0%; Pred. No. 7.4e+02;
; Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
;
QY 1 agagagagagagagagagag 20
DB 24 AGAGAGAGAGAGAGAGAG 5
|||||
;
RESULT 9
US-08-320-507-11
; Sequence 11, Application US/08320507
; GENERAL INFORMATION:
; APPLICANT: Gray
; TITLE OF INVENTION: A method for ranking sequences to
; FILE OF INVENTION: select target sequence zones of nucleic acids.
; NUMBER OF SEQUENCES: 23
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Daniel F. Perez
; STREET: 703 McKinney Ave., Suite 316
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75202
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.5 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Dos 6.0
; SOFTWARE: WordPerfect 5.2
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/320,507
; FILING DATE: 07-OCT-1994
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER:
; FILING DATE:
; ATTORNEY/AGENT INFORMATION:
; NAME: Perez, Daniel F.
; REGISTRATION NUMBER: 33,755
; REFERENCE/DOCKET NUMBER: 1110-2012
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 871-1677
; TELEFAX: (214) 817-1083
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-320-507-11
;
; Query Match 100.0%; Score 20; DB 7; Length 24;
; Best Local Similarity 100.0%; Pred. No. 7.4e+02;
; Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
;
QY 1 agagagagagagagagagag 20
DB 23 AGAGAGAGAGAGAGAGAG 4
|||||
;

```

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 2 AGAGAGAGAGAGAGAGAG 21

RESULT 10

US-09-487-130-1/c
; Sequence 1, Application US/09487130
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: HASHEM, GIHAN M.
; TITLE OF INVENTION: CONVERSION OF A WATSON-CRICK DNA TO A HOOGSTEEN-PAIRED
; TITLE OF INVENTION: DUPLEX
; FILE REFERENCE: 91556/66385CIP
; CURRENT APPLICATION NUMBER: US/09/487,130
; CURRENT FILING DATE: 2000-01-19
; PRIOR APPLICATION NUMBER: 09/357,424
; PRIOR FILING DATE: 1999-07-20
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 1
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: nucleic acid
US-09-487-130-1

Query Match 100.0%; Score 20; DB 18; Length 24;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 24 AGAGAGAGAGAGAGAGAG 5

RESULT 11

US-09-487-130-2
; Sequence 2, Application US/09487130
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: HASHEM, GIHAN M.
; TITLE OF INVENTION: CONVERSION OF A WATSON-CRICK DNA TO A HOOGSTEEN-PAIRED
; TITLE OF INVENTION: DUPLEX
; FILE REFERENCE: 91556/66385CIP
; CURRENT APPLICATION NUMBER: US/09/487,130
; CURRENT FILING DATE: 2000-01-19
; PRIOR APPLICATION NUMBER: 09/357,424
; PRIOR FILING DATE: 1999-07-20
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 2
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: nucleic acid
US-09-487-130-2

Query Match 100.0%; Score 20; DB 18; Length 24;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 1 agagagagagagagagagag 20

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 2 AGAGAGAGAGAGAGAGAG 21

RESULT 12

US-09-487-130-3/c
; Sequence 3, Application US/09487130
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: HASHEM, GIHAN M.
; TITLE OF INVENTION: CONVERSION OF A WATSON-CRICK DNA TO A HOOGSTEEN-PAIRED
; TITLE OF INVENTION: DUPLEX
; FILE REFERENCE: 91556/66385CIP
; CURRENT APPLICATION NUMBER: US/09/487,130
; CURRENT FILING DATE: 2000-01-19
; PRIOR APPLICATION NUMBER: 09/357,424
; PRIOR FILING DATE: 1999-07-20
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 3
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: nucleic acid
US-09-487-130-3

Query Match 100.0%; Score 20; DB 18; Length 24;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 24 AGAGAGAGAGAGAGAGAG 5

RESULT 13

US-09-487-130-4/c
; Sequence 4, Application US/09487130
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: HASHEM, GIHAN M.
; TITLE OF INVENTION: CONVERSION OF A WATSON-CRICK DNA TO A HOOGSTEEN-PAIRED
; TITLE OF INVENTION: DUPLEX
; FILE REFERENCE: 91556/66385CIP
; CURRENT APPLICATION NUMBER: US/09/487,130
; CURRENT FILING DATE: 2000-01-19
; PRIOR APPLICATION NUMBER: 09/357,424
; PRIOR FILING DATE: 1999-07-20
; NUMBER OF SEQ ID NOS: 17
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: synthetic
; OTHER INFORMATION: nucleic acid
US-09-487-130-4

Query Match 100.0%; Score 20; DB 18; Length 24;
Best Local Similarity 100.0%; Pred. No. 7.4e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 24 AGAGAGAGAGAGAGAGAG 5

RESULT 14

US-09-487-130-5
; Sequence 5, Application US/09487130

Search completed: August 25, 2002, 00:32:25
Job time: 16383 sec


```
; FILE REFERENCE: C1037/7013 (HCL/MAT)
; CURRENT APPLICATION NUMBER: US/09/7776,479
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: US 60/179,991
; PRIOR FILING DATE: 2000-02-03
; NUMBER OF SEQ ID NOS: 1093
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 908
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Sequence
US-09-776-479-908
```

```
Query Match 100.0%; Score 20; DB 5; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 agagagagagagagagagag 20
Db 22 AGAGAGAGAGAGAGAGAG 3
```

RESULT 3

```
US-10-112-653-877/c
; Sequence 877, Application US/10112653
; GENERAL INFORMATION:
; APPLICANT: Krieg, Arthur M.
; TITLE OF INVENTION: IMMUNOSTIMULATORY NUCLEIC ACID FOR
; FILE REFERENCE: C01039/70060(AWS)
; CURRENT APPLICATION NUMBER: US/10/112,653
; CURRENT FILING DATE: 2002-03-29
; PRIOR APPLICATION NUMBER: US 60/279,642
; PRIOR FILING DATE: 2001-03-29
; NUMBER OF SEQ ID NOS: 1040
; SOFTWARE: FastSeq for Windows Version 3.0
; SEQ ID NO 877
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Oligonucleotide
US-10-112-653-877
```

```
Query Match 100.0%; Score 20; DB 7; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 agagagagagagagagagag 20
Db 22 AGAGAGAGAGAGAGAGAG 3
```

RESULT 4

```
US-10-078-757B-36
; Sequence 36, Application US/10078757B
; GENERAL INFORMATION:
; APPLICANT: BARBAS, Carlos F., III
; APPLICANT: RADER, Christoph
; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
; FILE REFERENCE: TSRI 598.0 Conl
; CURRENT APPLICATION NUMBER: US/10/078,757B
; CURRENT FILING DATE: 2002-02-19
; PRIOR APPLICATION NUMBER: US 08/986,016
; PRIOR FILING DATE: 1997-12-05
; NUMBER OF SEQ ID NOS: 56
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 36
```

```
; LENGTH: 50
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic PCR Primer
US-10-078-757B-36
```

```
Query Match 100.0%; Score 20; DB 7; Length 50;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 agagagagagagagagagag 20
Db 1 agagagagagagagagagag 20
```

RESULT 5

```
US-10-205-303-265/c
; Sequence 265, Application US/10205303
; GENERAL INFORMATION:
; APPLICANT: Rosen et al.
; TITLE OF INVENTION: Nucleic Acids, Proteins, and Antibodies
; FILE REFERENCE: P120C2
; CURRENT APPLICATION NUMBER: US/10/205,303
; CURRENT FILING DATE: 2002-07-26
; Prior Application removed - See File Wrapper or Palm
; NUMBER OF SEQ ID NOS: 3506
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 265
; LENGTH: 69
; TYPE: DNA
; ORGANISM: Homo sapiens
; OTHER INFORMATION:
US-10-205-303-265
```

```
Query Match 100.0%; Score 20; DB 6; Length 69;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY 1 agagagagagagagagagag 20
Db 44 AGAGAGAGAGAGAGAGAG 25
```

RESULT 6

```
US-10-027-632-20865/c
; Sequence 20865, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 20865
; LENGTH: 95
```

; TYPE: DNA
; ORGANISM: Human
US-10-027-632-20865

Query Match 100.0%; Score 20; DB 7; Length 95;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 61 AGAGAGAGAGAGAGAG 42
|||||

RESULT 7

US-10-105-299-8877/c
; Sequence 8877, Application US/10105299
; GENERAL INFORMATION:
; APPLICANT: Rosen, et. al
; TITLE OF INVENTION: Human Secreted Proteins
; FILE REFERENCE: PS950
; CURRENT APPLICATION NUMBER: US/10/105,299
; CURRENT FILING DATE: 2002-03-26
; NUMBER OF SEQ ID NOS: 15197
; Prior Application removed - See File Wrapper or Palm
; SOFTWARE: PatentIn Ver. 2.0
; SEQ ID NO 8877
; LENGTH: 102
; TYPE: DNA
; ORGANISM: Homo sapiens
US-10-105-299-8877

Query Match 100.0%; Score 20; DB 7; Length 102;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 54 AGAGAGAGAGAGAGAG 35
|||||

RESULT 8

US-09-620-393B-3516
; Sequence 3516, Application US/09620393B
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai et al.
; TITLE OF INVENTION: SEQUENCE-DETERMINED DNA FRAGMENTS AND CORRESPONDING POLYPEPTIDES
; FILE REFERENCE: 2750-1068P
; CURRENT APPLICATION NUMBER: US/09/620,393B
; CURRENT FILING DATE: 2000-07-21
; NUMBER OF SEQ ID NOS: 9948
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 3516
; LENGTH: 107
; TYPE: DNA
; ORGANISM: Arabidopsis thaliana
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..107
; OTHER INFORMATION: any n = a, g, c, t, unknown, or other
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..107
; OTHER INFORMATION: Ceres Seq. ID 1385533
US-09-620-393B-3516

Query Match 100.0%; Score 20; DB 5; Length 107;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 62 agagagagagagagagag 81
|||||

RESULT 9

US-60-319-414-2115
; Sequence 2115, Application US/60319414
; GENERAL INFORMATION:
; APPLICANT: Brandt, Kevin S.
; APPLICANT: Gaines, Patrick J.
; APPLICANT: Stinchcomb, Dan T.
; APPLICANT: Wisniewski, Nancy
; TITLE OF INVENTION: FLEA HEAD, NERVE CORD, HINDGUT AND MALPIGHIAN TUBULE NUCLEIC ACIDS
; FILE REFERENCE: P-FC-8-C1
; CURRENT APPLICATION NUMBER: US/60/319,414
; CURRENT FILING DATE: 2002-07-22
; NUMBER OF SEQ ID NOS: 2313
; SOFTWARE: PatentIn version 3.1
; SEQ ID NO 2115
; LENGTH: 111
; TYPE: DNA
; ORGANISM: Ctenocephalides felis
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (81)..(81)
; OTHER INFORMATION: n = unknown
US-60-319-414-2115

Query Match 100.0%; Score 20; DB 8; Length 111;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 2 agagagagagagagagag 21
|||||

RESULT 10

US-09-620-393B-6947
; Sequence 6947, Application US/09620393B
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai et al.
; TITLE OF INVENTION: SEQUENCE-DETERMINED DNA FRAGMENTS AND CORRESPONDING POLYPEPTIDES
; FILE REFERENCE: 2750-1068P
; CURRENT APPLICATION NUMBER: US/09/620,393B
; CURRENT FILING DATE: 2000-07-21
; NUMBER OF SEQ ID NOS: 9948
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 6947
; LENGTH: 117
; TYPE: DNA
; ORGANISM: Arabidopsis thaliana
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..117
; OTHER INFORMATION: any n = a, g, c, t, unknown, or other
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..117
; OTHER INFORMATION: Ceres Seq. ID 1395310
US-09-620-393B-6947

Query Match 100.0%; Score 20; DB 5; Length 117;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||

Db 56 agagagagagagagagagag 75

RESULT 11
US-09-620-393B-7088
; Sequence 7088, Application US/09620393B
; GENERAL INFORMATION:
; APPLICANT: ALEXANDROV, Nikolai et al.
; TITLE OF INVENTION: SEQUENCE-DETERMINED DNA FRAGMENTS AND CORRESPONDING POLYPEPTIDES
; TITLE OF INVENTION: THEREBY
; FILE REFERENCE: 2750-1068P
; CURRENT APPLICATION NUMBER: US/09/620.393B
; CURRENT FILING DATE: 2000-07-21
; NUMBER OF SEQ ID NOS: 9948
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 7088
; LENGTH: 123
; TYPE: DNA
; ORGANISM: Arabidopsis thaliana
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..123
; OTHER INFORMATION: any n = a, g, c, t, unknown, or other
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: 1..123
; OTHER INFORMATION: Ceres Seq. ID 1396411
US-09-620-393B-7088

Query Match 100.0%; Score 20; DB 5; Length 123;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
|||||
Db 85 agagagagagagagagag 104

RESULT 12
US-10-057-940-12
; Sequence 12, Application US/10057940
; GENERAL INFORMATION:
; APPLICANT: Pantoliano, Michael W.
; APPLICANT: Salemm, F. Raymond
; TITLE OF INVENTION: High Throughput Method for Functionally Classifying Proteins
; TITLE OF INVENTION: Identified Using a Genomics Approach
; FILE REFERENCE: 1503.0310002/JAG/JSO
; CURRENT APPLICATION NUMBER: US/10/057,940
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: 09/190,128
; PRIOR FILING DATE: 1998-11-12
; PRIOR APPLICATION NUMBER: US 60/065,129
; PRIOR FILING DATE: 1997-11-12
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 12
; LENGTH: 128
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: CT- and GA-rich tract
US-10-057-940-12

Query Match 100.0%; Score 20; DB 7; Length 128;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
|||||
Db 66 agagagagagagagagagag 85

RESULT 13
US-10-057-940-12/c
; Sequence 12, Application US/10057940
; GENERAL INFORMATION:
; APPLICANT: Pantoliano, Michael W.
; APPLICANT: Salemm, F. Raymond
; APPLICANT: Carver, Jr., Theodore, E.
; TITLE OF INVENTION: High Throughput Method for Functionally Classifying Proteins
; TITLE OF INVENTION: Identified Using a Genomics Approach
; FILE REFERENCE: 1503.0310002/JAG/JSO
; CURRENT APPLICATION NUMBER: US/10/057,940
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: 09/190,128
; PRIOR FILING DATE: 1998-11-12
; PRIOR APPLICATION NUMBER: US 60/065,129
; PRIOR FILING DATE: 1997-11-12
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 12
; LENGTH: 128
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: CT- and GA-rich tract
US-10-057-940-12


Query Match 100.0%; Score 20; DB 7; Length 128;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
|||||
Db 64 AGAGAGAGAGAGAGAGAG 45

RESULT 14
US-10-057-940-13
; Sequence 13, Application US/10057940
; GENERAL INFORMATION:
; APPLICANT: Pantoliano, Michael W.
; APPLICANT: Salemm, F. Raymond
; APPLICANT: Carver, Jr., Theodore, E.
; TITLE OF INVENTION: High Throughput Method for Functionally Classifying Proteins
; TITLE OF INVENTION: Identified Using a Genomics Approach
; FILE REFERENCE: 1503.0310002/JAG/JSO
; CURRENT APPLICATION NUMBER: US/10/057,940
; CURRENT FILING DATE: 2002-05-03
; PRIOR APPLICATION NUMBER: 09/190,128
; PRIOR FILING DATE: 1998-11-12
; PRIOR APPLICATION NUMBER: US 60/065,129
; PRIOR FILING DATE: 1997-11-12
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: PatentIn version 3.0
; SEQ ID NO 13
; LENGTH: 128
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: AG- and TC-rich tract
US-10-057-940-13

Query Match 100.0%; Score 20; DB 7; Length 128;
Best Local Similarity 100.0%; Pred. No. 1.5e+02;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
|||||
Db 1 agagagagagagagagagag 20



c 32 0 0.0 1 24 US-09-625-102-614 Sequence 614, App
 c 33 0 0.0 1 24 US-09-625-102-836 Sequence 836, App
 c 34 0 0.0 1 24 US-09-625-102-836 Sequence 836, App
 c 35 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 36 0 0.0 1 24 US-09-625-102-895 Sequence 895, App
 c 37 0 0.0 1 24 US-09-625-102-982 Sequence 982, App
 c 38 0 0.0 1 24 US-09-625-102-982 Sequence 982, App
 c 39 0 0.0 1 24 US-09-625-102-1048 Sequence 1048, App
 c 40 0 0.0 1 24 US-09-625-102-1048 Sequence 1048, App
 c 41 0 0.0 1 24 US-09-625-102-1352 Sequence 1352, App
 c 42 0 0.0 1 24 US-09-625-102-1352 Sequence 1352, App
 c 43 0 0.0 1 24 US-09-634-306B-51773 Sequence 51773, A
 c 44 0 0.0 1 24 US-09-634-306B-51773 Sequence 51773, A
 c 45 0 0.0 1 24 US-09-634-306B-51841 Sequence 51841, A

ALIGNMENTS

RESULT 1
 PCT-US93-00977-702
 ; Sequence 702, Application PC/TUS9300977
 ; GENERAL INFORMATION:

; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA

; NUMBER OF SEQUENCES: 711

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Knobbe, Martens, Olson, and Bear

; STREET: 620 Newport Center Dr. Sixteenth Floor

; CITY: Newport Beach

; STATE: CA

; COUNTRY: USA

; ZIP: 92660

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: PCT/US93/00977

; FILING DATE: 19930129

; CLASSIFICATION:

; ATTORNEY/AGENT INFORMATION:

; NAME: Altman, Daniel E.

; REGISTRATION NUMBER: 34,115

; REFERENCE/DOCKET NUMBER: HITACHI.006H

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 714-760-0404

; TELEFAX: 714-760-9502

; INFORMATION FOR SEQ ID NO: 702:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 1

; TYPE: NUCLEIC ACID

; STRANDEDNESS: double

; TOPOLOGY: linear

; MOLECULE TYPE: cDNA to mRNA

; HYPOTHETICAL: NO

; ANTI-SENSE: NO

; PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 1; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1

Db 1 A 1

RESULT 2

PCT-US93-00977-702/c

; Sequence 702, Application PC/TUS9300977

; GENERAL INFORMATION:

; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA

; NUMBER OF SEQUENCES: 711

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: Knobbe, Martens, Olson, and Bear

; STREET: 620 Newport Center Dr. Sixteenth Floor

; CITY: Newport Beach

; STATE: CA

; COUNTRY: USA

; ZIP: 92660

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: PCT/US93/00977

; FILING DATE: 19930129

; CLASSIFICATION:

; ATTORNEY/AGENT INFORMATION:

; NAME: Altman, Daniel E.

; REGISTRATION NUMBER: 34,115

; REFERENCE/DOCKET NUMBER: HITACHI.006H

; TELECOMMUNICATION INFORMATION:

; TELEPHONE: 714-760-0404

; TELEFAX: 714-760-9502

; INFORMATION FOR SEQ ID NO: 702:

; SEQUENCE CHARACTERISTICS:

; LENGTH: 1

; TYPE: NUCLEIC ACID

; STRANDEDNESS: double

; TOPOLOGY: linear

; MOLECULE TYPE: cDNA to mRNA

; HYPOTHETICAL: NO

; ANTI-SENSE: NO

; PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 1; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1

Db 1 T 1

RESULT 3

US-08-068-298-17

; Sequence 17, Application US/08068298

; GENERAL INFORMATION:

; APPLICANT: HUENCHAU, DARYL, ET AL.

; TITLE OF INVENTION: METHOD FOR GENERATING APTAMERS OF

; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY

; NUMBER OF SEQUENCES: 26

; CORRESPONDENCE ADDRESS:

; ADDRESSEE: LYON & LYON

; STREET: 611 West Sixth St.

; CITY: Los Angeles

; STATE: CA

; COUNTRY: USA

; ZIP: 90017

; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk

; COMPUTER: IBM PC compatible

; OPERATING SYSTEM: PC-DOS/MS-DOS

; SOFTWARE: Patent In Release #1.0, Version #1.25

; CURRENT APPLICATION NUMBER: US/08/068,298

; FILING DATE:

; CLASSIFICATION: 435

; PRIOR APPLICATION DATA:

; APPLICATION NUMBER: 07/659,980

; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:
; OTHER INFORMATION: where N also may be isoguanine or
; OTHER INFORMATION: isocytosine
US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 G 1

RESULT 4

US-08-068-298-17/c
; Sequence 17, Application US/08068298
; GENERAL INFORMATION:
; APPLICANT: MUENCHAU, DARYL, ET AL.
; TITLE OF INVENTION: METHOD FOR GENERATING APTAMERS OF
; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY
; TITLE OF INVENTION: NON-PREDETERMINED SEQUENCES
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: LYON & LYON
; STREET: 611 West Sixth St.
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90017
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/068,298
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/659,980
; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:

; OTHER INFORMATION: where N also may be isoguanine or
; OTHER INFORMATION: isocytosine
US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 C 1

RESULT 5

US-08-154-792A-9
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
US-08-154-792A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 A 1

RESULT 6

US-08-154-792A-9/c
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.

```

; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-3400
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 T 1

RESULT 7
US-08-154-792A-24
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-3400
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

```

; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-3400
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 8
US-08-154-792A-24/c
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-3400
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 t 1

RESULT 9
 US-08-163-449A-9
 ; Sequence 9, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard
 ; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION NUMBER: US/08/163.449A
 ; FILING DATE: 07-DEC-1993
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Resnick, David S.
 ; REGISTRATION NUMBER: 34,234
 ; REFERENCE/DOCKET NUMBER: 44824-CIP-2
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (617) 523-3400
 ; TELEFAX: (617) 523-6440
 ; TELEX: 200291 STRE UR
 ; INFORMATION FOR SEQ ID NO: 9:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; US-08-163-449A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 a 1

RESULT 10
 US-08-163-449A-9/c
 ; Sequence 9, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard

; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION NUMBER: US/08/163.449A
 ; FILING DATE: 07-DEC-1993
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Resnick, David S.
 ; REGISTRATION NUMBER: 34,234
 ; REFERENCE/DOCKET NUMBER: 44824-CIP-2
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (617) 523-3400
 ; TELEFAX: (617) 523-6440
 ; TELEX: 200291 STRE UR
 ; INFORMATION FOR SEQ ID NO: 9:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; US-08-163-449A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 t 1

RESULT 11
 US-08-163-449A-24
 ; Sequence 24, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard
 ; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/163,449A
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Oy 1 n 1
Db 1 A 1

RESULT 12
US-08-163-449A-24/c
Sequence 24, Application US/08163449A
GENERAL INFORMATION:
APPLICANT: Kolodner, Richard D.
APPLICANT: Reenan, Robert A.G.
APPLICANT: Fishel, Richard
TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
TITLE OF INVENTION: PRODUCTS,
TITLE OF INVENTION: AND USES THEREFOR
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
ADDRESSEE: ROBERTS & CUSHMAN
STREET: 130 Water Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)

US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Oy 1 n 1
Db 1 T 1

RESULT 13
US-08-572-10
Sequence 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND
TITLE OF INVENTION: ECEF
TITLE OF INVENTION: DERIVATIVES
NUMBER OF SEQUENCES: 14
CORRESPONDENCE ADDRESS:
ADDRESSEE: CHOATE, HALL, & STEWART
STREET: Exchange Place, 53 State Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
FILING DATE: US/08/208.572
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Kaplan Esq., Warren A.
REGISTRATION NUMBER: 34,199
REFERENCE/DOCKET NUMBER: 092662-002
TELECOMMUNICATION INFORMATION:
TELEPHONE: (617) 227-5020
TELEFAX: (617) 227-7566
INFORMATION FOR SEQ ID NO: 10:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-208-572-10

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Oy 1 n 1
Db 1 A 1

RESULT 14
US-08-572-10/C
Sequence 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND


```

; TITLE OF INVENTION: ECEF
; TITLE OF INVENTION: DERIVATIVES
; NUMBER OF SEQUENCES: 14
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CHOATE, HALL, & STEWART
; STREET: Exchange Place, 53 State Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/208,572
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Kaplan Esq., Warren A.
; REGISTRATION NUMBER: 34,199
; REFERENCE/DOCKET NUMBER: 092662-002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 227-5020
; TELEFAX: (617) 227-7566
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-208-572-10

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

QY      1 n 1
Db      1 T 1

```

```

RESULT 15
US-08-237-491-6868
; Sequence 6868, Application US/08237491
; GENERAL INFORMATION:
; APPLICANT: Seilhamer, Jeffrey
; APPLICANT: Delegeane, Angelo
; APPLICANT: Jernigan, Colleen
; APPLICANT: Levine, Wendy B.
; TITLE OF INVENTION: SHEAR-STRESSED HUMAN UMBILICAL VEIN
; NUMBER OF SEQUENCES: 7326
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: pennie & edmonds
; STREET: 2730 Sand Hill Road
; CITY: Menlo Park
; STATE: California
; COUNTRY: U.S.A.
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/237,491
; FILING DATE: Concurrently herewith
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:

```

```

; APPLICATION NUMBER: US 08/137,951
; FILING DATE: 14-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/197,801
; FILING DATE: 17-FEB-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Halluin, Albert P.
; REGISTRATION NUMBER: 25,227
; REFERENCE/DOCKET NUMBER: 8135-025
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 854-3660
; TELEFAX: (415) 854-3694
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 6868:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; IMMEDIATE SOURCE:
; CLONE: Z-068903
; US-08-237-491-6868

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

QY      1 n 1
Db      1 C 1

```

```

Search completed: August 25, 2002, 00:32:25
Job time: 16383 sec

```

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 25, 2002, 00:45:46 ; Search time 787.61 Seconds
(without alignments)
69.294 Million cell updates/sec

Title: US-10-077-383-30
Perfect score: 20
Sequence: 1 nnnnnnnnnnnnnnnnnnn 20

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1737567 seqs, 1364410299 .residues

Total number of hits satisfying chosen parameters: 3475134

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 08
Maximum Match 1004
Listing first 45 summaries

Database : Pending_Patents_NA_New:*

1: /cgn2_6/prodata/2/pna/JS05_NEW_COMB.seq: *
2: /cgn2_6/prodata/2/pna/JS06_NEW_COMB.seq: *
3: /cgn2_6/prodata/2/pna/JS07_NEW_COMB.seq: *
4: /cgn2_6/prodata/2/pna/JS08_NEW_COMB.seq: *
5: /cgn2_6/prodata/2/pna/JS09_NEW_COMB.seq: *
6: /cgn2_6/prodata/2/pna/JS10_NEW_COMB.seq: *
7: /cgn2_6/prodata/2/pna/JS11_NEW_COMB.seq2: *
8: /cgn2_6/prodata/2/pna/JS60_NEW_COMB.seq: *

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	0	0.0	1	7	US-10-027-632-51773
2	0	0.0	1	7	US-10-027-632-51773
3	0	0.0	1	7	US-10-027-632-51841
4	0	0.0	1	7	US-10-027-632-51841
5	0	0.0	1	7	US-10-027-632-52001
6	0	0.0	1	7	US-10-027-632-52001
7	0	0.0	1	7	US-10-027-632-52051
8	0	0.0	1	7	US-10-027-632-52051
9	0	0.0	1	7	US-10-027-632-52156
10	0	0.0	1	7	US-10-027-632-52156
11	0	0.0	1	7	US-10-027-632-52157
12	0	0.0	1	7	US-10-027-632-52157
13	0	0.0	1	7	US-10-027-632-52177
14	0	0.0	1	7	US-10-027-632-52177
15	0	0.0	1	7	US-10-027-632-52215
16	0	0.0	1	7	US-10-027-632-52215
17	0	0.0	1	7	US-10-027-632-52240
18	0	0.0	1	7	US-10-027-632-52240
19	0	0.0	1	7	US-10-027-632-52272
20	0	0.0	1	7	US-10-027-632-52272
21	0	0.0	1	7	US-10-027-632-52624
22	0	0.0	1	7	US-10-027-632-52624
23	0	0.0	1	7	US-10-027-632-52642
24	0	0.0	1	7	US-10-027-632-52642
25	0	0.0	1	7	US-10-027-632-52668

c 26 0 0.0 1 7 US-10-027-632-52668 Sequence 52668, A
c 27 0 0.0 1 7 US-10-027-632-52677 Sequence 52677, A
c 28 0 0.0 1 7 US-10-027-632-52677 Sequence 52677, A
c 29 0 0.0 1 7 US-10-027-632-52707 Sequence 52707, A
c 30 0 0.0 1 7 US-10-027-632-52707 Sequence 52707, A
c 31 0 0.0 1 7 US-10-027-632-52714 Sequence 52714, A
c 32 0 0.0 1 7 US-10-027-632-52714 Sequence 52714, A
c 33 0 0.0 1 7 US-10-027-632-52721 Sequence 52721, A
c 34 0 0.0 1 7 US-10-027-632-52721 Sequence 52721, A
c 35 0 0.0 1 7 US-10-027-632-52776 Sequence 52776, A
c 36 0 0.0 1 7 US-10-027-632-52776 Sequence 52776, A
c 37 0 0.0 1 7 US-10-027-632-52863 Sequence 52863, A
c 38 0 0.0 1 7 US-10-027-632-52863 Sequence 52863, A
c 39 0 0.0 1 7 US-10-027-632-52864 Sequence 52864, A
c 40 0 0.0 1 7 US-10-027-632-52864 Sequence 52864, A
c 41 0 0.0 1 7 US-10-027-632-52891 Sequence 52891, A
c 42 0 0.0 1 7 US-10-027-632-52891 Sequence 52891, A
c 43 0 0.0 1 7 US-10-027-632-52890 Sequence 52890, A
c 44 0 0.0 1 7 US-10-027-632-52890 Sequence 52890, A
c 45 0 0.0 1 7 US-10-027-632-58459 Sequence 58459, A

ALIGNMENTS

RESULT 1
US-10-027-632-51773
; Sequence 51773, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51773
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51773

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 c 1

RESULT 2
US-10-027-632-51773/c
; Sequence 51773, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide

;; TITLE OF INVENTION: Polymorphisms in the Human Genome
;; FILE REFERENCE: 108827.129
;; CURRENT APPLICATION NUMBER: US/10/027,632
;; CURRENT FILING DATE: 2002-04-30
;; PRIOR APPLICATION NUMBER: US 60/218,006
;; PRIOR FILING DATE: 2000-07-12
;; PRIOR APPLICATION NUMBER: US 60/198,676
;; PRIOR FILING DATE: 2000-04-20
;; PRIOR APPLICATION NUMBER: US 60/193,483
;; PRIOR FILING DATE: 2000-03-29
;; PRIOR APPLICATION NUMBER: US 60/185,218
;; PRIOR FILING DATE: 2000-02-24
;; PRIOR APPLICATION NUMBER: US 60/167,363
;; PRIOR FILING DATE: 1999-11-23
;; PRIOR APPLICATION NUMBER: US 60/156,358
;; PRIOR FILING DATE: 1999-09-28
;; PRIOR APPLICATION NUMBER: US 60/146,002
;; PRIOR FILING DATE: 1999-08-09
;; NUMBER OF SEQ ID NOS: 325720
;; SOFTWARE: FastSeq for Windows Version 4.0
;; SEQ ID NO 51773
;; LENGTH: 1
;; TYPE: DNA
;; ORGANISM: Human
US-10-027-632-51773

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 3

;; Sequence 51841, Application US/10027632
;; GENERAL INFORMATION:
;; APPLICANT: Wang, David G.
;; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;; Polymorphisms in the Human Genome
;; FILE REFERENCE: 108827.129
;; CURRENT APPLICATION NUMBER: US/10/027,632
;; CURRENT FILING DATE: 2002-04-30
;; PRIOR APPLICATION NUMBER: US 60/218,006
;; PRIOR FILING DATE: 2000-07-12
;; PRIOR APPLICATION NUMBER: US 60/198,676
;; PRIOR FILING DATE: 2000-04-20
;; PRIOR APPLICATION NUMBER: US 60/193,483
;; PRIOR FILING DATE: 2000-03-29
;; PRIOR APPLICATION NUMBER: US 60/185,218
;; PRIOR FILING DATE: 2000-02-24
;; PRIOR APPLICATION NUMBER: US 60/167,363
;; PRIOR FILING DATE: 1999-11-23
;; PRIOR APPLICATION NUMBER: US 60/156,358
;; PRIOR FILING DATE: 1999-09-28
;; PRIOR APPLICATION NUMBER: US 60/146,002
;; PRIOR FILING DATE: 1999-08-09
;; NUMBER OF SEQ ID NOS: 325720
;; SOFTWARE: FastSeq for Windows Version 4.0
;; SEQ ID NO 51841
;; LENGTH: 1
;; TYPE: DNA
;; ORGANISM: Human
US-10-027-632-51841

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 y 1

RESULT 4

;; Sequence 51841, Application US/10027632
;; GENERAL INFORMATION:
;; APPLICANT: Wang, David G.
;; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;; Polymorphisms in the Human Genome
;; FILE REFERENCE: 108827.129
;; CURRENT APPLICATION NUMBER: US/10/027,632
;; CURRENT FILING DATE: 2002-04-30
;; PRIOR APPLICATION NUMBER: US 60/218,006
;; PRIOR FILING DATE: 2000-07-12
;; PRIOR APPLICATION NUMBER: US 60/198,676
;; PRIOR FILING DATE: 2000-04-20
;; PRIOR APPLICATION NUMBER: US 60/193,483
;; PRIOR FILING DATE: 2000-03-29
;; PRIOR APPLICATION NUMBER: US 60/185,218
;; PRIOR FILING DATE: 2000-02-24
;; PRIOR APPLICATION NUMBER: US 60/167,363
;; PRIOR FILING DATE: 1999-11-23
;; PRIOR APPLICATION NUMBER: US 60/156,358
;; PRIOR FILING DATE: 1999-09-28
;; PRIOR APPLICATION NUMBER: US 60/146,002
;; PRIOR FILING DATE: 1999-08-09
;; NUMBER OF SEQ ID NOS: 325720
;; SOFTWARE: FastSeq for Windows Version 4.0
;; SEQ ID NO 51841
;; LENGTH: 1
;; TYPE: DNA
;; ORGANISM: Human
US-10-027-632-51841

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 R 1

RESULT 5

;; Sequence 52001, Application US/10027632
;; GENERAL INFORMATION:
;; APPLICANT: Wang, David G.
;; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
;; Polymorphisms in the Human Genome
;; FILE REFERENCE: 108827.129
;; CURRENT APPLICATION NUMBER: US/10/027,632
;; CURRENT FILING DATE: 2002-04-30
;; PRIOR APPLICATION NUMBER: US 60/218,006
;; PRIOR FILING DATE: 2000-07-12
;; PRIOR APPLICATION NUMBER: US 60/198,676
;; PRIOR FILING DATE: 2000-04-20
;; PRIOR APPLICATION NUMBER: US 60/193,483
;; PRIOR FILING DATE: 2000-03-29
;; PRIOR APPLICATION NUMBER: US 60/185,218
;; PRIOR FILING DATE: 2000-02-24
;; PRIOR APPLICATION NUMBER: US 60/167,363
;; PRIOR FILING DATE: 1999-11-23
;; PRIOR APPLICATION NUMBER: US 60/156,358
;; PRIOR FILING DATE: 1999-09-28
;; PRIOR APPLICATION NUMBER: US 60/146,002
;; PRIOR FILING DATE: 1999-08-09
;; NUMBER OF SEQ ID NOS: 325720
;; SOFTWARE: FastSeq for Windows Version 4.0

; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 y 1

RESULT 6

US-10-027-632-52001/c
; Sequence 52001, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 r 1

RESULT 7

US-10-027-632-52051
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483

; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 8

US-10-027-632-52051/c
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 g 1

RESULT 9

US-10-027-632-52156
; Sequence 52156, Application US/10027632
; GENERAL INFORMATION:

APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52156
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52156

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 10
US-10-027-632-52156/c
Sequence 52156, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52156
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52156

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 n 1
Db 1 G 1
RESULT 11
US-10-027-632-52157
Sequence 52157, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09
NUMBER OF SEQ ID NOS: 325720
SOFTWARE: FastSeq for Windows Version 4.0
SEQ ID NO 52157
LENGTH: 1
TYPE: DNA
ORGANISM: Human
US-10-027-632-52157

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 12
US-10-027-632-52157/c
Sequence 52157, Application US/10027632
GENERAL INFORMATION:
APPLICANT: Wang, David G.
TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
Polymorphisms in the Human Genome
FILE REFERENCE: 108827.129
CURRENT APPLICATION NUMBER: US/10/027,632
CURRENT FILING DATE: 2002-04-30
PRIOR APPLICATION NUMBER: US 60/218,006
PRIOR FILING DATE: 2000-07-12
PRIOR APPLICATION NUMBER: US 60/198,676
PRIOR FILING DATE: 2000-04-20
PRIOR APPLICATION NUMBER: US 60/193,483
PRIOR FILING DATE: 2000-03-29
PRIOR APPLICATION NUMBER: US 60/185,218
PRIOR FILING DATE: 2000-02-24
PRIOR APPLICATION NUMBER: US 60/167,363
PRIOR FILING DATE: 1999-11-23
PRIOR APPLICATION NUMBER: US 60/156,358
PRIOR FILING DATE: 1999-09-28
PRIOR APPLICATION NUMBER: US 60/146,002
PRIOR FILING DATE: 1999-08-09

; NUMBER OF SEQ ID NOS: 325720
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 52157
 ; LENGTH: 1
 ; TYPE: DNA
 ; ORGANISM: Human
 US-10-027-632-52157

Query Match 0.0%; Score 0; DB 7; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 G 1

RESULT 13
 US-10-027-632-52177
 ; Sequence 52177, Application US/10027632
 ; GENERAL INFORMATION:
 ; APPLICANT: Wang, David G.
 ; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 ; FILE REFERENCE: 108827.129
 ; CURRENT APPLICATION NUMBER: US/10/027,632
 ; CURRENT FILING DATE: 2002-04-30
 ; PRIOR APPLICATION NUMBER: US 60/218,006
 ; PRIOR FILING DATE: 2000-07-12
 ; PRIOR APPLICATION NUMBER: US 60/198,676
 ; PRIOR FILING DATE: 2000-04-20
 ; PRIOR APPLICATION NUMBER: US 60/193,483
 ; PRIOR FILING DATE: 2000-03-29
 ; PRIOR APPLICATION NUMBER: US 60/185,218
 ; PRIOR FILING DATE: 2000-02-24
 ; PRIOR APPLICATION NUMBER: US 60/167,363
 ; PRIOR FILING DATE: 1999-11-23
 ; PRIOR APPLICATION NUMBER: US 60/156,358
 ; PRIOR FILING DATE: 1999-09-28
 ; PRIOR APPLICATION NUMBER: US 60/146,002
 ; NUMBER OF SEQ ID NOS: 325720
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 52177
 ; LENGTH: 1
 ; TYPE: DNA
 ; ORGANISM: Human
 US-10-027-632-52177

Query Match 0.0%; Score 0; DB 7; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 c 1

RESULT 14
 US-10-027-632-52177/c
 ; Sequence 52177, Application US/10027632
 ; GENERAL INFORMATION:
 ; APPLICANT: Wang, David G.
 ; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 ; FILE REFERENCE: 108827.129
 ; CURRENT APPLICATION NUMBER: US/10/027,632
 ; CURRENT FILING DATE: 2002-04-30
 ; PRIOR APPLICATION NUMBER: US 60/218,006
 ; PRIOR FILING DATE: 2000-07-12
 ; PRIOR APPLICATION NUMBER: US 60/198,676

; PRIOR FILING DATE: 2000-04-20
 ; PRIOR APPLICATION NUMBER: US 60/193,483
 ; PRIOR FILING DATE: 2000-03-29
 ; PRIOR APPLICATION NUMBER: US 60/185,218
 ; PRIOR FILING DATE: 2000-02-24
 ; PRIOR APPLICATION NUMBER: US 60/167,363
 ; PRIOR FILING DATE: 1999-11-23
 ; PRIOR APPLICATION NUMBER: US 60/156,358
 ; PRIOR FILING DATE: 1999-09-28
 ; PRIOR APPLICATION NUMBER: US 60/146,002
 ; NUMBER OF SEQ ID NOS: 325720
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 52177
 ; LENGTH: 1
 ; TYPE: DNA
 ; ORGANISM: Human
 US-10-027-632-52177

Query Match 0.0%; Score 0; DB 7; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 G 1

RESULT 15
 US-10-027-632-52215
 ; Sequence 52215, Application US/10027632
 ; GENERAL INFORMATION:
 ; APPLICANT: Wang, David G.
 ; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
 ; FILE REFERENCE: 108827.129
 ; CURRENT APPLICATION NUMBER: US/10/027,632
 ; CURRENT FILING DATE: 2002-04-30
 ; PRIOR APPLICATION NUMBER: US 60/218,006
 ; PRIOR FILING DATE: 2000-07-12
 ; PRIOR APPLICATION NUMBER: US 60/198,676
 ; PRIOR FILING DATE: 2000-04-20
 ; PRIOR APPLICATION NUMBER: US 60/193,483
 ; PRIOR FILING DATE: 2000-03-29
 ; PRIOR APPLICATION NUMBER: US 60/185,218
 ; PRIOR FILING DATE: 2000-02-24
 ; PRIOR APPLICATION NUMBER: US 60/167,363
 ; PRIOR FILING DATE: 1999-11-23
 ; PRIOR APPLICATION NUMBER: US 60/156,358
 ; PRIOR FILING DATE: 1999-09-28
 ; PRIOR APPLICATION NUMBER: US 60/146,002
 ; NUMBER OF SEQ ID NOS: 325720
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 52215
 ; LENGTH: 1
 ; TYPE: DNA
 ; ORGANISM: Human
 US-10-027-632-52215

Query Match 0.0%; Score 0; DB 7; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 c 1

Search completed: August 25, 2002, 00:45:46

Mon Aug 26 10:18:10 2002

us-10-077-383-30.rnpn

Page 6

Job time: 12373 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 25, 2002, 00:32:25 ; Search time 8635 seconds
(without alignments)
45.099 Million cell updates/sec

Title: US-10-077-383-31
Perfect score: 18
Sequence: 1 agagagagagagagag 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 21979536 seqs, 10817449327 residues 43959072

Total number of hits satisfying chosen parameters:

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_NA_Main:*

1: /cgn2_6/ptodata/2/pna/US06_COMB.seq.*
2: /cgn2_6/ptodata/2/pna/US06_COMB.seq.*
3: /cgn2_6/ptodata/2/pna/US07_COMB.seq.*
4: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
5: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
6: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
7: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
8: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
9: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
10: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
11: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
12: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
13: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
14: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
15: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
16: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
17: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
18: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
19: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
20: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
21: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
22: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
23: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
24: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
25: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
26: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
27: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
28: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
29: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
30: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
31: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
32: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
33: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
34: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
35: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
36: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
37: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
38: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
39: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
40: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
41: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
42: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*
43: /cgn2_6/ptodata/2/pna/US08_COMB.seq.*

44: /cgn2_6/ptodata/2/pna/US6005_COMB.seq.*
45: /cgn2_6/ptodata/2/pna/US6006_COMB.seq.*
46: /cgn2_6/ptodata/2/pna/US6007_COMB.seq.*
47: /cgn2_6/ptodata/2/pna/US6008_COMB.seq.*
48: /cgn2_6/ptodata/2/pna/US6009_COMB.seq.*
49: /cgn2_6/ptodata/2/pna/US6010_COMB.seq.*
50: /cgn2_6/ptodata/2/pna/US6011_COMB.seq.*
51: /cgn2_6/ptodata/2/pna/US6012_COMB.seq.*
52: /cgn2_6/ptodata/2/pna/US6013_COMB.seq.*
53: /cgn2_6/ptodata/2/pna/US6014_COMB.seq.*
54: /cgn2_6/ptodata/2/pna/US6015_COMB.seq.*
55: /cgn2_6/ptodata/2/pna/US6016_COMB.seq.*
56: /cgn2_6/ptodata/2/pna/US6017_COMB.seq.*
57: /cgn2_6/ptodata/2/pna/US6018_COMB.seq.*
58: /cgn2_6/ptodata/2/pna/US6019_COMB.seq.*
59: /cgn2_6/ptodata/2/pna/US6020_COMB.seq.*
60: /cgn2_6/ptodata/2/pna/US6021_COMB.seq.*
61: /cgn2_6/ptodata/2/pna/US6022_COMB.seq.*
62: /cgn2_6/ptodata/2/pna/US6023_COMB.seq.*
63: /cgn2_6/ptodata/2/pna/US6024_COMB.seq.*
64: /cgn2_6/ptodata/2/pna/US6025_COMB.seq.*
65: /cgn2_6/ptodata/2/pna/US6026_COMB.seq.*
66: /cgn2_6/ptodata/2/pna/US6027_COMB.seq.*
67: /cgn2_6/ptodata/2/pna/US6028_COMB.seq.*
68: /cgn2_6/ptodata/2/pna/US6029_COMB.seq.*
69: /cgn2_6/ptodata/2/pna/US6030_COMB.seq.*
70: /cgn2_6/ptodata/2/pna/US6031_COMB.seq.*
71: /cgn2_6/ptodata/2/pna/US6032_COMB.seq.*
72: /cgn2_6/ptodata/2/pna/US6033_COMB.seq.*
73: /cgn2_6/ptodata/2/pna/US6034_COMB.seq.*
74: /cgn2_6/ptodata/2/pna/US6035_COMB.seq.*
75: /cgn2_6/ptodata/2/pna/US6036_COMB.seq.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match %	Length	ID	Description
1	18	100.0	18	7	US-08-309-335A-515 Sequence 515, App
2	18	100.0	18	9	US-08-531-241A-515 Sequence 515, App
3	18	100.0	18	16	US-09-263-959-515 Sequence 40, Appl
4	18	100.0	20	14	US-09-081-385-40 Sequence 40, Appl
5	18	100.0	20	22	US-09-589-606-40 Sequence 40, Appl
6	18	100.0	20	28	US-09-700-354A-40 Sequence 40, Appl
7	18	100.0	20	29	US-09-752-639-40 Sequence 40, Appl
8	18	100.0	20	36	US-09-984-198-40 Sequence 40, Appl
9	18	100.0	21	7	US-08-309-335A-807 Sequence 807, App
10	18	100.0	21	9	US-08-531-241A-807 Sequence 807, App
11	18	100.0	21	16	US-09-263-959-807 Sequence 5, Appl
12	18	100.0	21	24	US-09-634-320-5 Sequence 10, Appl
13	18	100.0	21	24	US-09-634-320-10 Sequence 6, Appl
14	18	100.0	22	24	US-09-634-320-6 Sequence 908, App
15	18	100.0	22	26	US-09-669-187A-908 Sequence 908, App
16	18	100.0	22	37	US-10-017-995-908 Sequence 9, Appl
17	18	100.0	24	7	US-08-320-507-8 Sequence 9, Appl
18	18	100.0	24	7	US-08-320-507-10 Sequence 10, Appl
19	18	100.0	24	7	US-08-320-507-11 Sequence 11, Appl
20	18	100.0	24	18	US-09-487-130-1 Sequence 1, Appl
21	18	100.0	24	18	US-09-487-130-2 Sequence 2, Appl
22	18	100.0	24	18	US-09-487-130-3 Sequence 3, Appl
23	18	100.0	24	18	US-09-487-130-4 Sequence 4, Appl
24	18	100.0	24	18	US-09-487-130-5 Sequence 5, Appl
25	18	100.0	24	18	US-09-487-130-6 Sequence 6, Appl
26	18	100.0	25	35	US-09-956-584-462936 Sequence 462936, Sequence 470373,
27	18	100.0	25	35	US-09-956-584-470373 Sequence 470373,
28	18	100.0	25	35	US-09-956-584-470381 Sequence 470381,
29	18	100.0	25	35	US-09-956-584-470427 Sequence 470427,
30	18	100.0	25	35	US-09-956-584-570432 Sequence 570432,
31	18	100.0	25	35	US-09-956-584-570432 Sequence 570432,

C 32 18 100.0 25 62 US-60-232-638-101189
 C 33 18 100.0 25 62 US-60-234-017-502046
 C 34 18 100.0 25 62 US-60-234-017-502047
 C 35 18 100.0 25 62 US-60-234-017-502047
 C 36 18 100.0 25 62 US-60-234-017-502047
 C 37 18 100.0 25 62 US-60-234-017-502047
 C 38 18 100.0 25 62 US-60-234-017-502047
 C 39 18 100.0 25 62 US-60-234-017-502047
 C 40 18 100.0 25 62 US-60-234-017-502047
 C 41 18 100.0 25 62 US-60-234-017-502047
 C 42 18 100.0 25 62 US-60-234-017-502047
 C 43 18 100.0 25 62 US-60-234-017-502047
 C 44 18 100.0 25 62 US-60-234-017-502047
 C 45 18 100.0 25 62 US-60-234-017-502047

ALIGNMENTS

RESULT 1
 US-08-309-335A-515
 ; Sequence 515, Application US/08309335A
 ; GENERAL INFORMATION:
 ; APPLICANT: Hood, Leroy E.
 ; APPLICANT: Koop, Ben F.
 ; APPLICANT: Rowen, Lee
 ; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH
 ; NUMBER OF SEQUENCES: 1215
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Seed and Berry
 ; STREET: 6300 Columbia Center, 701 Fifth Avenue
 ; CITY: Seattle
 ; STATE: Washington
 ; COUNTRY: US
 ; ZIP: 98104-7092
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/309,335A
 ; FILING DATE: 19-SEP-1994
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: McMasters, David D.
 ; REGISTRATION NUMBER: 33,963
 ; REFERENCE/DOCKET NUMBER: 240052.406
 ; TELEPHONE: (206) 622-4900
 ; TELEFAX: (206) 622-4900
 ; INFORMATION FOR SEQ ID NO: 515:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 18 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-309-335A-515

Query Match 100.0%; Score 18; DB 7; Length 18;
 Best Local Similarity 100.0%; Pred. No. 1.8e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 1 AGAGAGAGAGAGAGAG 18

RESULT 2
 US-08-531-241A-515
 ; Sequence 515, Application US/08531241A
 ; GENERAL INFORMATION:

; APPLICANT: Hood, Leroy E.
 ; APPLICANT: Koop, Ben F.
 ; APPLICANT: Rowen, Lee
 ; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH
 ; NUMBER OF SEQUENCES: 1279
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Seed and Berry LLP
 ; STREET: 6300 Columbia Center, 701 Fifth Avenue
 ; CITY: Seattle
 ; STATE: Washington
 ; COUNTRY: US
 ; ZIP: 98104-7092
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/531,241A
 ; FILING DATE: 19-SEP-1995
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: McMasters, David D.
 ; REGISTRATION NUMBER: 33,963
 ; REFERENCE/DOCKET NUMBER: 240052.406C1
 ; TELEPHONE: (206) 622-4900
 ; TELEFAX: (206) 682-6031
 ; INFORMATION FOR SEQ ID NO: 515:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 18 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; US-08-531-241A-515

Query Match 100.0%; Score 18; DB 9; Length 18;
 Best Local Similarity 100.0%; Pred. No. 1.8e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 1 AGAGAGAGAGAGAGAG 18

RESULT 3
 US-09-263-959-515
 ; Sequence 515, Application US/09263959
 ; GENERAL INFORMATION:
 ; APPLICANT: Hood, Leroy E.
 ; APPLICANT: Koop, Ben F.
 ; APPLICANT: Rowen, Lee
 ; TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH
 ; NUMBER OF SEQUENCES: 1279
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Seed and Berry LLP
 ; STREET: 6300 Columbia Center, 701 Fifth Avenue
 ; CITY: Seattle
 ; STATE: Washington
 ; COUNTRY: US
 ; ZIP: 98104-7092
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/263,959
 ; FILING DATE: 05-MAR-1999
 ; CLASSIFICATION:
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: McMasters, David D.

REGISTRATION NUMBER: 33,963
 REFERENCE/DOCKET NUMBER: 920010.425C2
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: (206) 622-4900
 TELEFAX: (206) 682-6031
 INFORMATION FOR SEQ ID NO: 515:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 18 base pairs
 TYPE: nucleic acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 US-09-263-959-515

Query Match 100.0%; Score 13; DB 16; Length 18;
 Best Local Similarity 100.0%; Pred. No. 1.8e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 1 AGAGAGAGAGAGAGAG 18

RESULT 4
 US-09-081-385-40/c
 ; Sequence 40, Application US/09081385
 ; GENERAL INFORMATION:
 ; APPLICANT: Gatanaga, T.
 ; TITLE OF INVENTION: Factors Altering Tumor Necrosis
 ; TITLE OF INVENTION: Factor Receptor Releasing Enzyme Activity, and Methods
 ; TITLE OF INVENTION: of Use Thereof
 ; NUMBER OF SEQUENCES: 154
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: MORRISON & FOERSTER
 ; STREET: 755 PAGE MILL ROAD
 ; CITY: Palo Alto
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 94304-1018
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Diskette
 ; COMPUTER: IBM Compatible
 ; OPERATING SYSTEM: Windows
 ; SOFTWARE: FastSeq for Windows Version 2.0b
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/081.385
 ; FILING DATE:
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US99/10793
 ; FILING DATE:
 ; APPLICATION NUMBER: 09/081.385
 ; FILING DATE:
 ; APPLICATION NUMBER: 08/964.747
 ; FILING DATE: 05-NOV-1997
 ; APPLICATION NUMBER: 60/030.761
 ; FILING DATE: 06-NOV-1996
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Wu, Frank
 ; REGISTRATION NUMBER: 41,386
 ; REFERENCE/DOCKET NUMBER: 22000-20577.21
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 650-813-5600
 ; TELEFAX: 650-494-0792
 ; TOPOLOGY: linear

INFORMATION FOR SEQ ID NO: 40:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 20 base pairs
 TYPE: nucleic acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 US-09-081-385-40

Query Match 100.0%; Score 18; DB 14; Length 20;
 Best Local Similarity 100.0%; Pred. No. 1.8e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 1 AGAGAGAGAGAGAGAG 18

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 agagagagagagagagag 18
 |||||
 Db 19 AGAGAGAGAGAGAGAGAG 2

RESULT 5
 US-09-589-606-40/c
 ; Sequence 40, Application US/09589606
 ; GENERAL INFORMATION:
 ; APPLICANT: Gatanaga, T.
 ; APPLICANT: Granger, G.A.
 ; TITLE OF INVENTION: Factors Altering Tumor Necrosis
 ; TITLE OF INVENTION: Factor Receptor Releasing Enzyme Activity, and Methods
 ; TITLE OF INVENTION: of Use Thereof
 ; NUMBER OF SEQUENCES: 154
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: MORRISON & FOERSTER
 ; STREET: 755 PAGE MILL ROAD
 ; CITY: Palo Alto
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 94304-1018
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Diskette
 ; COMPUTER: IBM Compatible
 ; OPERATING SYSTEM: Windows
 ; SOFTWARE: FastSeq for Windows Version 2.0b
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/09/589.606
 ; FILING DATE:
 ; CLASSIFICATION:
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: PCT/US99/10793
 ; FILING DATE:
 ; APPLICATION NUMBER: 09/081.385
 ; FILING DATE:
 ; APPLICATION NUMBER: 08/964.747
 ; FILING DATE: 05-NOV-1997
 ; APPLICATION NUMBER: 60/030.761
 ; FILING DATE: 06-NOV-1996
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Wu, Frank
 ; REGISTRATION NUMBER: 41,386
 ; REFERENCE/DOCKET NUMBER: 22000-20577.21
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 650-813-5600
 ; TELEFAX: 650-494-0792
 ; TOPOLOGY: linear

INFORMATION FOR SEQ ID NO: 40:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 20 base pairs
 TYPE: nucleic acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 US-09-589-606-40

Query Match 100.0%; Score 18; DB 22; Length 20;
 Best Local Similarity 100.0%; Pred. No. 1.8e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 19 AGAGAGAGAGAGAGAGAG 2

RESULT 6
 US-09-700-354A-40/c
 ; Sequence 40, Application US/09700354A
 ; GENERAL INFORMATION:
 ; APPLICANT: Gatanaga, Tetsuya

```

; Granger, Gale A.
; TITLE OF INVENTION: Factors Altering Tumor Necrosis
; NUMBER OF SEQUENCES: 154
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: BOZICEVIC, FIELD, & FRANCIS, LLP
; STREET: 200 MIDDLEFIELD ROAD, #200
; CITY: Menlo Park
; STATE: CA
; COUNTRY: USA
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows
; SOFTWARE: FastSeq for Windows Version 2.0b
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/700,354A
; FILING DATE: 17-Apr-2001
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 09/081,385
; FILING DATE: 14-MAY-1998
; APPLICATION NUMBER: PCT/US99/10793
; FILING DATE: 14-MAY-1999
; ATTORNEY/AGENT INFORMATION:
; NAME: Francis, Carol L.
; REGISTRATION NUMBER: 36,513
; REFERENCE/DOCKET NUMBER: IRVN-007CIP2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-327-3400
; TELEFAX: 650-327-3231
; TELEX: <Unknown>
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 20 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; SEQUENCE DESCRIPTION: SEQ ID NO: 40:
US-09-700-354A-40

```

```

Query Match 100.0%; Score 18; DB 28; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 agagagagagagagagag 18
Db 19 AGAGAGAGAGAGAGAG 2

```

```

RESULT 7
US-09-752-639-40/c
; Sequence 40, Application US/09752639
; GENERAL INFORMATION:
; APPLICANT: Gatanaga, T.
; TITLE OF INVENTION: Factors Altering Tumor Necrosis
; TITLE OF INVENTION: Factor Receptor Releasing Enzyme Activity, and Methods
; NUMBER OF SEQUENCES: 154
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304-1018
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows

```

```

; SOFTWARE: FastSeq for Windows Version 2.0b
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/752,639
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US99/10793
; FILING DATE:
; APPLICATION NUMBER: 09/081,385
; FILING DATE:
; APPLICATION NUMBER: 08/964,747
; FILING DATE: 05-NOV-1997
; APPLICATION NUMBER: 60/030,761
; FILING DATE: 06-NOV-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Wu, Frank
; REGISTRATION NUMBER: 41,386
; REFERENCE/DOCKET NUMBER: 22000-20577.21
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 650-813-5600
; TELEFAX: 650-494-0792
; TELEX: 706141
; INFORMATION FOR SEQ ID NO: 40:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 20 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-09-752-639-40

```

```

Query Match 100.0%; Score 18; DB 29; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
QY 1 agagagagagagagagag 18
Db 19 AGAGAGAGAGAGAGAG 2

```

```

RESULT 8
US-09-984-198-40/c
; Sequence 40, Application US/09984198
; GENERAL INFORMATION:
; APPLICANT: Gatanaga, T.
; APPLICANT: Granger, G.A.
; TITLE OF INVENTION: Factors Altering Tumor Necrosis
; TITLE OF INVENTION: Factor Receptor Releasing Enzyme Activity, and Methods
; NUMBER OF SEQUENCES: 154
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94304-1018
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: Windows
; SOFTWARE: FastSeq for Windows Version 2.0b
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/984,198
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: PCT/US99/10793
; FILING DATE:
; APPLICATION NUMBER: 09/081,385
; FILING DATE:
; APPLICATION NUMBER: 08/964,747
; FILING DATE: 05-NOV-1997

```

APPLICATION NUMBER: 60/030.761
FILING DATE: 06-NOV-1996
ATTORNEY/AGENT INFORMATION:
NAME: Wu, Frank
REGISTRATION NUMBER: 41.386
REFERENCE/DOCKET NUMBER: 22000-20577.21
TELECOMMUNICATION INFORMATION:
TELEPHONE: 650-813-5600
TELEFAX: 650-494-0792
TELEX: 708141
INFORMATION FOR SEQ ID NO: 40:
SEQUENCE CHARACTERISTICS:
LENGTH: 20 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
US-09-984-198-40

Query Match 100.0%; Score 13; DB 36; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
Db 19 AGAGAGAGAGAGAGAG 2

RESULT 9

US-08-309-335A-807/c
Sequence 807, Application US/08309335A
GENERAL INFORMATION:
APPLICANT: Hood, Leroy E.
APPLICANT: Koop, Ben F.
TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH UTI
NUMBER OF SEQUENCES: 1215
CORRESPONDENCE ADDRESS:
ADDRESSEE: Seed and Berry
STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: Washington
COUNTRY: US
ZIP: 98104-7092
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/309,335A
FILING DATE: 19-SEP-1994
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: McMasters, David D.
REGISTRATION NUMBER: 33,963
REFERENCE/DOCKET NUMBER: 240052.405
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206) 622-4900
TELEFAX: (206) 682-6031
INFORMATION FOR SEQ ID NO: 807:
SEQUENCE CHARACTERISTICS:
LENGTH: 21 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-309-335A-807

Query Match 100.0%; Score 13; DB 7; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 10

US-08-531-241A-807/c
Sequence 807, Application US/08531241A
GENERAL INFORMATION:
APPLICANT: Hood, Leroy E.
APPLICANT: Koop, Ben F.
TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH U
NUMBER OF SEQUENCES: 1279
CORRESPONDENCE ADDRESS:
ADDRESSEE: Seed and Berry LLP
STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: Washington
COUNTRY: US
ZIP: 98104-7092
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/531,241A
FILING DATE: 19-SEP-1995
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: McMasters, David D.
REGISTRATION NUMBER: 33,963
REFERENCE/DOCKET NUMBER: 240052.406C1
TELECOMMUNICATION INFORMATION:
TELEPHONE: (206) 622-4900
TELEFAX: (206) 682-6031
INFORMATION FOR SEQ ID NO: 807:
SEQUENCE CHARACTERISTICS:
LENGTH: 21 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-531-241A-807

Query Match 100.0%; Score 18; DB 9; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 11

US-09-263-959-807/c
Sequence 807, Application US/09263959
GENERAL INFORMATION:
APPLICANT: Hood, Leroy E.
APPLICANT: Koop, Ben F.
TITLE OF INVENTION: DIAGNOSTIC AND THERAPEUTIC COMPOSITIONS AND METHODS WHICH U
NUMBER OF SEQUENCES: 1279
CORRESPONDENCE ADDRESS:
ADDRESSEE: Seed and Berry LLP
STREET: 6300 Columbia Center, 701 Fifth Avenue
CITY: Seattle
STATE: Washington
COUNTRY: US
ZIP: 98104-7092
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk

```

; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/263,959
; FILING DATE: 05-MAR-1999
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: McMasters, David D.
; REGISTRATION NUMBER: 33,963
; REFERENCE/DOCKET NUMBER: 920010.426C2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (206) 622-4900
; TELEFAX: (206) 682-6031
; INFORMATION FOR SEQ ID NO: 807:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 21 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-09-263-959-807

```

```

Query Match          100.0%; Score 18; DB 16; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagag 18
   |||||
Db 21 AGAGAGAGAGAGAGAG 4

```

```

RESULT 12
US-09-634-320-5/c
; Sequence 5, Application US/09634320
; GENERAL INFORMATION:
; APPLICANT: Papisov, Mikhail, I.
; TITLE OF INVENTION: DRUG-CARRIER COMPLEXES AND METHODS OF
; FILE REFERENCE: 0838.1003-001
; CURRENT APPLICATION NUMBER: US/09/634,320
; PRIOR FILING DATE: 2000-08-09
; PRIOR APPLICATION NUMBER: US 60/147,919
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 5
; LENGTH: 21
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Oligonucleotide
US-09-634-320-5

```

```

Query Match          100.0%; Score 18; DB 24; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagag 18
   |||||
Db 21 AGAGAGAGAGAGAGAG 4

```

```

RESULT 13
US-09-634-320-10/c
; Sequence 10, Application US/09634320
; GENERAL INFORMATION:
; APPLICANT: Papisov, Mikhail, I.
; TITLE OF INVENTION: DRUG-CARRIER COMPLEXES AND METHODS OF
; FILE REFERENCE: 0838.1003-001
; CURRENT APPLICATION NUMBER: US/09/634,320

```

```

; CURRENT FILING DATE: 2000-08-09
; PRIOR APPLICATION NUMBER: US 60/147,919
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 10
; LENGTH: 21
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Oligonucleotide
US-09-634-320-10

```

```

Query Match          100.0%; Score 18; DB 24; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagag 18
   |||||
Db 21 AGAGAGAGAGAGAGAG 4

```

```

RESULT 14
US-09-634-320-6
; Sequence 6, Application US/09634320
; GENERAL INFORMATION:
; APPLICANT: Papisov, Mikhail, I.
; TITLE OF INVENTION: DRUG-CARRIER COMPLEXES AND METHODS OF
; FILE REFERENCE: 0838.1003-001
; CURRENT APPLICATION NUMBER: US/09/634,320
; PRIOR FILING DATE: 2000-08-09
; PRIOR APPLICATION NUMBER: US 60/147,919
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 13
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 6
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Oligonucleotide
US-09-634-320-6

```

```

Query Match          100.0%; Score 18; DB 24; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagag 18
   |||||
Db 1 agagagagagagagagag 18

```

```

RESULT 15
US-09-669-187A-908/c
; Sequence 908, Application US/09669187A
; GENERAL INFORMATION:
; APPLICANT: Krieg, Arthur M.
; APPLICANT: Schetter, Christian
; APPLICANT: Vollmer, Jorg
; TITLE OF INVENTION: Immunostimulatory Nucleic Acids
; FILE REFERENCE: C1039/7035 (HCL/MAT)
; CURRENT APPLICATION NUMBER: US/09/669,187A
; CURRENT FILING DATE: 2000-09-25
; PRIOR APPLICATION NUMBER: US 60/156,113
; PRIOR FILING DATE: 1999-09-25
; PRIOR APPLICATION NUMBER: US 60/156,135
; PRIOR FILING DATE: 1999-09-27
; PRIOR APPLICATION NUMBER: US 60/227,436
; PRIOR FILING DATE: 2000-08-23
; NUMBER OF SEQ ID NOS: 1145


```

```
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 908
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Sequence
US-09-669-187A-908
```

```
Query Match      100.0%; Score 18; DB 26; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.8e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

```
QY      1 agagagagagagagagag 18
          |||||
Db      22 AGAGAGAGAGAGAGAG 5
```

```
Search completed: August 25, 2002, 00:32:16
Job time: 16384 sec
```



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 25, 2002, 00:45:46 ; Search time 787.61 Seconds
(without alignments)
62.364 Million cell updates/sec

Title: US-10-077-383-31

Perfect score: 18

Sequence: 1 agagagagagagagagag 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1737567 seqs, 1364410299 residues

Total number of hits satisfying chosen parameters: 3475134

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Pending_Patents_NA_New.*
1: /cgn2_6/ptodata/2/pna/PCT_NEW_COMB.seq.*
2: /cgn2_6/ptodata/2/pna/US06_NEW_COMB.seq.*
3: /cgn2_6/ptodata/2/pna/US07_NEW_COMB.seq.*
4: /cgn2_6/ptodata/2/pna/US08_NEW_COMB.seq.*
5: /cgn2_6/ptodata/2/pna/US09_NEW_COMB.seq.*
6: /cgn2_6/ptodata/2/pna/US10_NEW_COMB.seq.*
7: /cgn2_6/ptodata/2/pna/US10_NEW_COMB.seq.*
8: /cgn2_6/ptodata/2/pna/US60_NEW_COMB.seq.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	18	100.0	18	6	US-10-077-383-31
2	18	100.0	18	6	US-10-077-383-32
3	18	100.0	18	7	US-10-011-204-4
4	18	100.0	20	6	US-10-077-383-29
5	18	100.0	22	5	US-09-777-479-908
6	18	100.0	22	7	US-10-112-653-877
7	18	100.0	49	7	US-10-067-848-11
8	18	100.0	50	5	US-09-997-672-29
9	18	100.0	50	5	US-09-196-447B-11
10	18	100.0	50	5	US-09-724-857-25
11	18	100.0	50	6	US-10-096-602A-7
12	18	100.0	50	7	US-10-105-624-36
13	18	100.0	50	7	US-10-082-894-7
14	18	100.0	50	7	US-10-166-362-14
15	18	100.0	50	7	US-10-076-757B-36
16	18	100.0	69	6	US-10-205-303-265
17	18	100.0	95	7	US-10-027-632-20865
18	18	100.0	102	7	US-10-105-299-8877
19	18	100.0	107	5	US-09-620-393B-3516
20	18	100.0	111	8	US-60-315-414-2115
21	18	100.0	117	5	US-09-620-393B-6947
22	18	100.0	123	5	US-09-620-393B-7088
23	18	100.0	128	7	US-10-057-940-12
24	18	100.0	128	7	US-10-057-940-12
25	18	100.0	128	7	US-10-057-940-13

c 26 18 100.0 128 7 US-10-057-940-13
c 27 18 100.0 133 7 US-10-027-632-75765
c 28 18 100.0 140 7 US-10-027-632-178517
c 29 18 100.0 140 7 US-10-027-632-178525
c 30 18 100.0 140 7 US-10-027-632-178533
c 31 18 100.0 146 5 US-09-804-068A-211
c 32 18 100.0 150 7 US-10-027-632-177965
c 33 18 100.0 152 6 US-10-035-832-323
c 34 18 100.0 162 5 US-09-171-209-17
c 35 18 100.0 162 8 US-60-377-240-4986
c 36 18 100.0 163 5 US-09-539-331D-40551
c 37 18 100.0 166 5 US-09-539-331D-39401
c 38 18 100.0 166 5 US-09-171-209-16
c 39 18 100.0 173 5 US-09-539-331D-40097
c 40 18 100.0 174 5 US-09-886-492-7415
c 41 18 100.0 176 5 US-09-539-800C-7050
c 42 18 100.0 179 5 US-09-963-137-115
c 43 18 100.0 183 5 US-09-539-331D-12512
c 44 18 100.0 185 8 US-60-382-445-235
c 45 18 100.0 187 5 US-09-539-331D-40315

ALIGNMENTS

RESULT 1
US-10-077-383-31
; Sequence 31, Application US/10077383
; GENERAL INFORMATION:
; APPLICANT: Haydock, Paul V.
; APPLICANT: U'Ren, Jack
; APPLICANT: Saigene Corporation
; TITLE OF INVENTION: Nucleic Acid Amplification Using an RNA Polymerase and
; FILE OF INVENTION: DNA/RNA Mixed Polymer Intermediate Products
; FILE REFERENCE: 018048-001710US
; CURRENT APPLICATION NUMBER: US/10/077.383
; CURRENT FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: US 60/296,812
; PRIOR FILING DATE: 2001-06-07
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: Patent In Ver. 2.1
; SEQ ID NO 31
; LENGTH: 18
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:(XY)-n spacer
; OTHER INFORMATION: sequence, where X = a, Y = g and n = 9
US-10-077-383-31

Query Match 100.0%; Score 18; DB 6; Length 18;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 18
|||||
Db 1 agagagagagagagagag 18

RESULT 2
US-10-077-383-32/c
; Sequence 32, Application US/10077383
; GENERAL INFORMATION:
; APPLICANT: Haydock, Paul V.
; APPLICANT: U'Ren, Jack
; APPLICANT: Saigene Corporation
; TITLE OF INVENTION: Nucleic Acid Amplification Using an RNA Polymerase and
; FILE OF INVENTION: DNA/RNA Mixed Polymer Intermediate Products
; FILE REFERENCE: 018048-001710US
; CURRENT APPLICATION NUMBER: US/10/077.383
; CURRENT FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: US 60/296,812

; PRIOR FILING DATE: 2001-06-07
; NUMBER OF SEQ ID NOS: 33
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 32
; LENGTH: 18
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:(XY)-n spacer
; OTHER INFORMATION: sequence complement, where X = a, Y = g and n = 9
US-10-077-383-32

Query Match 100.0%; Score 18; DB 6; Length 18;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | |
Db 18 AGAGAGAGAGAGAGAG 1

RESULT 3
US-10-011-204-4/c
; Sequence 4, Application US/10011204
; GENERAL INFORMATION:
; APPLICANT: EKINS, Roger P
; TITLE OF INVENTION: Binding assay using binding agents with tail groups
; FILE REFERENCE: 0380-P01180US0
; CURRENT APPLICATION NUMBER: US/10/011,204
; CURRENT FILING DATE: 2001-11-08
; PRIOR APPLICATION NUMBER: US/08/700,530
; PRIOR FILING DATE: 1996-10-23
; PRIOR APPLICATION NUMBER: PCT/GB95/00521
; PRIOR FILING DATE: 1995-03-10
; PRIOR APPLICATION NUMBER: GB 9404709.9
; PRIOR FILING DATE: 1994-03-11
; NUMBER OF SEQ ID NOS: 4
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 4
; LENGTH: 18
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:
; OTHER INFORMATION: Oligonucleotide
US-10-011-204-4

Query Match 100.0%; Score 18; DB 7; Length 18;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | |
Db 18 AGAGAGAGAGAGAGAG 1

RESULT 4
US-10-077-383-29
; Sequence 29, Application US/10077393
; GENERAL INFORMATION:
; APPLICANT: Haydock, Paul V.
; APPLICANT: U'Ren, Jack
; APPLICANT: Saigene Corporation
; TITLE OF INVENTION: Nucleic Acid Amplification Using an RNA Polymerase and
; FILE REFERENCE: 018048-001710US
; CURRENT APPLICATION NUMBER: US/10/077,383
; CURRENT FILING DATE: 2002-02-15
; PRIOR APPLICATION NUMBER: US 60/296,812
; PRIOR FILING DATE: 2001-06-07
; NUMBER OF SEQ ID NOS: 33

; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 29
; LENGTH: 20
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:(XY)-n spacer
; OTHER INFORMATION: sequence, where X = a and Y = g
; FEATURE:
; LOCATION: (13)..(20)
; OTHER INFORMATION: a or g at positions 13-20 may be present or absent
US-10-077-383-29

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | |
Db 1 agagagagagagagagag 18

RESULT 5
US-09-776-479-908/c
; Sequence 908, Application US/09776479
; GENERAL INFORMATION:
; APPLICANT: Bratzler, Robert L.
; APPLICANT: Petersen, Deanna M.
; APPLICANT: Fouron, Yves
; TITLE OF INVENTION: Immunostimulatory Nucleic Acids for the
; FILE REFERENCE: C10377/013 (HCL/MAT)
; CURRENT APPLICATION NUMBER: US/09/776,479
; CURRENT FILING DATE: 2001-02-02
; PRIOR APPLICATION NUMBER: US 60/179,991
; PRIOR FILING DATE: 2000-02-03
; NUMBER OF SEQ ID NOS: 1093
; SOFTWARE: FastSEQ for Windows Version 3.0
; SEQ ID NO 908
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Sequence
US-09-776-479-908

Query Match 100.0%; Score 18; DB 5; Length 22;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | |
Db 22 AGAGAGAGAGAGAGAG 5

RESULT 6
US-10-112-653-877/c
; Sequence 877, Application US/10112653
; GENERAL INFORMATION:
; APPLICANT: Krieg, Arthur M.
; APPLICANT: Berg, Daniel J.
; TITLE OF INVENTION: IMMUNOSTIMULATORY NUCLEIC ACID FOR
; FILE REFERENCE: C01039/70060(AWS)
; CURRENT APPLICATION NUMBER: US/10/112,653
; CURRENT FILING DATE: 2002-03-29
; PRIOR APPLICATION NUMBER: US 60/279,642
; PRIOR FILING DATE: 2001-03-29
; NUMBER OF SEQ ID NOS: 1040
; SOFTWARE: FastSEQ for Windows Version 3.0

```
; SEQ ID NO 877
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Synthetic Oligonucleotide
US-10-112-653-877

Query Match          100.0%; Score 18; DB 7; Length 22;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
Db 22 AGAGAGAGAGAGAGAG 5

RESULT 7
US-10-060-848-11
; Sequence 11, Application US/10060848
; GENERAL INFORMATION:
; APPLICANT: Klock, Andrew
; APPLICANT: Williams, Deryck Jeremy
; APPLICANT: Salmon, Brandy Leigh
; TITLE OF INVENTION: NEMATODE MDH-LIKE SEQUENCE
; FILE REFERENCE: 12557-002001
; CURRENT APPLICATION NUMBER: US/10/060,848
; CURRENT FILING DATE: 2002-06-10
; PRIOR APPLICATION NUMBER: US 60/266,037
; PRIOR FILING DATE: 2001-02-02
; NUMBER OF SEQ ID NOS: 15
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 11
; LENGTH: 49
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Universal primer to poly A tail
US-10-060-848-11

Query Match          100.0%; Score 18; DB 7; Length 49;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
Db 2 agagagagagagagag 19

RESULT 8
US-09-997-672-29
; Sequence 29, Application US/09997672
; GENERAL INFORMATION:
; APPLICANT: Weterings, Koen
; APPLICANT: Apuya, Nestor R.
; APPLICANT: Tatarinova, Tatiana
; APPLICANT: Goldberg, Robert B.
; APPLICANT: The Regents of the University of California
; APPLICANT: Ceres, Inc.
; TITLE OF INVENTION: Polynucleotides Useful for Modulating Transcription
; FILE REFERENCE: 023070-113810US
; CURRENT APPLICATION NUMBER: US/09/997,672
; CURRENT FILING DATE: 2001-11-28
; PRIOR APPLICATION NUMBER: US 60/253,672
; PRIOR FILING DATE: 2000-11-28
; NUMBER OF SEQ ID NOS: 42
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 29
; LENGTH: 50
; TYPE: DNA
; ORGANISM: Artificial Sequence

; SEQ ID NO 877
; LENGTH: 22
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: oligonucleotide
US-09-997-672-29

Query Match          100.0%; Score 18; DB 5; Length 50;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
Db 2 agagagagagagagag 19

RESULT 9
US-09-196-447B-11
; Sequence 11, Application US/09196447B
; GENERAL INFORMATION:
; APPLICANT: Tripp, Cynthia A.
; APPLICANT: Frank, Glenn R.
; APPLICANT: Grieve, Robert B.
; TITLE OF INVENTION: NOVEL PARASITIC HELMINTH
; NUMBER OF SEQUENCES: 17
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheridan Ross P.C.
; STREET: 1700 Lincoln St., Suite 3500
; CITY: Denver
; STATE: CO
; COUNTRY: U.S.A.
; ZIP: 80203
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/196,447B
; FILING DATE: 19-Nov-1998
; CLASSIFICATION: <Unknown>
; ATTORNEY/AGENT INFORMATION:
; NAME: Connell, Gary J.
; REGISTRATION NUMBER: 32,020
; REFERENCE/DOCKET NUMBER: 2618-13-3
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 303/863-9700
; TELEFAX: 303/863-0223
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 50 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; FEATURE:
; NAME/KEY: misc.feature
; LOCATION: 1..50
; OTHER INFORMATION: /label= PRIMER
; SEQUENCE DESCRIPTION: SEQ ID NO: 11:
US-09-196-447B-11

Query Match          100.0%; Score 18; DB 5; Length 50;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
Db 2 AGAGAGAGAGAGAGAG 19

RESULT 10
```

US-09-724-857-25
; Sequence 25, Application US/09724857
; GENERAL INFORMATION:
; APPLICANT: Weterings, Koen
; APPLICANT: Apuya, Nestor R.
; APPLICANT: Tatarinova, Tatiana
; APPLICANT: Goldberg, Robert B.
; APPLICANT: The Regents of the University of California
; TITLE OF INVENTION: Polynucleotides Useful for Modulating Transcription
; FILE REFERENCE: 023070-114700US
; CURRENT APPLICATION NUMBER: US/09724,857
; CURRENT FILING DATE: 2002-05-06
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 25
; LENGTH: 50
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: oligonucleotide
; OTHER INFORMATION: Linker-primer
US-09-724-857-25

Query Match 100.0%; Score 18; DB 5; Length 50;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
Db 2 agagagagagagagagag 19

RESULT 11
US-10-098-602A-7
; Sequence 7, Application US/10098602A
; GENERAL INFORMATION:
; APPLICANT: Kloek, Andrew P.
; APPLICANT: Williams, Deryck Jeremy
; APPLICANT: Salmon, Brandy
; TITLE OF INVENTION: NEMATOIDE GS-LIKE SEQUENCES
; FILE REFERENCE: 12557-004001
; CURRENT APPLICATION NUMBER: US/10/098,602A
; CURRENT FILING DATE: 2002-03-15
; PRIOR APPLICATION NUMBER: US 60/276,621
; PRIOR FILING DATE: 2001-03-16
; NUMBER OF SEQ ID NOS: 9
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 7
; LENGTH: 50
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: primer
US-10-098-602A-7

Query Match 100.0%; Score 18; DB 6; Length 50;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
Db 2 agagagagagagagagag 19

RESULT 12
US-10-109-624-36
; Sequence 36, Application US/10109624
; GENERAL INFORMATION:
; APPLICANT: Nandabalan, Krishnan
; APPLICANT: Rothberg, Jonathan
; APPLICANT: Tang, Weijia

; Knight, James
; Kalbfleisch, Theodore
; TITLE OF INVENTION: IDENTIFICATION AND COMPARISON OF
; PROTEIN-PROTEIN INTERACTIONS THAT OCCUR IN
; POPULATIONS
; AND IDENTIFICATION OF INHIBITORS OF THESE
; NUMBER OF SEQUENCES: 122
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 1155 Avenue of the Americas
; CITY: New York
; STATE: NY
; COUNTRY: USA
; ZIP: 10036/2711
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette
; COMPUTER: IBM Compatible
; OPERATING SYSTEM: DOS
; SOFTWARE: FastSeq Version 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/10/109,624
; FILING DATE: 28-Mar-2002
; CLASSIFICATION: <Unknown>
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/874,825
; FILING DATE: 13-JUN-1997
; APPLICATION NUMBER: 08/663,824
; FILING DATE: 14-JUN-1996
; ATTORNEY/AGENT INFORMATION:
; NAME: Mistrock, S. Leslie
; REGISTRATION NUMBER: 18,872
; REFERENCE/DOCKET NUMBER: 7934-045
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 212-790-9090
; TELEFAX: 212-869-8864
; INFORMATION FOR SEQ ID NO: 36:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 50 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA
; SEQUENCE DESCRIPTION: SEQ ID NO: 36:
US-10-109-624-36

Query Match 100.0%; Score 18; DB 7; Length 50;
Best Local Similarity 100.0%; Pred. No. 3.9e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
Db 2 AGAGAGAGAGAGAGAGAG 19

RESULT 13
US-10-082-894-7
; Sequence 7, Application US/10082894
; GENERAL INFORMATION:
; APPLICANT: Kloek, Andrew P.
; APPLICANT: Williams, Deryck Jeremy
; APPLICANT: Salmon, Brandy Leigh
; APPLICANT: Bradley, John D.
; TITLE OF INVENTION: NEMATOIDE PGM-LIKE SEQUENCES
; FILE REFERENCE: 12557-003001
; CURRENT APPLICATION NUMBER: US/10/082,894
; CURRENT FILING DATE: 2002-02-26
; PRIOR APPLICATION NUMBER: US 60/271,781
; PRIOR FILING DATE: 2001-02-27
; NUMBER OF SEQ ID NOS: 14
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 7

; LENGTH: 50
 ; TYPE: DNA
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Universal primer to poly A tail
 US-10-082-894-7

Query Match 100.0%; Score 18; DB 7; Length 50;
 Best Local Similarity 100.0%; Pred. No. 3.9e+02;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 2 agagagagagagagagag 19

RESULT 14
 US-10-160-362-14
 ; Sequence 14, Application US/10160362
 ; GENERAL INFORMATION:
 ; APPLICANT: Williams, Deryck Jeremy
 ; APPLICANT: Salmon, Brandy
 ; APPLICANT: Kloeck, Andrew
 ; TITLE OF INVENTION: NEMATODE ATP SYNTHASE SUBUNIT E-LIKE SEQUENCES
 ; FILE REFERENCE: 12557-006001
 ; CURRENT APPLICATION NUMBER: US/10/160,362
 ; CURRENT FILING DATE: 2002-05-30
 ; PRIOR APPLICATION NUMBER: US 60/294,777
 ; PRIOR FILING DATE: 2001-05-31
 ; NUMBER OF SEQ ID NOS: 14
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 14
 ; LENGTH: 50
 ; TYPE: DNA
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: primer
 US-10-160-362-14

Query Match 100.0%; Score 18; DB 7; Length 50;
 Best Local Similarity 100.0%; Pred. No. 3.9e+02;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 2 agagagagagagagagag 19

RESULT 15
 US-10-078-757B-36
 ; Sequence 36, Application US/10078757B
 ; GENERAL INFORMATION:
 ; APPLICANT: BARBAS, Carlos F., III
 ; APPLICANT: RADER, Christoph
 ; TITLE OF INVENTION: HUMANIZATION OF MURINE ANTIBODY
 ; FILE REFERENCE: TSRI 598.0 Con1
 ; CURRENT APPLICATION NUMBER: US/10/078,757B
 ; CURRENT FILING DATE: 2002-02-19
 ; PRIOR APPLICATION NUMBER: US 08/986,016
 ; PRIOR FILING DATE: 1997-12-05
 ; NUMBER OF SEQ ID NOS: 56
 ; SOFTWARE: FastSeq for Windows Version 4.0
 ; SEQ ID NO 36
 ; LENGTH: 50
 ; TYPE: DNA
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Synthetic PCR Primer
 US-10-078-757B-36

Query Match 100.0%; Score 18; DB 7; Length 50;
 Best Local Similarity 100.0%; Pred. No. 3.9e+02;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 1 agagagagagagagagag 18

Search completed: August 25, 2002, 00:45:46
 Job time: 12373 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model.

Run on: August 25, 2002, 00:32:26 ; Search time 8635 Seconds
(Without alignments)
45.099 Million cell updates/sec

Title: US-10-077-383-33
Perfect score: 18
Sequence: 1 nnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 21979536 seqs, 10817449327 residues

Total number of hits satisfying chosen parameters: 43959072

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending_Patents_NA_Main : *

- 1: /cgn2_6/ptodata/2/pna/US06 COMB.seq.*
- 2: /cgn2_6/ptodata/2/pna/US06 COMB.seq.*
- 3: /cgn2_6/ptodata/2/pna/US07 COMB.seq.*
- 4: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 5: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 6: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 7: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 8: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 9: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 10: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 11: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 12: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 13: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 14: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 15: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 16: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 17: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 18: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 19: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 20: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 21: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 22: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 23: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 24: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 25: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 26: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 27: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 28: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 29: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 30: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 31: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 32: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 33: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 34: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 35: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 36: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 37: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 38: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 39: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 40: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 41: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 42: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*
- 43: /cgn2_6/ptodata/2/pna/US08 COMB.seq.*

44: /cgn2_6/ptodata/2/pna/US6005 COMB.seq.*

45: /cgn2_6/ptodata/2/pna/US6006 COMB.seq.*

46: /cgn2_6/ptodata/2/pna/US6007 COMB.seq.*

47: /cgn2_6/ptodata/2/pna/US6008 COMB.seq.*

48: /cgn2_6/ptodata/2/pna/US6009 COMB.seq.*

49: /cgn2_6/ptodata/2/pna/US6010 COMB.seq.*

50: /cgn2_6/ptodata/2/pna/US6011 COMB.seq.*

51: /cgn2_6/ptodata/2/pna/US6012 COMB.seq.*

52: /cgn2_6/ptodata/2/pna/US6013 COMB.seq.*

53: /cgn2_6/ptodata/2/pna/US6014 COMB.seq.*

54: /cgn2_6/ptodata/2/pna/US6015 COMB.seq.*

55: /cgn2_6/ptodata/2/pna/US6016 COMB.seq.*

56: /cgn2_6/ptodata/2/pna/US6017 COMB.seq.*

57: /cgn2_6/ptodata/2/pna/US6018 COMB.seq.*

58: /cgn2_6/ptodata/2/pna/US6019 COMB.seq.*

59: /cgn2_6/ptodata/2/pna/US6020 COMB.seq.*

60: /cgn2_6/ptodata/2/pna/US6021 COMB.seq.*

61: /cgn2_6/ptodata/2/pna/US6022 COMB.seq.*

62: /cgn2_6/ptodata/2/pna/US6023 COMB.seq.*

63: /cgn2_6/ptodata/2/pna/US6024 COMB.seq.*

64: /cgn2_6/ptodata/2/pna/US6025 COMB.seq.*

65: /cgn2_6/ptodata/2/pna/US6026 COMB.seq.*

66: /cgn2_6/ptodata/2/pna/US6027 COMB.seq.*

67: /cgn2_6/ptodata/2/pna/US6028 COMB.seq.*

68: /cgn2_6/ptodata/2/pna/US6029 COMB.seq.*

69: /cgn2_6/ptodata/2/pna/US6030 COMB.seq.*

70: /cgn2_6/ptodata/2/pna/US6031 COMB.seq.*

71: /cgn2_6/ptodata/2/pna/US6032 COMB.seq.*

72: /cgn2_6/ptodata/2/pna/US6033 COMB.seq.*

73: /cgn2_6/ptodata/2/pna/US6034 COMB.seq.*

74: /cgn2_6/ptodata/2/pna/US6035 COMB.seq.*

75: /cgn2_6/ptodata/2/pna/US6036 COMB.seq.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
1	0	0.0	1	1	PCT-US93-00977-702
2	0	0.0	1	1	Sequence 702, App
3	0	0.0	1	4	US-08-068-298-17
4	0	0.0	1	4	Sequence 17, App
5	0	0.0	1	5	US-08-068-298-17
6	0	0.0	1	5	Sequence 17, App
7	0	0.0	1	5	US-08-154-792A-9
8	0	0.0	1	5	Sequence 9, Appl
9	0	0.0	1	5	US-08-154-792A-9
10	0	0.0	1	5	Sequence 24, Appl
11	0	0.0	1	5	US-08-154-792A-24
12	0	0.0	1	5	Sequence 24, Appl
13	0	0.0	1	5	US-08-163-449A-9
14	0	0.0	1	5	Sequence 9, Appl
15	0	0.0	1	6	US-08-163-449A-24
16	0	0.0	1	6	Sequence 24, Appl
17	0	0.0	1	6	US-08-208-572-10
18	0	0.0	1	6	Sequence 24, Appl
19	0	0.0	1	6	US-08-208-572-10
20	0	0.0	1	6	Sequence 10, Appl
21	0	0.0	1	6	US-08-237-431-6868
22	0	0.0	1	6	Sequence 8868, Ap
23	0	0.0	1	6	US-08-237-431-6868
24	0	0.0	1	6	Sequence 8868, Ap
25	0	0.0	1	6	US-08-296-757B-7984
26	0	0.0	1	6	Sequence 7984, Ap
27	0	0.0	1	15	US-09-177-650-79
28	0	0.0	1	15	Sequence 79, Appl
29	0	0.0	1	15	US-09-177-650-79
30	0	0.0	1	17	Sequence 121, App
31	0	0.0	1	17	US-09-306-333A-121
32	0	0.0	1	17	Sequence 323, App
33	0	0.0	1	24	US-09-625-102-323
34	0	0.0	1	24	Sequence 323, App
35	0	0.0	1	24	US-09-625-102-323
36	0	0.0	1	24	Sequence 446, App
37	0	0.0	1	24	US-09-625-102-446
38	0	0.0	1	24	Sequence 446, App
39	0	0.0	1	24	US-09-625-102-446
40	0	0.0	1	24	Sequence 589, App
41	0	0.0	1	24	US-09-625-102-589
42	0	0.0	1	24	Sequence 589, App
43	0	0.0	1	24	US-09-625-102-603
44	0	0.0	1	24	Sequence 603, App
45	0	0.0	1	24	US-09-625-102-603
46	0	0.0	1	24	Sequence 603, App
47	0	0.0	1	24	US-09-625-102-614
48	0	0.0	1	24	Sequence 614, App

c	32	0	0	0	1	24	US-09-625-102-614	Sequence 614, App
c	33	0	0	0	1	24	US-09-625-102-836	Sequence 836, App
c	34	0	0	0	1	24	US-09-625-102-836	Sequence 836, App
c	35	0	0	0	1	24	US-09-625-102-895	Sequence 895, App
c	36	0	0	0	1	24	US-09-625-102-895	Sequence 895, App
c	37	0	0	0	1	24	US-09-625-102-882	Sequence 882, App
c	38	0	0	0	1	24	US-09-625-102-982	Sequence 982, App
c	39	0	0	0	1	24	US-09-625-102-1048	Sequence 1048, App
c	40	0	0	0	1	24	US-09-625-102-1048	Sequence 1048, App
c	41	0	0	0	1	24	US-09-625-102-1352	Sequence 1352, App
c	42	0	0	0	1	24	US-09-625-102-1352	Sequence 1352, App
c	43	0	0	0	1	24	US-09-634-3068-51773	Sequence 51773, A
c	44	0	0	0	1	24	US-09-634-3068-51773	Sequence 51773, A
c	45	0	0	0	1	24	US-09-634-3068-51841	Sequence 51841, A

ALIGNMENTS

RESULT 1
PCCT-US93-00977-702
; Sequence 702, Application PC/TUS9300977
; GENERAL INFORMATION:
; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA

```
Query Match          0.0%; Score 0; DB 1; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

RESULT 2
PCT-US93-00977-702/c
; Sequence 702, Application PC/TUS9300977
: GENERAL INFORMATION:

TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
 NUMBER OF SEQUENCES: 711
 CORRESPONDENCE ADDRESS:
 ADDRESSEE: Knobbe, Martens, Olsson, and Bear
 STREET: 620 Newport Center Dr. Sixteenth Floor
 CITY: Newport Beach
 STATE: CA
 COUNTRY: USA
 ZIP: 92660
 COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: PatentIn Release #1.0, Version #1.25
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: PCT/US93/00977
 FILING DATE: 19930129
 CLASSIFICATION:
 ATTORNEY/AGENT INFORMATION:
 NAME: Altman, Daniel E.
 REGISTRATION NUMBER: 34,115
 REFERENCE/DOCKET NUMBER: HITACHI.006H
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: 714-760-0404
 TELEFAX: 714-760-9502
 INFORMATION FOR SEQ ID NO: 702:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 1
 TYPE: NUCLEIC ACID
 STRANDEDNESS: double
 TOPOLOGY: linear
 MOLECULE TYPE: cdna to mRNA
 HYPOTHETICAL: NO
 ANTI-SENSE: NO
 PCT-US93-00977-702

```
Query Match          0.0%; Score 0; DB 1; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
```

```

3
US-08-068-298-17
; Sequence 17, Application US/08068298
; GENERAL INFORMATION:
; APPLICANT: MUENCHEAU, DARYIL, ET AL.
; TITLE OF INVENTION: METHOD FOR GENERATING APTAMERS OF
; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY
; TITLE OF INVENTION: NON- PREDETERMINED SEQUENCES
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSER: LYON & LYON
; STREET: 611 West Sixth St.
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90017
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/068,298
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/659,980

```


; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:
; OTHER INFORMATION: where N also may be isoguanine or
; isocytosine
; US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 4
US-08-068-298-17/c
; Sequence 17, Application US/08068298
; GENERAL INFORMATION:
; APPLICANT: MUENCHAU, DARYL, ET AL.
; TITLE OF INVENTION: METHOD FOR GENERATING APTAMERS OF
; TITLE OF INVENTION: NON-PREDETERMINED OR SUBSTANTIALLY
; TITLE OF INVENTION: NON-PREDETERMINED SEQUENCES
; NUMBER OF SEQUENCES: 26
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: LYON & LYON
; STREET: 611 West Sixth St.
; CITY: Los Angeles
; STATE: CA
; COUNTRY: USA
; ZIP: 90017
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/068,298
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07/659,980
; FILING DATE: February 21, 1991
; ATTORNEY/AGENT INFORMATION:
; NAME: CONSALVI, MARY S
; REGISTRATION NUMBER: 32,212
; REFERENCE/DOCKET NUMBER: 193/051
; TELEPHONE: 213-489-1600
; TELEFAX: 213-955-0440
; INFORMATION FOR SEQ ID NO: 17:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: nucleic acid
; FEATURE:

; OTHER INFORMATION: where N also may be isoguanine or
; isocytosine
; US-08-068-298-17

Query Match 0.0%; Score 0; DB 4; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 C 1

RESULT 5
US-08-154-792A-9
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELETYPE: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 6
US-08-154-792A-9/c
; Sequence 9, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.

```

; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-9

```

```

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 T 1

```

```

RESULT 7
US-08-154-792A-24
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:

```

```

; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

```

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 A 1

```

```

RESULT 8
US-08-154-792A-24/c
; Sequence 24, Application US/08154792A
; GENERAL INFORMATION:
; APPLICANT: Kolodner, Richard D.
; APPLICANT: Reenan, Robert A.G.
; APPLICANT: Fishel, Richard
; TITLE OF INVENTION: Mismatch Repair Genes, Gene Products,
; TITLE OF INVENTION: and Uses Therefor
; NUMBER OF SEQUENCES: 44
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: David G. Conlin; DIKE, BRONSTEIN, ROBERTS &
; ADDRESSEE: CUSHMAN
; STREET: 130 Water Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/154,792A
; FILING DATE: 17-NOV-1993
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Resnick, David S.
; REGISTRATION NUMBER: 34,235
; REFERENCE/DOCKET NUMBER: 44824
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 523-3400
; TELEFAX: (617) 523-6440
; TELEX: 200291 STRE UR
; INFORMATION FOR SEQ ID NO: 24:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-154-792A-24

```

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 T 1

RESULT 9
 US-08-163-449A-9
 ; Sequence 9, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard
 ; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/163,449A
 ; FILING DATE: 07-DEC-1993
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Resnick, David S.
 ; REGISTRATION NUMBER: 34,234
 ; REFERENCE/DOCKET NUMBER: 44824-CIP-2
 ; TELEPHONE: (617) 523-3400
 ; TELEFAX: (617) 523-3400
 ; TELEX: 200291 STRE UR
 ; INFORMATION FOR SEQ ID NO: 9:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; US-08-163-449A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 A 1

RESULT 10
 US-08-163-449A-9/c
 ; Sequence 9, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard

; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/163,449A
 ; FILING DATE: 07-DEC-1993
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Resnick, David S.
 ; REGISTRATION NUMBER: 34,234
 ; REFERENCE/DOCKET NUMBER: 44824-CIP-2
 ; TELEPHONE: (617) 523-3400
 ; TELEFAX: (617) 523-3400
 ; TELEX: 200291 STRE UR
 ; INFORMATION FOR SEQ ID NO: 9:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 1 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; US-08-163-449A-9

Query Match 0.0%; Score 0; DB 5; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 T 1

RESULT 11
 US-08-163-449A-24
 ; Sequence 24, Application US/08163449A
 ; GENERAL INFORMATION:
 ; APPLICANT: Kolodner, Richard D.
 ; APPLICANT: Reenan, Robert A.G.
 ; APPLICANT: Fishel, Richard
 ; TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
 ; TITLE OF INVENTION: PRODUCTS,
 ; TITLE OF INVENTION: AND USES THEREFOR
 ; NUMBER OF SEQUENCES: 44
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
 ; ADDRESSEE: ROBERTS & CUSHMAN
 ; STREET: 130 Water Street
 ; CITY: Boston
 ; STATE: MA
 ; COUNTRY: USA
 ; ZIP: 02109
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:

APPLICATION NUMBER: US/08/163,449A
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 12
US-08-163-449A-24/C
SEQUENCE 24, Application US/08163449A
GENERAL INFORMATION:
APPLICANT: Kolodner, Richard D.
APPLICANT: Reenan, Robert A.G.
APPLICANT: Fisher, Richard
TITLE OF INVENTION: MISMATCH REPAIR GENES, GENE
TITLE OF INVENTION: PRODUCTS
TITLE OF INVENTION: AND USES THEREFOR
NUMBER OF SEQUENCES: 44
CORRESPONDENCE ADDRESS:
ADDRESSEE: DAVID G. CONLIN; DIKE, BRONSTEIN,
STREET: 130 Water Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/163,449A
FILING DATE: 07-DEC-1993
CLASSIFICATION: 435
ATTORNEY/AGENT INFORMATION:
NAME: Resnick, David S.
REGISTRATION NUMBER: 34,234
REFERENCE/DOCKET NUMBER: 44824-CIP-2
TELEPHONE: (617) 523-3400
TELEFAX: (617) 523-6440
TELEX: 200291 STRE UR
INFORMATION FOR SEQ ID NO: 24:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)

US-08-163-449A-24

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 T 1

RESULT 13
US-08-208-572-10
SEQUENCE 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND
DERIVATIVES
TITLE OF INVENTION: ECEF
NUMBER OF SEQUENCES: 14
CORRESPONDENCE ADDRESS:
ADDRESSEE: CHOATE, HALL, & STEWART
STREET: Exchange Place, 53 State Street
CITY: Boston
STATE: MA
COUNTRY: USA
ZIP: 02109
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/208,572
FILING DATE:
CLASSIFICATION: 424
ATTORNEY/AGENT INFORMATION:
NAME: Kaplan Esq., Warren A.
REGISTRATION NUMBER: 34,199
REFERENCE/DOCKET NUMBER: 092662-002
TELEPHONE: (617) 227-5020
TELEFAX: (617) 227-7566
INFORMATION FOR SEQ ID NO: 10:
SEQUENCE CHARACTERISTICS:
LENGTH: 1 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
US-08-208-572-10

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 14
US-08-208-572-10/C
SEQUENCE 10, Application US/08208572
GENERAL INFORMATION:
APPLICANT: Silberstein Ph.D., David S.
APPLICANT: Balcewicz-Sablinska M.D., Maria K.
APPLICANT: Newman Ph.D., Gale W.
TITLE OF INVENTION: CONTROL OF HIV GROWTH WITH ECEF AND

```

; TITLE OF INVENTION: ECEF
; TITLE OF INVENTION: DERIVATIVES
; NUMBER OF SEQUENCES: 14
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: CHOATE, HALL, & STEWART
; STREET: Exchange Place, 53 State Street
; CITY: Boston
; STATE: MA
; COUNTRY: USA
; ZIP: 02109
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/208,572
; FILING DATE:
; CLASSIFICATION: 424
; ATTORNEY/AGENT INFORMATION:
; NAME: Kaplan Esq., Warren A.
; REGISTRATION NUMBER: 34,199
; REFERENCE/DOCKET NUMBER: 092662-002
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (617) 227-5020
; TELEFAX: (617) 227-7566
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; US-08-208-572-10

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 T 1

```

```

RESULT 15
US-08-237-491-6868
; Sequence 6868, Application US/08237491
; GENERAL INFORMATION:
; APPLICANT: Seilhamer, Jeffrey
; APPLICANT: Delegeane, Angelo
; APPLICANT: Jernigan, Colleen
; APPLICANT: Levine, Wendy B.
; TITLE OF INVENTION: SHEAR-STRESSED HUMAN UMBILICAL VEIN
; TITLE OF INVENTION: ENDOTHELIAL CELLS
; NUMBER OF SEQUENCES: 7326
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Pennie & Edmonds
; STREET: 2730 Sand Hill Road
; CITY: Menlo Park
; STATE: California
; COUNTRY: U.S.A.
; ZIP: 94025
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/237,491
; FILING DATE: Concurrently herewith
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:

```

```

; APPLICATION NUMBER: US 08/137,951
; FILING DATE: 14-OCT-1993
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 08/197,801
; FILING DATE: 17-FEB-1994
; ATTORNEY/AGENT INFORMATION:
; NAME: Halluin, Albert P.
; REGISTRATION NUMBER: 25,227
; REFERENCE/DOCKET NUMBER: 8135-025
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (415) 854-3660
; TELEFAX: (415) 854-3694
; TELEX: 66141 PENNIE
; INFORMATION FOR SEQ ID NO: 6868:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA
; IMMEDIATE SOURCE:
; CLONE: Z-068903
; US-08-237-491-6868

```

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 C 1

```

```

Search completed: August 25, 2002, 00:32:26
Job time: 16384 sec

```


GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 25, 2002, 00:45:46 ; Search time 787.61 seconds
(without alignments)
62.364 Million cell updates/sec

Title: US-10-077-383-33

Perfect score: 18
Sequence: 1 nnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1737567 seqs, 1364410299 residues

Total number of hits satisfying chosen parameters: 3475134

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Pending Patents_NA_New:*

- 1: /cgn2_6/ptodata/2/pna/US06_NEW_COMB.seq:*
- 2: /cgn2_6/ptodata/2/pna/US07_NEW_COMB.seq:*
- 3: /cgn2_6/ptodata/2/pna/US08_NEW_COMB.seq:*
- 4: /cgn2_6/ptodata/2/pna/US09_NEW_COMB.seq:*
- 5: /cgn2_6/ptodata/2/pna/US10_NEW_COMB.seq:*
- 6: /cgn2_6/ptodata/2/pna/US11_NEW_COMB.seq:*
- 7: /cgn2_6/ptodata/2/pna/US12_NEW_COMB.seq:*
- 8: /cgn2_6/ptodata/2/pna/US13_NEW_COMB.seq:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	0	0.0	1	7	US-10-027-632-51773
2	0	0.0	1	7	US-10-027-632-51773
3	0	0.0	1	7	US-10-027-632-51841
4	0	0.0	1	7	US-10-027-632-51841
5	0	0.0	1	7	US-10-027-632-52001
6	0	0.0	1	7	US-10-027-632-52001
7	0	0.0	1	7	US-10-027-632-52051
8	0	0.0	1	7	US-10-027-632-52051
9	0	0.0	1	7	US-10-027-632-52156
10	0	0.0	1	7	US-10-027-632-52156
11	0	0.0	1	7	US-10-027-632-52157
12	0	0.0	1	7	US-10-027-632-52157
13	0	0.0	1	7	US-10-027-632-52177
14	0	0.0	1	7	US-10-027-632-52177
15	0	0.0	1	7	US-10-027-632-52215
16	0	0.0	1	7	US-10-027-632-52215
17	0	0.0	1	7	US-10-027-632-52240
18	0	0.0	1	7	US-10-027-632-52240
19	0	0.0	1	7	US-10-027-632-52272
20	0	0.0	1	7	US-10-027-632-52272
21	0	0.0	1	7	US-10-027-632-52624
22	0	0.0	1	7	US-10-027-632-52624
23	0	0.0	1	7	US-10-027-632-52642
24	0	0.0	1	7	US-10-027-632-52642
25	0	0.0	1	7	US-10-027-632-52668

c	26	0	0.0	1	7	US-10-027-632-52668	Sequence 52668, A
c	27	0	0.0	1	7	US-10-027-632-52677	Sequence 52677, A
c	28	0	0.0	1	7	US-10-027-632-52677	Sequence 52677, A
c	29	0	0.0	1	7	US-10-027-632-52707	Sequence 52707, A
c	30	0	0.0	1	7	US-10-027-632-52707	Sequence 52707, A
c	31	0	0.0	1	7	US-10-027-632-52714	Sequence 52714, A
c	32	0	0.0	1	7	US-10-027-632-52714	Sequence 52714, A
c	33	0	0.0	1	7	US-10-027-632-52721	Sequence 52721, A
c	34	0	0.0	1	7	US-10-027-632-52721	Sequence 52721, A
c	35	0	0.0	1	7	US-10-027-632-52776	Sequence 52776, A
c	36	0	0.0	1	7	US-10-027-632-52776	Sequence 52776, A
c	37	0	0.0	1	7	US-10-027-632-52863	Sequence 52863, A
c	38	0	0.0	1	7	US-10-027-632-52863	Sequence 52863, A
c	39	0	0.0	1	7	US-10-027-632-52864	Sequence 52864, A
c	40	0	0.0	1	7	US-10-027-632-52864	Sequence 52864, A
c	41	0	0.0	1	7	US-10-027-632-52891	Sequence 52891, A
c	42	0	0.0	1	7	US-10-027-632-52891	Sequence 52891, A
c	43	0	0.0	1	7	US-10-027-632-58290	Sequence 58290, A
c	44	0	0.0	1	7	US-10-027-632-58290	Sequence 58290, A
c	45	0	0.0	1	7	US-10-027-632-58459	Sequence 58459, A

ALIGNMENTS

RESULT 1
US-10-027-632-51773
; Sequence 51773, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108627.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51773
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51773

Query Match 0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 2
US-10-027-632-51773/c
; Sequence 51773, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide

```

; TITLE OF INVENTION: Polymorphisms in the Human Genome
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51773
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51773

```

```

Query Match      0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 G 1

```

```

RESULT 3
US-10-027-632-51841
; Sequence 51841, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51841
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51841

```

```

Query Match      0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 Y 1

RESULT 4
US-10-027-632-51841/c
; Sequence 51841, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 51841
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-51841

```

```

Query Match      0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 R 1

```

```

RESULT 5
US-10-027-632-52001
; Sequence 52001, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0

```


; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0% Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 y 1

RESULT 6
US-10-027-632-52001/c
; Sequence 52001, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027.632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52001
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52001

Query Match 0.0% Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 r 1

RESULT 7
US-10-027-632-52051
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027.632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483

; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0% Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 8
US-10-027-632-52051/c
; Sequence 52051, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027.632
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52051
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52051

Query Match 0.0% Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 g 1

RESULT 9
US-10-027-632-52156
; Sequence 52156, Application US/10027632
; GENERAL INFORMATION:

```

; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52156
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-52156

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 c 1

```

```

RESULT 10
US-10-027-632-52156/c
; Sequence 52156, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US/10/027,632
; CURRENT FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52156
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-52156

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;

```

```

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 n 1
Db 1 G 1

```

```

RESULT 11
US-10-027-632-52157
; Sequence 52157, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52157
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-52157

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 c 1

```

```

RESULT 12
US-10-027-632-52157/c
; Sequence 52157, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-08-09
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52157
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
; US-10-027-632-52157

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;

```

```

; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52157
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52157

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 G 1

```

RESULT 13

```

US-10-027-632-52177
; Sequence 52177, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52177
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52177

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 c 1

```

RESULT 14

```

US-10-027-632-52177/c
; Sequence 52177, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676

```

```

; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52177
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52177

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 G 1

```

RESULT 15

```

US-10-027-632-52215
; Sequence 52215, Application US/10027632
; GENERAL INFORMATION:
; APPLICANT: Wang, David G.
; TITLE OF INVENTION: Identification and Mapping of Single Nucleotide
; FILE REFERENCE: 108827.129
; CURRENT APPLICATION NUMBER: US/10/027,632
; PRIOR FILING DATE: 2002-04-30
; PRIOR APPLICATION NUMBER: US 60/218,006
; PRIOR FILING DATE: 2000-07-12
; PRIOR APPLICATION NUMBER: US 60/198,676
; PRIOR FILING DATE: 2000-04-20
; PRIOR APPLICATION NUMBER: US 60/193,483
; PRIOR FILING DATE: 2000-03-29
; PRIOR APPLICATION NUMBER: US 60/185,218
; PRIOR FILING DATE: 2000-02-24
; PRIOR APPLICATION NUMBER: US 60/167,363
; PRIOR FILING DATE: 1999-11-23
; PRIOR APPLICATION NUMBER: US 60/156,358
; PRIOR FILING DATE: 1999-09-28
; PRIOR APPLICATION NUMBER: US 60/146,002
; NUMBER OF SEQ ID NOS: 325720
; SOFTWARE: FastSeq for Windows Version 4.0
; SEQ ID NO 52215
; LENGTH: 1
; TYPE: DNA
; ORGANISM: Human
US-10-027-632-52215

```

```

Query Match          0.0%; Score 0; DB 7; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 c 1

```

Search completed: August 25, 2002, 00:45:46

Mon Aug 26 10:18:22 2002

us-10-077-383-33.rnpn

Page 6

Job time: 12373 sec

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 n 1

RESULT 2
 A95992/c
 LOCUS A95992 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 25 from Patent WO9924578.
 ACCESSION A95992
 VERSION A95992.1 GI:6779888
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unidentified
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 25 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 n 1

RESULT 3
 A96002
 LOCUS A96002 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 35 from Patent WO9924578.
 ACCESSION A96002
 VERSION A96002.1 GI:6779893
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unidentified
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 35 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 n 1

RESULT 6
 A96012/c
 LOCUS A96012 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 45 from Patent WO9924578.

Db 1 n 1

RESULT 4
 A96002/c
 LOCUS A96002 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 35 from Patent WO9924578.
 ACCESSION A96002
 VERSION A96002.1 GI:6779893
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unidentified
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 35 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 n 1

RESULT 5
 A96012
 LOCUS A96012 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 45 from Patent WO9924578.
 ACCESSION A96012
 VERSION A96012.1 GI:6779898
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unidentified
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 45 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 n 1

RESULT 6
 A96012/c
 LOCUS A96012 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 45 from Patent WO9924578.

ACCESSION A96012
VERSION A96012.1 GI:6779898

KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.

TITLE Neisserial antigens

JOURNAL Patent: WO 924578-A 45 20-MAY-1999;

PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
source

1 /organism="unidentified"

/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others

ORIGIN

Query Match

Best Local Similarity 0.0%; Score 0; DB 6; Length 1;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

Db 1 N 1

RESULT 7

A96022

LOCUS A96022 1 bp DNA linear PAT 07-SEP-2000

DEFINITION Sequence 55 from Patent WO924578.

ACCESSION A96022

VERSION A96022.1 GI:6779903

KEYWORDS

unidentified.

ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.

TITLE Neisserial antigens

JOURNAL Patent: WO 924578-A 55 20-MAY-1999;

PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
source

1 /organism="unidentified"

/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others

ORIGIN

Query Match

Best Local Similarity 0.0%; Score 0; DB 6; Length 1;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

Db 1 N 1

RESULT 8

A96022/c

LOCUS A96022 1 bp DNA linear PAT 07-SEP-2000

DEFINITION Sequence 55 from Patent WO924578.

ACCESSION A96022

VERSION A96022.1 GI:6779903

KEYWORDS

unidentified.

ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 55 20-MAY-1999;

PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
source

1 /organism="unidentified"

/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others

ORIGIN

Query Match

Best Local Similarity 0.0%; Score 0; DB 6; Length 1;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

Db 1 N 1

RESULT 9

A96040

LOCUS A96040 1 bp DNA linear PAT 07-SEP-2000

DEFINITION Sequence 73 from Patent WO924578.

ACCESSION A96040

VERSION A96040.1 GI:6779912

KEYWORDS

unidentified.

ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.

TITLE Neisserial antigens

JOURNAL Patent: WO 924578-A 73 20-MAY-1999;

PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);

CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
source

1 /organism="unidentified"

/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others

ORIGIN

Query Match

Best Local Similarity 0.0%; Score 0; DB 6; Length 1;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

Db 1 N 1

RESULT 10

A96040/c

LOCUS A96040 1 bp DNA linear PAT 07-SEP-2000

DEFINITION Sequence 73 from Patent WO924578.

ACCESSION A96040

VERSION A96040.1 GI:6779912

KEYWORDS

unidentified.

ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.

TITLE Neisserial antigens

JOURNAL Patent: WO 924578-A 73 20-MAY-1999;

PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);

CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
source

1 /organism="unidentified"

/db_xref="taxon:32644"

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96058 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 91 from Patent WO9924578.
 ACCESSION A96058
 VERSION A96058.1 GI:6779921
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 91 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96058 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 91 from Patent WO9924578.
 ACCESSION A96058
 VERSION A96058.1 GI:6779921
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 91 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96058 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 91 from Patent WO9924578.
 ACCESSION A96058
 VERSION A96058.1 GI:6779921
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 91 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN


```

RESULT 15
A96086
LOCUS       A96086               1 bp          DNA          linear    PAT 07-SEP-2000
DEFINITION   Sequence 119 from Patent WO924578.
ACCESSION   A96086
VERSION     A96086.1  GI:6779935
KEYWORDS    .
SOURCE      .
  ORGANISM   unidentified.
             unclassified.
REFERENCE   1 (bases 1 to 1)
  AUTHORS   Pizza,M., Scarlato,V., Rappuoli,R., Grandi,G. and Masignani,V.
  TITLE     Neisserial antigens
  JOURNAL   Patent: WO 924578-A 119 20-MAY-1999;
            PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
            CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES    Location/Qualifiers
             source
               1
               /organism="unidentified"
               /db_xref="taxon:32644"
BASE COUNT   0 a          0 c          0 g          0 t          1 others
ORIGIN

```

```

Query Match      0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;


```

```

Oy  1 n 1
    |
Db  1 n 1

```

Search completed: August 24, 2002, 21:54:43
 Job time: 22406 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 19:40:47 ; Search time 623.77 Seconds
(without alignments)
55.050 Million cell updates/sec

Title: US-10-077-383-9
Perfect score: 20
Sequence: 1 mnnnnnnnnnnnnnnnnnn 20

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters: 3472872

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : N_Geneseq_032802:*

- 1: /SID55/gcgdata/geneseq/geneseq-emb1/NA1980.DAT:*
- 2: /SID55/gcgdata/geneseq/geneseq-emb1/NA1981.DAT:*
- 3: /SID55/gcgdata/geneseq/geneseq-emb1/NA1982.DAT:*
- 4: /SID55/gcgdata/geneseq/geneseq-emb1/NA1983.DAT:*
- 5: /SID55/gcgdata/geneseq/geneseq-emb1/NA1984.DAT:*
- 6: /SID55/gcgdata/geneseq/geneseq-emb1/NA1985.DAT:*
- 7: /SID55/gcgdata/geneseq/geneseq-emb1/NA1986.DAT:*
- 8: /SID55/gcgdata/geneseq/geneseq-emb1/NA1987.DAT:*
- 9: /SID55/gcgdata/geneseq/geneseq-emb1/NA1988.DAT:*
- 10: /SID55/gcgdata/geneseq/geneseq-emb1/NA1989.DAT:*
- 11: /SID55/gcgdata/geneseq/geneseq-emb1/NA1990.DAT:*
- 12: /SID55/gcgdata/geneseq/geneseq-emb1/NA1991.DAT:*
- 13: /SID55/gcgdata/geneseq/geneseq-emb1/NA1992.DAT:*
- 14: /SID55/gcgdata/geneseq/geneseq-emb1/NA1993.DAT:*
- 15: /SID55/gcgdata/geneseq/geneseq-emb1/NA1994.DAT:*
- 16: /SID55/gcgdata/geneseq/geneseq-emb1/NA1995.DAT:*
- 17: /SID55/gcgdata/geneseq/geneseq-emb1/NA1996.DAT:*
- 18: /SID55/gcgdata/geneseq/geneseq-emb1/NA1997.DAT:*
- 19: /SID55/gcgdata/geneseq/geneseq-emb1/NA1998.DAT:*
- 20: /SID55/gcgdata/geneseq/geneseq-emb1/NA1999.DAT:*
- 21: /SID55/gcgdata/geneseq/geneseq-emb1/NA2000.DAT:*
- 22: /SID55/gcgdata/geneseq/geneseq-emb1/NA2001A.DAT:*
- 23: /SID55/gcgdata/geneseq/geneseq-emb1/NA2001B.DAT:*
- 24: /SID55/gcgdata/geneseq/geneseq-emb1/NA2002.DAT:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	0	0.0	1	20	AA57131
2	0	0.0	1	20	AA57131
3	0	0.0	3	9	AA80743
4	0	0.0	3	9	AA80743
5	0	0.0	3	16	AAQ85491
6	0	0.0	3	16	AAQ85491
7	0	0.0	3	17	AAT33326
8	0	0.0	3	17	AAT33326
9	0	0.0	3	21	AAA94655

C	10	0	0.0	3	21	AAA94655	Human TUB gene pro
C	11	0	0.0	3	22	AA120244	Human breast cancer
C	12	0	0.0	3	22	AA120244	Human breast cancer
C	13	0	0.0	4	16	AAQ81664	BRGF binding oligo
C	14	0	0.0	4	16	AAQ81664	BRGF binding oligo
C	15	0	0.0	4	16	AAQ81665	BRGF binding oligo
C	16	0	0.0	4	16	AAQ81665	BRGF binding oligo
C	17	0	0.0	4	18	AA86385	Probe for target n
C	18	0	0.0	4	18	AA86385	Immunostimulatory
C	19	0	0.0	4	18	AA86385	Immunostimulatory
C	20	0	0.0	4	18	AA86385	Immunostimulatory
C	21	0	0.0	4	22	AA117191	Human breast cancer
C	22	0	0.0	4	22	AA117191	Human breast cancer
C	23	0	0.0	4	22	AA124357	Human breast cancer
C	24	0	0.0	4	22	AA124357	Human breast cancer
C	25	0	0.0	4	22	AA124357	Human breast cancer
C	26	0	0.0	4	22	AA124357	Human breast cancer
C	27	0	0.0	4	22	AA124357	Human breast cancer
C	28	0	0.0	4	22	AA124357	Human breast cancer
C	29	0	0.0	4	22	AA124357	Human breast cancer
C	30	0	0.0	4	22	AA124357	Human breast cancer
C	31	0	0.0	4	22	AA124357	Human breast cancer
C	32	0	0.0	4	22	AA124357	Human breast cancer
C	33	0	0.0	4	22	AA124357	Human breast cancer
C	34	0	0.0	4	22	AA124357	Human breast cancer
C	35	0	0.0	4	22	AA124357	Human breast cancer
C	36	0	0.0	4	22	AA124357	Human breast cancer
C	37	0	0.0	4	22	AA124357	Human breast cancer
C	38	0	0.0	4	22	AA124357	Human breast cancer
C	39	0	0.0	4	22	AA124357	Human breast cancer
C	40	0	0.0	4	22	AA124357	Human breast cancer
C	41	0	0.0	4	22	AA124357	Human breast cancer
C	42	0	0.0	4	22	AA124357	Human breast cancer
C	43	0	0.0	4	22	AA124357	Human breast cancer
C	44	0	0.0	4	22	AA124357	Human breast cancer
C	45	0	0.0	4	22	AA124357	Human breast cancer

ALIGNMENTS

RESULT 1
AA57131
ID AA57131 standard; DNA; 1 BP.

XX AA57131;

XX 22-JUL-1999 (first entry)

XX Human mutant KCNQ3 primer 26.

XX KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis;

XX Benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy;

XX JME; rolandic epilepsy; mutant; treatment; screening; epilepsy;

XX detection; gene therapy; drug screening; primer; ss.

XX Synthetic.

XX Homo sapiens.

XX WO9921875-A1.

XX 06-MAY-1999.

XX 23-OCT-1998; 98WO-US2375.

XX 24-OCT-1997; 97US-0063147.

XX (UTAH) UNIV UTAH RES FOUND.

XX Charlier C, Leppert MF, Singh NA;

XX WPI, 1999-312938/26.

PT Nucleic acid encoding potassium channels KCNQ2 and 3
 XX Claim 65; Page 151; 195pp; English.
 PS This invention describes novel human and mouse potassium channel
 CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode
 CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
 CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
 CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
 CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
 CC proteins themselves in cell-free form) are used to screen for agents that
 CC can be used to treat or prevent these forms of epilepsy. Fragments of the
 CC encoding nucleic acids are used as probes or primers, either for
 CC detecting mutations or for isolation of related sequences, while the
 CC complete sequences may be used in gene therapy to provide wild-type
 CC protein. Antibodies specific for mutant or wild-type proteins are used
 CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
 CC are useful in rational design of drugs and therapeutically (in
 CC replacement therapies). The forms of epilepsy associated with mutations
 CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
 CC manifest), and better treatment options will be available.
 CC AAX57074-X57139 are primers used in the method of the invention.
 XX
 SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 a 1

RESULT 2
 AAX57131/c
 ID AAX57131 standard; DNA; 1 BP.

XX AAX57131;
 XX 22-JUL-1999 (first entry)
 DT Human mutant KCNQ3 primer 26.
 DE

XX KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis;
 KW benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy;
 KW JME; rolandic epilepsy; mutant; treatment; screening; epilepsy;
 KW detection; gene therapy; drug screening; primer; ss.
 XX

OS Synthetic.
 OS Homo sapiens.
 XX WO9921875-A1.
 FN

XX 06-MAY-1999.

XX 23-OCT-1998; 98WO-US22375.

XX 24-OCT-1997; 97US-0063147.

XX (UTAH) UNIV UTAH RES FOUND.

XX Charlier C, Leppert MF, Singh NA;
 XX WPI; 1999-312938/26.

XX Nucleic acid encoding potassium channels KCNQ2 and 3
 PT Claim 65; Page 151; 195pp; English.

XX This invention describes novel human and mouse potassium channel
 CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode

CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
 CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
 CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
 CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
 CC proteins themselves in cell-free form) are used to screen for agents that
 CC can be used to treat or prevent these forms of epilepsy. Fragments of the
 CC encoding nucleic acids are used as probes or primers, either for
 CC detecting mutations or for isolation of related sequences, while the
 CC complete sequences may be used in gene therapy to provide wild-type
 CC protein. Antibodies specific for mutant or wild-type proteins are used
 CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
 CC are useful in rational design of drugs and therapeutically (in
 CC replacement therapies). The forms of epilepsy associated with mutations
 CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
 CC manifest), and better treatment options will be available.
 CC AAX57074-X57139 are primers used in the method of the invention.
 XX
 SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 T 1

RESULT 3
 AAN80743
 ID AAN80743 standard; DNA; 3 BP.

XX AAN80743;
 AC

XX 10-SEP-1990 (first entry)

DE Sequence encoding complete mature and precursor forms of human tissue
 DE factor heavy chain proteins (hutfh & pre-hutfh, respectively).

XX Human tissue factor heavy chain (hutfh); immunoassays;
 KW precursor human tissue factor heavy chain (pre-hutfh);
 KW human tissue factor detection.

XX Homo sapiens.

XX Key Location/Qualifiers

FT CDS 34..921

FT /tag= a

FT /product=pre-hutfh

FT mat_peptide 130..921

FT /tag= b

FT /product=hutfh

XX WO8807543-A.

XX 06-OCT-1988.

XX 29-MAR-1988; 88WO-US00998.

XX 25-JUN-1987; 87US-0067103.

XX (SCRI-) SCRIPPS CLINIC RES.

XX Eddington TS, Morrissey JH;

XX WPI; 1988-292837/41.

XX P-PSDB; AAP80713.

XX New DNA segment -

PT has gene encoding human tissue factor heavy chain protein and is
 PT useful for inhibiting coagulation

PS Disclosure; ; pp; English.

XX A DNA segment with a nucleotide sequence from about 130 to about 918 of
CC the sequence given here is claimed. Also claimed are antibodies which
CC immunoreact with hutfh and the claimed peptides (given in AAP80713).
CC The antibodies may be used in immunoassays for detection of hutfh. The
CC claimed peptides may be used to inhibit the binding of hutfh to
CC coagulation factor VII/VIIa in vivo.

XX Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 9; Length 3;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

DB 1 n 1

RESULT 4

AA080743/c

ID AA080743 standard; DNA; 3 BP.

AC AA080743;

XX 10-SEP-1990 (first entry)

XX Sequence encoding complete mature and precursor forms of human tissue
DE factor heavy chain proteins (hutfh & pre-hutfh, respectively).

XX Human tissue factor heavy chain (hutfh); immunoassays;

XX precursor human tissue factor heavy chain (pre-hutfh);

XX human tissue factor detection.

XX Homo sapiens.

XX Key Location/Qualifiers

FT CDS 34..921

FT /*tag= a

FT /product=pre-hutfh

FT mat_peptide 130..921

FT /*tag= b

FT /product=hutfh

XX W08807543-A.

XX 06-OCT-1988.

XX 29-MAR-1988; 88WO-US00998.

XX 25-JUN-1987; 87US-0067103.

XX (SCRI-) SCRIPPS CLINIC RES.

XX Eddington TS, Morrissey JH;

XX WPI; 1988-292837/41.

XX P-PSDB; RAP80713.

XX New DNA segment -

PT has gene encoding human tissue factor heavy chain protein and is

PT useful for inhibiting coagulation

XX Disclosure; ; pp; English.

XX A DNA segment with a nucleotide sequence from about 130 to about 918 of
CC the sequence given here is claimed. Also claimed are antibodies which
CC immunoreact with hutfh and the claimed peptides (given in AAP80713).
CC The antibodies may be used in immunoassays for detection of hutfh. The
CC claimed peptides may be used to inhibit the binding of hutfh to
CC coagulation factor VII/VIIa in vivo.

XX SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 9;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

DB 3 N 3

RESULT 5

AA085491

ID AA085491 standard; cDNA; 3 BP.

XX AA085491;

XX 18-AUG-1995 (first entry)

XX Plasmid pEZZ318.thy2.

XX OMTKY3; turkey ovomucoid third domain peptide inhibitor;

XX furin inhibitor; protease inhibitor; pEZZ318.thy2; probe;

XX Escherichia coli; ss.

XX Synthetic.

XX W09502055-A.

XX 19-JAN-1995.

XX 08-JUL-1994; 94WO-US07779.

XX 09-JUL-1993; 93US-0089248.

XX (ANDE/) ANDERSON S.

XX (LASK/) LASKOWSKI M.

XX Anderson S, Laskowski M;

XX WPI; 1995-066900/09.

XX Protein inhibitors of serine proteinase(s), e.g. furin, deriv.

XX from turkey ovomucoid third domain - used as laboratory reagents

XX to study the proteinase(s), or as chemotherapeutic agents to

XX treat diseases associated with them

XX Disclosure; Page 42-45; 66pp; English.

XX In synthetic analogs of turkey ovomucoid domain protein (6-56)

XX (OMTKY3), given in AAR69818-24, the region immediately adjacent to

XX the reactive site peptide bond is mutated to include the consensus

XX sequence of furin or other serine protease. Polynucleotides

XX encoding such analogs are incorporated into pEZZ318.thy2 and

XX expressed in Escherichia coli RV308 (ATCC 31608).

XX Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 16;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1

DB 1 n 1

RESULT 6

AA085491/c

ID AA085491 standard; cDNA; 3 BP.

```

XX AC AAQ85491;
XX DT 18-AUG-1995 (first entry)
XX DE Plasmid pEZ3318.thy2.
XX KW OMTX3; turkey ovomucoid third domain peptide inhibitor;
XX KW furin inhibitor; protease inhibitor; pEZ3318.thy2; probe;
XX KW Escherichia coli; ss.
XX OS Synthetic.
XX PN W09502055-A.
XX PD 19-JAN-1995.
XX PF 08-JUL-1994; 94WO-US07779.
XX PR 09-JUL-1993; 93US-0083248.
XX PA (ANDE/) ANDERSON S.
XX PA (LASK/) LASKOWSKI M.
XX PI Anderson S, Laskowski M;
XX DR WPI; 1995-066900/09.
XX PT Protein inhibitors of serine proteinase(s), e.g. furin, deriv.
XX PT from turkey ovomucoid third domain - used as laboratory reagents
XX PT to study the proteinase(s), or as chemotherapeutic agents to
XX PT treat diseases associated with them
XX PS Disclosure; Page 42-45; 66pp; English.
XX CC In synthetic analogs of turkey ovomucoid domain protein (6-56)
XX CC (OMTX3), given in AAR69818-24, the region immediately adjacent to
XX CC the reactive site peptide bond is mutated to include the consensus
XX CC sequence of furin or other serine protease. Polynucleotides
XX CC encoding such analogs are incorporated into pEZ3318.thy2 and
XX CC expressed in Escherichia coli RV308 (ATCC 31508).
XX SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 16; Length 3;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 N 3

RESULT 7
AAT33326
ID AAT33326 standard; RNA; 3 BP.
XX AC AAT33326;
XX DT 12-NOV-1996 (first entry)
XX DE CAPL trinucleotide.
XX KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
XX KW osteosarcoma; therapy; ss.
XX OS Synthetic.
XX PN W09625499-A1.
XX PD 22-AUG-1996.
XX PF 16-FEB-1996; 96WO-US02108.
XX PR 17-FEB-1995; 95US-0391375.
XX PA (HYBR-) HYBRIDON INC.
XX PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
XX PI Von Hofe E;
XX DR WPI; 1996-393400/39.
XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
XX PT useful to inhibit metastatic cancer, partic. osteosarcoma
XX PS Claim 2; Page 56; 70pp; English.
XX

```

```

PF 16-FEB-1996; 96WO-US02108.
XX PR 17-FEB-1995; 95US-0391375.
XX PA (HYBR-) HYBRIDON INC.
XX PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
XX PI Von Hofe E;
XX DR WPI; 1996-393400/39.
XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
XX PT useful to inhibit metastatic cancer, partic. osteosarcoma
XX PS Claim 2; Page 56; 70pp; English.
XX CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
XX CC expression may include the trinucleotide GUC (AAT33326, given in 5'
XX CC to 3' direction) found in codon 14 of CAPL mRNA. These and
XX CC other antisense oligonucleotides (AAT33327-36) complementary to
XX CC specific regions of the CAPL gene (see also AAT33345), as well as
XX CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
XX CC patient as a means of inhibiting metastatic cancer.
XX SQ Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 17; Length 3;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 c 1

RESULT 8
AAT33326/c
ID AAT33326 standard; RNA; 3 BP.
XX AC AAT33326;
XX DT 12-NOV-1996 (first entry)
XX DE CAPL trinucleotide.
XX KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
XX KW osteosarcoma; therapy; ss.
XX OS Synthetic.
XX PN W09625499-A1.
XX PD 22-AUG-1996.
XX PF 16-FEB-1996; 96WO-US02108.
XX PR 17-FEB-1995; 95US-0391375.
XX PA (HYBR-) HYBRIDON INC.
XX PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
XX PI Von Hofe E;
XX DR WPI; 1996-393400/39.
XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
XX PT useful to inhibit metastatic cancer, partic. osteosarcoma
XX PS Claim 2; Page 56; 70pp; English.
XX

```

CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
 CC expression may include the trinucleotide GUC (AAT33326, given in 5'
 CC to 3' direction) found in codon 14 of CAPL mRNA. These and
 CC other antisense oligonucleotides (AAT3327-36) complementary to
 CC specific regions of the CAPL gene (see also AAT33345), as well as
 CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
 CC patient as a means of inhibiting metastatic cancer.
 XX
 SQ Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 17; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 3 C 3

RESULT 9
 AAA94655
 ID AAA94655 standard; DNA; 3 BP.

XX AC AAA94655;
 XX 15-JAN-2001 (first entry)
 XX Human TUB gene probe #2.
 DE Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 XX Homo sapiens.
 OS
 XX US6114502-A.
 PN
 XX 05-SEP-2000.
 PD
 XX 27-FEB-1998; 98US-0032365.
 PF
 XX 22-AUG-1996; 96US-0701380.
 PR
 PR 04-SEP-1996; 96US-0706292.
 PR
 PR 10-APR-1996; 96US-0630592.
 PR
 PR 17-SEP-1996; 96US-0714991.
 PR
 PR 30-APR-1997; 97US-0850218.
 PR
 PR 01-AUG-1997; 97US-0904699.
 PR
 PR 17-SEP-1997; 97US-0932306.
 XX

(AXYS-) AXYS PHARM INC.
 North M, Nishina P, Noben-Trauth K, Naggert J;
 WPI; 2000-586483/55.

Mammalian proteins expressed in retina and brain, useful for producing
 antibodies and for diagnosing neurosensory defects including cochlear
 degeneration, peripheral retinal degeneration and cone-rod retinal
 dystrophy -

Disclosure; Columns 81-82; 61pp; English.

XX The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel

CC genes of the present invention.
 XX Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 21; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 g 1

RESULT 10
 AAA94655/c
 ID AAA94655 standard; DNA; 3 BP.

XX AC AAA94655;
 XX 15-JAN-2001 (first entry)
 XX Human TUB gene probe #2.
 DE Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 XX Homo sapiens.
 OS
 XX US6114502-A.
 PN
 XX 05-SEP-2000.
 PD
 XX 27-FEB-1998; 98US-0032365.
 PF
 XX 22-AUG-1996; 96US-0701380.
 PR
 PR 04-SEP-1996; 96US-0706292.
 PR
 PR 10-APR-1996; 96US-0630592.
 PR
 PR 17-SEP-1996; 96US-0714991.
 PR
 PR 30-APR-1997; 97US-0850218.
 PR
 PR 01-AUG-1997; 97US-0904699.
 PR
 PR 17-SEP-1997; 97US-0932306.
 XX

(AXYS-) AXYS PHARM INC.
 North M, Nishina P, Noben-Trauth K, Naggert J;
 WPI; 2000-586483/55.

Mammalian proteins expressed in retina and brain, useful for producing
 antibodies and for diagnosing neurosensory defects including cochlear
 degeneration, peripheral retinal degeneration and cone-rod retinal
 dystrophy -

Disclosure; Columns 81-82; 61pp; English.

XX The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel
 CC genes of the present invention.

Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;

Query Match

0.0%; Score 0; DB 21; Length 3;

```

Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 C 3

RESULT 11
AAL20244
ID AAL20244 standard; cDNA; 3 BP.
XX
AC AAL20244;
XX
DT 07-DEC-2001 (first entry)
XX
DE Human breast cancer expressed polynucleotide 12701.
XX
KW Human; breast cancer; cell marker; cytostatic; ss.
XX
OS Homo sapiens.
XX
PN WO200151628-A2.
XX
PD 19-JUL-2001.
XX
PF 10-JAN-2001; 2001WO-US00798.
XX
PR 14-JAN-2000; 2000US-0176077.
XX
PR 14-MAR-2000; 2000US-0189167.
XX
PR 24-MAR-2000; 2000US-0192099.
XX
PR 29-MAR-2000; 2000US-0193480.
XX
PR 15-MAY-2000; 2000US-0205230.
XX
PR 09-JUN-2000; 2000US-0211315.
XX
PR 25-JUL-2000; 2000US-0220534.
XX
PA (MILL-) MILLENNIUM PREDICTIVE MEDICINE INC.
XX
PI Lillie J, Xu Y, Wang Y, Steinmann K;
XX
PF WI; 2001-451856/48.
XX
PR New peptide useful as a marker for the diagnosis of breast cancer -
XX
PS Claim 1; Page 2245; 3695pp; English.
XX
CC The invention relates to human breast cancer expressed polynucleotides
CC (AAL07544-AAL26789) and methods of assessing whether a patient is
CC afflicted with breast cancer by examining the correlation between the
CC expression of certain markers and the cancerous state of breast cells.
CC The polynucleotides and encoded polypeptides are potential markers for
CC detecting, diagnosing, monitoring, characterising treating and
CC potentially preventing breast cancer. The polynucleotides and encoded
CC polypeptides are also useful for isolating compounds with cytostatic
CC activity.
XX
SQ Sequence 3 BP; 1 A; 1 C; 0 G; 1 T; 0 other;

Query Match 0.0%; Score 0; DB 22; Length 3;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 A 3

RESULT 13
AAL20244
ID AAL20244 standard; cDNA; 3 BP.
XX
AC AAL20244;
XX
DT 29-SEP-1995 (first entry)
XX
DE bFGF binding oligomer core sequence #1.
XX
KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
KW bubble structure; pseudoknot; receptor; heparin; competition;
KW inhibition; enhance; neovascularisation; solid tumour; cancer;
KW metastasis; diagnosis; gene therapy; ss.
XX
OS Synthetic.
XX
PN WO9500528-A.

```


[illegible]

XX	(PHAR-) PHARMAGENICS INC.
PA	Beutel BA, Joesten ME;
XX	WPI; 1995-051992/07.
XX	New oligo-nucleotide(s) that bind to basic fibroblast growth factor - modulating, esp. inhibiting, its activity, useful in treating cancer, preventing metastasis, and diagnosis.
PT	Claim 3; Page 25; 44pp; English.
PS	The sequences given in AAQ81642-95 are oligonucleotides which modulate the activity of basic fibroblast growth factor (bFGF) by binding to the bFGF protein. Most esp. the sequences given in AAQ81664-67 represent core sequences of which at least one is present in each of the binding oligos. These oligonucleotides may form a single strand, double strand, a stem-loop structure, a bubble structure, a pseudoknot or a closed, circular structure. bFGF binds to high affinity receptor and low affinity heparin-like molecules on the cell surface. These oligonucleotides bind to bFGF in competition with its receptor and heparin. These oligonucleotides may inhibit or enhance the activity of bFGF. Particularly, they inhibit neovascularisation so they can be used to suppress growth of solid tumours and to reduce the risk of metastasis. They can be used as diagnostic reagents to determine the presence of thrombin, or used in gene therapy.
CC	Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;
SQ	
Query Match 0.0%; Score 0; DB 16; Length 4;	
Best Local Similarity 0.0%; Pred. No. 0;	
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;	
QY	1 n l
DB	4 G 4
RESULT 15	
AAQ81665	
ID	AAQ81665 standard; RNA; 4 BP.
AC	AAQ81665;
XT	29-SEP-1995 (first entry)
DT	bFGF binding oligomer core sequence #2.
DE	Basic; fibroblast growth factor; bFGF; stem-loop structure; bubble structure; pseudoknot; receptor; heparin; competition; inhibition; enhance; neovascularisation; solid tumour; cancer; ,metastasis; diagnosis; gene therapy; ss.
KX	Synthetic.
OS	
XX	WO9500528-A.
PX	
PN	05-JAN-1995.
PD	
PF	17-JUN-1994; 94WO-US06884.
PP	
PR	18-JUN-1993; 93US-0079677.
PR	07-JAN-1994; 94US-0179491.
XX	(PHAR-) PHARMAGENICS INC.
PA	Beutel BA, Joesten ME;
XX	WPI; 1995-051992/07.
DR	
XX	

XX	(PHAR-) PHARMAGENICS INC.
PA	
XX	Beutel BA, Joesten ME;
XX	WPI; 1995-051992/07.
XX	
PT	New oligo-nucleotide(s) that bind to basic fibroblast growth
PT	factor - modulating, esp. inhibiting, its activity, useful in
PT	treating cancer, preventing metastasis, and diagnosis.
XX	
PS	Claim 3; Page 25; 44pp; English.
XX	
CC	The sequences given in AA081642-95 are oligonucleotides which
CC	the activity of basic fibroblast growth factor (bFGF) by binding
CC	to the bFGF protein. Most esp. the sequences given in AA081616
CC	represent core sequences of which at least one is present in e
CC	the binding oligos. These oligonucleotides may form a single
CC	strand, double strand, a stem-loop structure, a bubble structu
CC	pseudoknot or a closed, circular structure. bFGF binds to high
CC	affinity receptor and low affinity heparin-like molecules on t
CC	cell surface. These oligonucleotides bind to bFGF in competit
CC	with its receptor and heparin. These oligonucleotides may inh
CC	or enhance the activity of bFGF. Particularly, they inhibit
CC	neovascularisation so they can be used to suppress growth of s
CC	tumours and to reduce the risk of metastasis. They can be use
CC	diagnostic reagents to determine the presence of thrombin, or
CC	gene therapy.
XX	
SQ	Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;
	Query Match 0.0%; Score 0; DB 16; Length 4;
	Best Local Similarity 0.0%; Pred. No. 0;
	Matches 0; Conservative 0; Mismatches 1; Indels 0;
Qy	1 n 1
Dd	4 G 4
	RESULT 15
ID	AA081665 standard; RNA; 4 BP.
AC	
XX	AA081665;
DT	29-SEP-1995 (first entry)
DE	bFGF binding oligomer core sequence #2.
XX	
KW	Basic; fibroblast growth factor; bFGF; stem-loop structure;
KW	bubble structure; pseudoknot; receptor; heparin; competition;
KW	inhibition; enhance; neovascularisation; solid tumour; cancer;
KW	,metastasis; diagnosis; gene therapy; ss.
XX	
OS	Synthetic.
PX	
PN	WO9500528-A.
XX	
PD	05-JAN-1995.
XX	
PF	17-JUN-1994; 94WO-US06884.
XX	
PR	18-JUN-1993; 93US-0079677.
PR	07-JAN-1994; 94US-0179491.
XX	
PA	(PHAR-) PHARMAGENICS INC.
XX	
PI	Beutel BA, Joesten ME;
XX	
DR	WPI; 1995-051992/07.
XX	

PT New oligo-nucleotide(s) that bind to basic fibroblast growth
 PT factor - modulating, esp. inhibiting, its activity, useful in
 XX treating cancer, preventing metastasis, and diagnosis.
 XX
 PS Claim 3; Page 25; 44pp; English.
 XX
 CC The sequences given in AAQ81642-95 are oligonucleotides which modulate
 CC the activity of basic fibroblast growth factor (bFGF) by binding
 CC to the bFGF protein. Most esp. the sequences given in AAQ81664-67
 CC represent core sequences of which at least one is present in each of
 CC the binding oligos. These oligonucleotides may form a single
 CC strand, double strand, a stem-loop structure, a bubble structure, a
 CC pseudoknot or a closed, circular structure. bFGF binds to high
 CC affinity receptor and low affinity heparin-like molecules on the
 CC cell surface. These oligonucleotides bind to bFGF in competition
 CC with its receptor and heparin. These oligonucleotides may inhibit
 CC or enhance the activity of bFGF. Particularly, they inhibit
 CC neovascularisation so they can be used to suppress growth of solid
 CC tumours and to reduce the risk of metastasis. They can be used as
 CC diagnostic reagents to determine the presence of thrombin, or used in
 CC gene therapy.
 XX
 SQ Sequence 4 BP; 0 A; 2 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
 Db 1 c 1

Search completed: August 24, 2002, 22:08:16
 Job time: 8849 sec

RESULT 2
PCT-US93-00977-702/c
; Sequence 702, Application PCT/US9300977
; GENERAL INFORMATION:
; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
; NUMBER OF SEQUENCES: 711
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr., Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US93/00977
; FILING DATE: 19930129
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Altman, Daniel E.
; REGISTRATION NUMBER: 34,115
; REFERENCE/DOCKET NUMBER: HITACHI.006H
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 714-760-0404
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 702:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1
; TYPE: NUCLEIC ACID
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: cdna to mRNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 T 1

RESULT 3
US-08-268-679B-8
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; TITLE OF INVENTION: SYNTHESIS PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/268, 679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846, 914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719, 761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN
; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 0887-4095 US2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 758-4800
; TELEFAX: (212) 751-6849
; TELEX: 421792
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2
; TYPE: NUCLEIC ACID
; STRANDEDNESS: SINGLE
; TOPOLOGY: UNKNOWN
; MOLECULE TYPE:
; DESCRIPTION: OLIGONUCLEOTIDE
; HYPOTHETICAL: NO
; ANTI-SENSE: YES
; ORIGINAL SOURCE: N.A.
; POSITION IN GENOME: N.A.
US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n l
Db 1 G 1

RESULT 4
US-08-268-679B-8/c
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; TITLE OF INVENTION: SYNTHESIS PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/268, 679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846, 914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719, 761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN

REGISTRATION NUMBER: 29,323
REFERENCE/DOCKET NUMBER: 0887-4095 JS2
TELEPHONE: (212) 758-4800
TELEFAX: (212) 751-6849
TELEX: 421792
INFORMATION FOR SEQ ID NO: 8:
SEQUENCE CHARACTERISTICS:
LENGTH: 2
TYPE: NUCLEIC ACID
STRANDEDNESS: SINGLE
TOPOLOGY: UNKNOWN
MOLECULE TYPE:
DESCRIPTION: OLIGONUCLEOTIDE
HYPOTHETICAL: NO
ANTI-SENSE: YES
ORIGINAL SOURCE: N.A.
POSITION IN GENOME: N.A.
US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

QY 1 n 1

Db 2 C 2

RESULT 5
US-08-457-274A-16
Sequence 16, Application US/08457274A
Patent No. 5734086
GENERAL INFORMATION:
APPLICANT: Scott, Jeffrey G.
APPLICANT: Tomita, Takashi
TITLE OF INVENTION: Cytochrome P4501pr Gene and Its Uses
NUMBER OF SEQUENCES: 29
CORRESPONDENCE ADDRESS:
ADDRESSEE: Nixon, Hargrave, Devans & Doyle
STREET: P.O. Box 1051, Clinton Square
CITY: Rochester
STATE: New York
COUNTRY: USA
ZIP: 14603
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
FILING DATE:
CLASSIFICATION: 800
ATTORNEY/AGENT INFORMATION:
NAME: Goldman, Michael L.
REGISTRATION NUMBER: 30,727
REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
TELEPHONE: 716-263-1304
TELEFAX: 716-263-1600
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: double
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
HYPOTHETICAL: NO
ANTI-SENSE: NO
ORIGINAL SOURCE: Musca domestica

STRAIN: Learn-Pyr
DEVELOPMENTAL STAGE: Adult
POSITION IN GENOME:
CHROMOSOME/SEGMENT: Chromosome 1
US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

Db 1 A 1

RESULT 6
US-08-457-274A-16/c
Sequence 16, Application US/08457274A
Patent No. 5734086
GENERAL INFORMATION:
APPLICANT: Scott, Jeffrey G.
APPLICANT: Tomita, Takashi
TITLE OF INVENTION: Cytochrome P4501pr Gene and Its Uses
NUMBER OF SEQUENCES: 29
CORRESPONDENCE ADDRESS:
ADDRESSEE: Nixon, Hargrave, Devans & Doyle
STREET: P.O. Box 1051, Clinton Square
CITY: Rochester
STATE: New York
COUNTRY: USA
ZIP: 14603
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.25
CURRENT APPLICATION DATA:
FILING DATE:
CLASSIFICATION: 800
ATTORNEY/AGENT INFORMATION:
NAME: Goldman, Michael L.
REGISTRATION NUMBER: 30,727
REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
TELEPHONE: 716-263-1304
TELEFAX: 716-263-1600
INFORMATION FOR SEQ ID NO: 16:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: double
TOPOLOGY: linear
MOLECULE TYPE: DNA (genomic)
HYPOTHETICAL: NO
ANTI-SENSE: NO
ORIGINAL SOURCE: Musca domestica
STRAIN: Learn-Pyr
DEVELOPMENTAL STAGE: Adult
POSITION IN GENOME:
CHROMOSOME/SEGMENT: Chromosome 1
US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

Db 2 T 2

RESULT 7
US-08-484-192-16
; Sequence 16, Application US/08484192
; Patent No. 5756291
; GENERAL INFORMATION:
; APPLICANT: GRIFFIN, LINDA C.
; APPLICANT: ALBRECHT, GLENN
; APPLICANT: LATHAM, JOHN
; APPLICANT: LEUNG, LAWRENCE
; APPLICANT: VERMAAS, ERIC
; APPLICANT: TOOLE, JOHN J.
; TITLE OF INVENTION: APTAMERS SPECIFIC FOR BIOMOLECULES AND
; NUMBER OF SEQUENCES: 181
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: PALO ALTO
; STATE: CALIFORNIA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,192
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/934,387
; FILING DATE: 21-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: GRACEY, NANCY J.
; REGISTRATION NUMBER: 28,216
; REFERENCE/DOCKET NUMBER: 246102002221
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-813-5600
; TELEFAX: 415-494-0792
; TELEX: 706141
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; FEATURE:
; NAME/KEY: misc_difference
; LOCATION: replace(1, "")
; OTHER INFORMATION: /note= "This is a biotin-17
; OTHER INFORMATION: nucleotide stretch of abasic residues."
US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
Qy 1 n 1
Db 1 n 1
RESULT 8
US-08-484-192-16/c
; Sequence 16, Application US/08484192
; Patent No. 5756291
; GENERAL INFORMATION:
; APPLICANT: GRIFFIN, LINDA C.
; APPLICANT: ALBRECHT, GLENN

; APPLICANT: LATHAM, JOHN
; APPLICANT: LEUNG, LAWRENCE
; APPLICANT: VERMAAS, ERIC
; APPLICANT: TOOLE, JOHN J.
; TITLE OF INVENTION: APTAMERS SPECIFIC FOR BIOMOLECULES AND
; NUMBER OF SEQUENCES: 181
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: PALO ALTO
; STATE: CALIFORNIA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,192
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/934,387
; FILING DATE: 21-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: GRACEY, NANCY J.
; REGISTRATION NUMBER: 28,216
; REFERENCE/DOCKET NUMBER: 246102002221
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 415-813-5600
; TELEFAX: 415-494-0792
; TELEX: 706141
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; FEATURE:
; NAME/KEY: misc_difference
; LOCATION: replace(1, "")
; OTHER INFORMATION: /note= "This is a biotin-17
; OTHER INFORMATION: nucleotide stretch of abasic residues."
US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Qy 1 n 1
Db 2 C 2
RESULT 9
US-08-726-464B-28
; Sequence 28, Application US/08726464B
; Patent No. 5932546
; GENERAL INFORMATION:
; APPLICANT: BARRETT, Ronald W.
; APPLICANT: DOWER, William J.
; APPLICANT: CWIRLA, Steven A.
; APPLICANT: JOHNSON, Sherril S.
; APPLICANT: WRIGHTON, Nicholas C.
; APPLICANT: DUFFIN, David J.
; APPLICANT: WAGSTROM, Christopher R.
; TITLE OF INVENTION: PEPTIDES AND COMPOUNDS THAT BIND TO THE
; TITLE OF INVENTION: THROMBOPOIETIN RECEPTOR
; NUMBER OF SEQUENCES: 58
; CORRESPONDENCE ADDRESS:

ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
STREET: Two Embarcadero Center, 8th Floor
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
FILING DATE: 04-OCT-1996
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Garrett-Wackowski, Eugenia
REGISTRATION NUMBER: 37,330
REFERENCE/DOCKET NUMBER: 16528A-024100
TELEPHONE: 415/576-0200
TELEFAX: 415/576-0300
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: nucleic acid
US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Caps 0;

QY 1 n 1
DB 1 v 1

RESULT 10
US-08-726-464B-28/C
; Sequence 28, Application US/08726464B
; Patent No. 5932546
; GENERAL INFORMATION:
; APPLICANT: BARRETT, Ronald W.
; APPLICANT: DOWER, William J.
; APPLICANT: CWIRLA, Steven A.
; APPLICANT: JOHNSON, Sherril S.
; APPLICANT: WRIGHTON, Nicholas C.
; APPLICANT: DUFFIN, David J.
; APPLICANT: WAGSTROM, Christopher R.
; TITLE OF INVENTION: PEPTIDES AND COMPOUNDS THAT BIND TO THE
; NUMBER OF SEQUENCES: 58
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
; STREET: Two Embarcadero Center, 8th Floor
; CITY: San Francisco
; STATE: California
; COUNTRY: USA
; ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: Patent in Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
FILING DATE: 04-OCT-1996
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:

NAME: Garrett-Wackowski, Eugenia
REGISTRATION NUMBER: 37,330
REFERENCE/DOCKET NUMBER: 16528A-024100
TELEPHONE: 415/576-0200
TELEFAX: 415/576-0300
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: nucleic acid
US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Caps 0;

QY 1 n 1
DB 2 y 2

RESULT 11
US-09-016-520-35
; Sequence 35, Application US/09016520A
; Patent No. 6127533
; GENERAL INFORMATION:
; APPLICANT: Cook, Phillip D
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Kawasaki, Andrew
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/016,520A
; EARLIER FILING DATE: 1998-01-30
; EARLIER FILING DATE: 1997-02-14
; NUMBER OF SEQ ID NOS: 47
; SOFTWARE: Patent In Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
US-09-016-520-35

Query Match 0.0%; Score 0; DB 3; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Caps 0;

QY 1 n 1
DB 1 t 1

RESULT 12
US-09-016-520-35/C
; Sequence 35, Application US/09016520A
; Patent No. 6127533
; GENERAL INFORMATION:
; APPLICANT: Cook, Phillip D
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Kawasaki, Andrew
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides

FILE REFERENCE: ISIS2824
CURRENT APPLICATION NUMBER: US/09/016,520A
EARLIER FILING DATE: 1998-01-30
EARLIER APPLICATION NUMBER: 60/037,143
EARLIER FILING DATE: 1997-02-14
NUMBER OF SEQ ID NOS: 47
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 35
LENGTH: 2
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Synthetic
FEATURE:
OTHER INFORMATION: Sequence
NAME/KEY: misc_feature
LOCATION: (1)..(2)
OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
US-09-016-520-35

Query Match 0.0%; Score 0; DB 3; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 2 A 2

RESULT 13
US-09-130-973-35
Sequence 35, Application US/09130973
Patent No. 6172209
GENERAL INFORMATION:
APPLICANT: Manoharan, Muthiah
APPLICANT: Cook, Phillip Dan
APPLICANT: Prakash, Thazha P
APPLICANT: Kawasaki, Andrew M
TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
TITLE OF INVENTION: Making Same
FILE REFERENCE: ISIS2955
CURRENT APPLICATION NUMBER: US/09/130,973
CURRENT FILING DATE: 1998-08-07
NUMBER OF SEQ ID NOS: 58
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 35
LENGTH: 2
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)..(2)
OTHER INFORMATION: 2'-dimethylaminoxyethyl thymidine (T'-2'-DMAOE)
OTHER INFORMATION: Description of Artificial Sequence: NO. 6172209el
OTHER INFORMATION: Sequence
US-09-130-973-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 t 1

RESULT 14
US-09-130-973-35/c
Sequence 35, Application US/09130973
Patent No. 6172209
GENERAL INFORMATION:

APPLICANT: Manoharan, Muthiah
APPLICANT: Cook, Phillip Dan
APPLICANT: Prakash, Thazha P
APPLICANT: Kawasaki, Andrew M
TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
TITLE OF INVENTION: Making Same
FILE REFERENCE: ISIS2955
CURRENT APPLICATION NUMBER: US/09/130,973
CURRENT FILING DATE: 1998-08-07
NUMBER OF SEQ ID NOS: 58
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 35
LENGTH: 2
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)..(2)
OTHER INFORMATION: 2'-dimethylaminoxyethyl thymidine (T'-2'-DMAOE)
OTHER INFORMATION: Description of Artificial Sequence: NO. 6172209el
OTHER INFORMATION: Sequence
US-09-130-973-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 2 A 2

RESULT 15
US-09-477-902-35
Sequence 35, Application US/09477902
Patent No. 6194598
GENERAL INFORMATION:
APPLICANT: Manoharan, Muthiah
APPLICANT: Cook, Phillip D
APPLICANT: Prakash, Thazha P
APPLICANT: Kawasaki, Andrew
TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
TITLE OF INVENTION: Making Same
FILE REFERENCE: ISIS2824
CURRENT APPLICATION NUMBER: US/09/477,902
CURRENT FILING DATE: 2000-01-05
PRIOR APPLICATION NUMBER: 09/016,520
PRIOR FILING DATE: 1998-01-30
PRIOR APPLICATION NUMBER: 60/037,143
PRIOR FILING DATE: 1997-02-14
NUMBER OF SEQ ID NOS: 47
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 35
LENGTH: 2
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Synthetic
OTHER INFORMATION: Sequence
NAME/KEY: misc_feature
LOCATION: (1)..(2)
OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
US-09-477-902-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;


QY 1 n 1
Db 1 t 1

Mon Aug 26 10:18:26 2002

us-10-077-383-9.rni

Page 7

Search completed: August 24, 2002, 21:57:39
Job time: 21597 sec



FT FT Xl-2blue; sites Noti + Sali"
 FT /dev_stage="fetal"
 XX /tissue_type="brain"
 SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 C 1

RESULT 2
 HSM001740/c
 ID HSM001740 standard; RNA; EST; 1 BP.

AC AL037411;
 XX AL037411.1

SV 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

DE Homo sapiens mRNA; EST DKFZp564L2071_s1 (from clone DKFZp564L2071)
 KW EST; expressed sequence tag.

OS Homo sapiens (human)
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]
 RN 1-1
 RA Bloeker H., Boscher M., Brandt P., Mewes W., Gassenhuber J., Wiemann S.;
 RL Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.

RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY
 XX Clone from S. Wiemann, sequenced by GBF within the cDNA

CC sequencing consortium of the German Genome Project
 CC No r1 sequence available
 CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers

FT source 1. 1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp564L2071"
 FT /clone_lib="564 (synonym: hfr2). Vector pAMP1; host
 FT Xl-2blue; sites Noti + Sali"
 FT /dev_stage="fetal"
 FT /tissue_type="brain"

XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 G 1

RESULT 3

HSM003869
 ID HSM003869 standard; RNA; EST; 1 BP.
 AC AL039393;
 XX AL039393.1

SV 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

DE Homo sapiens mRNA; EST DKFZp434J0410_s1 (from clone DKFZp434J0410)
 KW EST; expressed sequence tag.

OS Homo sapiens (human)
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]
 RN 1-1
 RA Duesterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
 RL Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
 RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY

XX Clone from S. Wiemann, sequenced by Qiagen within the cDNA

CC sequencing consortium of the German Genome Project

CC r1 sequence also available

CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers

FT source 1. 1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434J0410"
 FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites Noti + Sali"
 FT /dev_stage="adult"
 FT /tissue_type="testis"

XX Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 A 1

RESULT 4

HSM003869/c
 ID HSM003869 standard; RNA; EST; 1 BP.

AC AL039393;
 XX AL039393.1

SV 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

DE Homo sapiens mRNA; EST DKFZp434J0410_s1 (from clone DKFZp434J0410)
 KW EST; expressed sequence tag.

OS Homo sapiens (human)
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX	[1]
RN	1-1
RP	Duesterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RT	; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RA	MIPS, Am Klopferspliz 18a D-82152 Martinsried, GERMANY
RL	
RL	
XL	
XX	Clone from S. Wiemann, sequenced by Olagen within the cDNA
CC	sequencing consortium of the German Genome Project
CC	r1 sequence also available
CC	This clone is available at the RZPD Ir. Berlin
CC	Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC	Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX	Key Location/Qualifiers
FH	
FT	source l..l
FT	/db_xref="taxon:9606"
FT	/organism="Homo sapiens"
FT	/clone="DKFzp43AJ0410"
FT	/clone_lib="434 (synonym: htes3). Vector pSport1; host
FT	DH10B; sites NotI + SalI
FT	/dev_stage="adult"
FT	/tissue_type="testis"
XX	
SQ	Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other:
Query Match	0.0%; Score 0; DB 2; Length 1;
Best Local Similarity	0.0%; pred. No. 0;
Matches	0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
Oy	1 n 1
Db	1 t 1
RESULT	5
ID	HSM005008 standard; RNA; EST; 1 BP.
XC	
AC	AL040532;
XV	AL040532.1
DT	12-MAR-1999 (Rel. 59, Created)
DT	12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX	Homo sapiens mRNA; EST DKFPz43AH2214_r1 (from clone DKFPz43AH2214)
DE	
XX	EST; expressed sequence tag.
KW	
OS	Homo sapiens (human)
OS	Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC	Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX	
[1]	
RN	1-1
RP	Koehler K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT	; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RA	MIPS, Am Klopferspliz 18a D-82152 Martinsried, GERMANY
RL	
RL	
XL	
XX	Clone from S. Wiemann, sequenced by BvPZ within the cDNA
CC	sequencing consortium of the German Genome Project
CC	No sl sequence available
CC	This clone is available at the RZPD in Berlin
CC	Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC	Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX	Key Location/Qualifiers
FH	
FT	

Db 1 G 1

RESULT 7
ID HSM011115 standard; RNA; EST; 1 BP.
XX AC AL046265;
XX SV AL046265.1
XX 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX EST; expressed sequence tag.
XX Homo sapiens (human)
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX [1]
RN 1-1
RP Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No sl sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX Key Location/Qualifiers
FH 1. .1
FT source
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434G017"
FT DH10B; sites Noti + Sali
FT /dev_stage="adult"
FT /tissue_type="testis"
XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;
SQ

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
Db 1 C 1

RESULT 8
ID HSM011115/c
XX HSM011115 standard; RNA; EST; 1 BP.
XX AC AL046265;
XX SV AL046265.1
XX 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX EST; expressed sequence tag.
XX Homo sapiens (human)
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX [1]
RN 1-1
RP Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No sl sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX Key Location/Qualifiers
FH 1. .1
FT source
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434G017"
FT DH10B; sites Noti + Sali
FT /dev_stage="adult"
FT /tissue_type="testis"
XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;
SQ

KW EST; expressed sequence tag.
XX Homo sapiens (human)
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX [1]
RN 1-1
RP Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No sl sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX Key Location/Qualifiers
FH 1. .1
FT source
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434G017"
FT DH10B; sites Noti + Sali
FT /dev_stage="adult"
FT /tissue_type="testis"
XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;
SQ

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
Db 1 G 1

RESULT 9
ID HSM011270 standard; RNA; EST; 1 BP.
XX AC AL046420;
XX SV AL046420.1
XX 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)
XX EST; expressed sequence tag.
XX Homo sapiens (human)
OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX [1]
RN 1-1
RP Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No sl sequence available
CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers
 FH source
 FT 1..1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434N037"
 FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites NotI + SalI
 FT /dev_stage="adult"
 FT /tissue_type="testis"
 XX
 XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 C 1

RESULT 10
 HSM011270/c
 ID HSM011270 standard; RNA; EST; 1 BP.
 XX
 AC AL046420;
 SV AL046420.1
 DT 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
 XX
 DE Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)
 XX
 KW EST: expressed sequence tag.

OS Homo sapiens (human)
 OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]
 RN 1-1
 RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
 RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY
 XX
 CC Clone from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No sl sequence available
 CC This clone is available at the RZPD in Berlin
 CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers
 FH source
 FT 1..1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434N037"
 FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites NotI + SalI
 FT /dev_stage="adult"
 FT /tissue_type="testis"
 XX
 XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Qy 1 n 1
 Db 1 C 1

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 G 1

RESULT 11
 HSM011922
 ID HSM011922 standard; RNA; EST; 1 BP.

XX
 AC AL047072;
 XX AL047072.1

SV
 DT 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

XX
 DE Homo sapiens mRNA; EST DKFZp586P0817_r1 (from clone DKFZp586P0817)
 XX
 KW EST: expressed sequence tag.

XX Homo sapiens (human)
 OS Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]
 RN 1-1
 RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
 RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY
 XX
 CC Clone from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No sl sequence available
 CC This clone is available at the RZPD in Berlin
 CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers
 FH source
 FT 1..1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp586P0817"

FT /clone_lib="586 (synonym: hutel). Vector pSport1; host
 FT DH10B; sites NotI + SalI/MluI
 FT /dev_stage="adult"
 FT /tissue_type="uterus"
 XX

SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 C 1

RESULT 12
 HSM011922/c
 ID HSM011922 standard; RNA; EST; 1 BP.

XX
 AC AL047072;
 XX AL047072.1

Oy 1 n 1
Db 1 n 1

RESULT 15

BI817896

LOCUS

BI817896 1 bp mRNA linear EST 04-OCT-2001
G3-023 Axolotl Lambda Zap Library Ambystoma mexicanum cDNA similar
to putative heterochromatin-like protein 1, mRNA sequence.

ACCESSION

BI817896

VERSION

BI817896.1

KEYWORDS

EST.

SOURCE

ORGANISM

axolotl.

Ambystoma mexicanum

Eukaryota; Chordata; Craniata; Vertebrata; Euteleostomi;

Amphibia; Batrachia; Caudata; Salamandroidea; Ambystomatidae;

Ambystoma.

1 (bases 1 to 1)

Voss, S.K., King, D., Maness, N., Smith, J.J., Rondet, M., Bryant, S.V.,

Gardiner, D.M. and Parichy, D.M.

Expressed sequence tags from an axolotl limb regeneration library

Unpublished (2001)

Contact: Voss SR

Department of Biology

Colorado State University

Fort Collins, CO 80523, USA

Tel: 970 491 4869

Fax: 970 491 4869

Email: srvoss@amar.colostate.edu

Single pass sequence from 5' end. Low quality sequence was trimmed

from the ends (PHRED error rate = 5%). Trace file available:

srvoss@amar.colostate.edu.

Location/Qualifiers

1..1

/organism="Ambystoma mexicanum"

/db_xref="taxon:8296"

/clone_lib="Axolotl Lambda Zap Library"

/tissue_type="Regenerating forelimb"

/dev_stage="Medium-bud blastema"

BASE COUNT 0 a 1 c 0 g 0 t

ORIGIN

Query Match 0.0%; Score 0; DB 10; Length 1;


Best Local Similarity 0.0%; Pred. NO. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1

Db 1 C 1

Search completed: August 24, 2002, 21:19:23
Job time: 20525 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:54:43 ; Search time 2108.3 Seconds
(without alignments)
198.516 Million cell updates/sec

Title: US-10-077-383-29

Perfect score: 20

Sequence: 1 agagagagagagagagag 20

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 1797656 seqs, 10463268293 residues

Total number of hits satisfying chosen parameters: 3595312

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Maximum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

GenEmbl.*

1: gb_ba.*

2: gb_hgt.*

3: gb_in.*

4: gb_cm.*

5: gb_ov.*

6: gb_pat.*

7: gb_ph.*

8: gb_pi.*

9: gb_pr.*

10: gb_ro.*

11: gb_sts.*

12: gb_sv.*

13: gb_un.*

14: gb_vi.*

15: em_ba.*

16: em_fun.*

17: em_hum.*

18: em_in.*

19: em_mu.*

20: em_om.*

21: em_or.*

22: em_ov.*

23: em_pat.*

24: em_ph.*

25: em_pi.*

26: em_ro.*

27: em_sts.*

28: em_un.*

29: em_vi.*

30: em_hgt_hum.*

31: em_hgt_inv.*

32: em_hgt_other.*

33: em_hgt_inv.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Score	Match Length	DB ID	Description

1	20	100.0	20	6	AR084583	AR084583 Sequence
2	20	100.0	20	6	AR084604	AR084604 Sequence
3	20	100.0	21	6	A64735	A64735 Sequence 1
4	20	100.0	21	6	A64736	A64736 Sequence 2
5	20	100.0	21	6	A64738	A64738 Sequence 4
6	20	100.0	21	6	A64739	A64739 Sequence 5
7	20	100.0	22	6	A64739	A64739 Sequence 5
8	20	100.0	22	6	AX104716	AX104716 Sequence
9	20	100.0	24	6	AR026545	AR026545 Sequence
10	20	100.0	24	6	AR026547	AR026547 Sequence
11	20	100.0	24	6	AR026546	AR026546 Sequence
12	20	100.0	24	6	AR026548	AR026548 Sequence
13	20	100.0	24	6	AR128993	AR128993 Sequence
14	20	100.0	24	6	AR128994	AR128994 Sequence
15	20	100.0	24	6	AR128995	AR128995 Sequence
16	20	100.0	24	6	AR128996	AR128996 Sequence
17	20	100.0	26	6	AS1713	AS1713 Sequence 19
18	20	100.0	26	6	AR167592	AR167592 Sequence
19	20	100.0	26	6	AX323384	AX323384 Sequence
20	20	100.0	26	6	E28852	E28852 Process for
21	20	100.0	27	6	AX175242	AX175242 Sequence
22	20	100.0	28	6	AR142456	AR142456 Sequence
23	20	100.0	32	6	AR002289	AR002289 Sequence
24	20	100.0	32	6	AR053140	AR053140 Sequence
25	20	100.0	38	6	AX207477	AX207477 Sequence
26	20	100.0	41	6	E13926	E13926 Primer. 6/1
27	20	100.0	41	6	E16035	E16035 DNA primer
28	20	100.0	44	6	I31473	I31473 Sequence 38
29	20	100.0	46	6	I22397	I22397 Sequence 5
30	20	100.0	47	6	E13925	E13925 Primer. 6/1
31	20	100.0	47	6	E16034	E16034 DNA primer
32	20	100.0	50	6	AX323400	AX323400 Sequence
33	20	100.0	51	6	AX115977	AX115977 Sequence
34	20	100.0	51	6	AX157871	AX157871 Sequence
35	20	100.0	52	6	AR122336	AR122336 Sequence
36	20	100.0	52	6	I31506	I31506 Sequence 41
37	20	100.0	53	8	CMV17100	CMV17100 Cladobotryu
38	20	100.0	55	8	AF062765	AF062765 Glycine m
39	20	100.0	57	6	AR122341	AR122341 Sequence
40	20	100.0	58	6	AS1707	AS1707 Sequence 13
41	20	100.0	58	6	AS1708	AS1708 Sequence 14
42	20	100.0	58	6	AR167586	AR167586 Sequence
43	20	100.0	58	6	AR167587	AR167587 Sequence
44	20	100.0	58	6	AX323378	AX323378 Sequence
45	20	100.0	58	6	AX323379	AX323379 Sequence

ALIGNMENTS

RESULT 1	AR084583	AR084583	20 bp	DNA	linear	PAT 01-SEP-2000
LOCUS	Sequence	72 from patent US 5981185.				
DEFINITION	AR084583					
ACCESSION	AR084583					
VERSION	AR084583.1	GI:10011354				
KEYWORDS	Unknown.					
SOURCE	Unknown.					
ORGANISM	Unclassified.					
REFERENCE	1 (bases 1 to 20)					
AUTHORS	Matson,R.S., Coassin,P.J., Rampal,J.B. and Caskey,C.Thomas.					
TITLE	Oligonucleotide repeat arrays					
JOURNAL	Patent: US 5981185-A 72 09-NOV-1999;					
FEATURES	Location/Qualifiers					
source	1..20					
BASE COUNT	10 a 0 c 10 g 0 t					
ORIGIN						

Query Match 100.0%; Score 20; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 59;

Query Match	100.0%;	Score 20;	DB 6;	Length 21;
Best Local Similarity	100.0%;	Pred. No. 59;		

```
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
   |||||
Db 21 AGAGAGAGAGAGAGAG 2

RESULT 6
A64739/c A64739 21 bp DNA linear PAT 16-OCT-1999
LOCUS
DEFINITION Sequence 5 from Patent WO9729116.
ACCESSION A64739
VERSION A64739.1 GI:4530775
KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.
REFERENCE 1 (bases 1 to 21)
AUTHORS Reese, C.B. and Rao, M.V.
TITLE SULPHUR CONTAINING DINUCLEOTIDE PHOSPHORAMIDITES
JOURNAL Patent: WO 9729116-A 5 14-AUG-1997;
CRUACHEM LTD (GB)
FEATURES
source Location/Qualifiers
1..21
/organism="unidentified"
/db_xref="taxon:32644"
2 /mod_base=OTHER
modified_base 4 /mod_base=OTHER
modified_base 6 /mod_base=OTHER
modified_base 8 /mod_base=OTHER
modified_base 10 /mod_base=OTHER
modified_base 12 /mod_base=OTHER
modified_base 14 /mod_base=OTHER
modified_base 16 /mod_base=OTHER
modified_base 18 /mod_base=OTHER
modified_base 20 /mod_base=OTHER
BASE COUNT 1 a 10 c 0 g 10 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
   |||||
Db 20 AGAGAGAGAGAGAGAG 1

RESULT 7
AX104716/c AX104716 22 bp DNA linear PAT 30-APR-2001
LOCUS
DEFINITION Sequence 908 from Patent WO0122972.
ACCESSION AX104716
VERSION AX104716.1 GI:13920913
KEYWORDS
SOURCE synthetic construct.
ORGANISM artificial sequence.
REFERENCE 1 (bases 1 to 22)
AUTHORS Krieg, A.M., Schetter, C. and Vollmer, J.C.
TITLE Immunostimulatory nucleic acids
JOURNAL Patent: WO 0122972-A 908 05-APR-2001;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

FEATURES
source Location/Qualifiers
1..22
/organism="synthetic construct"
/db_xref="taxon:32630"
11 t

BASE COUNT 0 a 11 c 0 g 11 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 22;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
   |||||
Db 22 AGAGAGAGAGAGAGAG 3

RESULT 8
AR026545 AR026545 24 bp DNA linear PAT 29-SEP-1999
LOCUS
DEFINITION Sequence 8 from patent US 5856103.
ACCESSION AR026545
VERSION AR026545.1 GI:5937385
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 24)
AUTHORS Gray, D.M. and Clark, C.L.
TITLE Method for selectively ranking sequences for antisense targeting
JOURNAL Patent: US 5856103-A 8 05-JAN-1999;
FEATURES
source Location/Qualifiers
1..24
/organism="unknown"
12 a 0 c 12 g 0 t

BASE COUNT 12 a 0 c 12 g 0 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 24;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
   |||||
Db 1 AGAGAGAGAGAGAGAG 20

RESULT 9
AR026546/c AR026546 24 bp DNA linear PAT 29-SEP-1999
LOCUS
DEFINITION Sequence 9 from patent US 5856103.
ACCESSION AR026546
VERSION AR026546.1 GI:5937386
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 24)
AUTHORS Gray, D.M. and Clark, C.L.
TITLE Method for selectively ranking sequences for antisense targeting
JOURNAL Patent: US 5856103-A 9 05-JAN-1999;
FEATURES
source Location/Qualifiers
1..24
/organism="unknown"
0 a 12 c 0 g 12 t

BASE COUNT 0 a 12 c 0 g 12 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 24;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
```

source

BASE COUNT 0 a 12 c 0 g 12 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 24;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
|||||
Db 23 AGAGAGAGAGAGAGAG 4

RESULT 15

AR128996
LOCUS AR128996 24 bp DNA linear PAT 16-MAY-2001
DEFINITION Sequence 11 from patent US 6183966.
ACCESSION AR128996
VERSION AR128996.1 GI:14116658
KEYWORDS .
SOURCE Unknown.
ORGANISM Unclassified.

REFERENCE 1 (bases 1 to 24)
AUTHORS Gray, D.M. and Clark, C.L.
TITLE Apparatus and method for selectively ranking sequences for
antisense targeting
JOURNAL Patent: US 6183966-A 11 06-FEB-2001;
FEATURES Location/Qualifiers
source 1..24
/organism="unknown"

BASE COUNT 12 a 0 c 12 g 0 t
ORIGIN

Query Match 100.0%; Score 20; DB 6; Length 24;
Best Local Similarity 100.0%; Pred. No. 59;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 2 AGAGAGAGAGAGAGAG 21

Search completed: August 24, 2002, 21:54:45
Job time: 22408 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 22:08:16 ; Search time 623.77 Seconds
(without alignments)
55.050 Million cell updates/sec

Title: US-10-077-383-29

Perfect score: 20

Sequence: 1 agagagagagagagagag 20

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters: 3472872

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Listing first 45 summaries

Database :

N_Geneseq_032802.*
1: /SID55/gcgdata/geneseq/geneseq-emb1/NA1980.DAT.*
2: /SID55/gcgdata/geneseq/geneseq-emb1/NA1981.DAT.*
3: /SID55/gcgdata/geneseq/geneseq-emb1/NA1982.DAT.*
4: /SID55/gcgdata/geneseq/geneseq-emb1/NA1983.DAT.*
5: /SID55/gcgdata/geneseq/geneseq-emb1/NA1984.DAT.*
6: /SID55/gcgdata/geneseq/geneseq-emb1/NA1985.DAT.*
7: /SID55/gcgdata/geneseq/geneseq-emb1/NA1986.DAT.*
8: /SID55/gcgdata/geneseq/geneseq-emb1/NA1987.DAT.*
9: /SID55/gcgdata/geneseq/geneseq-emb1/NA1988.DAT.*
10: /SID55/gcgdata/geneseq/geneseq-emb1/NA1989.DAT.*
11: /SID55/gcgdata/geneseq/geneseq-emb1/NA1990.DAT.*
12: /SID55/gcgdata/geneseq/geneseq-emb1/NA1991.DAT.*
13: /SID55/gcgdata/geneseq/geneseq-emb1/NA1992.DAT.*
14: /SID55/gcgdata/geneseq/geneseq-emb1/NA1993.DAT.*
15: /SID55/gcgdata/geneseq/geneseq-emb1/NA1994.DAT.*
16: /SID55/gcgdata/geneseq/geneseq-emb1/NA1995.DAT.*
17: /SID55/gcgdata/geneseq/geneseq-emb1/NA1996.DAT.*
18: /SID55/gcgdata/geneseq/geneseq-emb1/NA1997.DAT.*
19: /SID55/gcgdata/geneseq/geneseq-emb1/NA1998.DAT.*
20: /SID55/gcgdata/geneseq/geneseq-emb1/NA1999.DAT.*
21: /SID55/gcgdata/geneseq/geneseq-emb1/NA2000.DAT.*
22: /SID55/gcgdata/geneseq/geneseq-emb1/NA2001A.DAT.*
23: /SID55/gcgdata/geneseq/geneseq-emb1/NA2001B.DAT.*
24: /SID55/gcgdata/geneseq/geneseq-emb1/NA2002.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
C 1	20	100.0	21	18 AAT86582	Phosphorothioate o
C 2	20	100.0	21	18 AAT86583	Phosphorothioate o
C 3	20	100.0	22	13 AAQ33557	Microsatellite seq
C 4	20	100.0	22	22 AAF99703	Immunostimulatory
C 5	20	100.0	23	13 AAQ33511	Sequence of micros
C 6	20	100.0	24	20 AAX00524	Target sequence #2
C 7	20	100.0	24	20 AAX00526	Poly-pyrimidine ta
C 8	20	100.0	24	20 AAX00525	Antisense oligonuc
C 9	20	100.0	24	20 AAX00527	Antisense oligonuc

C 10	20	100.0	24	22 AAF57996	Nucleic acid tripl
C 11	20	100.0	24	22 AAF57997	Nucleic acid tripl
C 12	20	100.0	24	22 AAF57998	Nucleic acid tripl
C 13	20	100.0	24	22 AAF57999	Nucleic acid tripl
C 14	20	100.0	24	22 AAF58000	Nucleic acid tripl
C 15	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 16	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 17	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 18	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 19	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 20	20	100.0	24	22 AAF58001	Nucleic acid tripl
C 21	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 22	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 23	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 24	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 25	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 26	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 27	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 28	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 29	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 30	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 31	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 32	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 33	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 34	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 35	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 36	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 37	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 38	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 39	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 40	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 41	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 42	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 43	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 44	20	100.0	26	17 AAT32778	Hybrid mRNA sequen
C 45	20	100.0	26	17 AAT32778	Hybrid mRNA sequen

ALIGNMENTS

RESULT 1
AAT86582/c
ID AAT86582 standard; DNA; 21 BP.
XX AC AAT86582;
XX DT 25-MAR-1998 (first entry)
XX DE Phosphorothioate oligonucleotide #1.
XX KW Phosphorothioate oligonucleotide; dimeric phosphoramidite synthon;
KW thioester; DNA synthesis; antisense oligonucleotide; gene therapy;
KW ss.
XX Synthetic.
XX OS OS
XX Key Location/Qualifiers
XX misc_difference 1..21
XX /*tag= a
XX /note= "Phosphorothioate linkages between alternate
XX nucleotides (1 and 2, 3 and 4 etc.)"
XX WO9729116-A1.
XX PD 14-AUG-1997.
XX PF 06-FEB-1997; 97WO-GB00327.
XX PR 06-FEB-1996; 96GB-0002326.
XX PA (CRUA-) CRUACHEM LTD.
XX

PI Rao MV, Reese CB;
 XX WPI; 1997-415290/38.
 XX Solid phase synthesis of phosphorothioate oligonucleotide(s) using
 PT new dimeric synthon(s) - useful as anti-sense molecules for
 PT inhibiting gene expression
 XX Example 3; Page 20; 38pp; English.
 XX The present sequence represents a phosphorothioate oligonucleotide which
 CC was prepared by solid phase synthesis. The method comprises adding at
 CC least one dimeric phosphoramidite synthon, optionally having a protected
 CC thioester group in its internucleotide link, during the synthesis cycle.
 CC These novel dimeric phosphoramidite synthons are used as antisense
 CC molecules for inhibition of gene expression. The method gives increased
 CC yields of the phosphorothioate oligonucleotide (since fewer cycles are
 CC needed) and facilitates separation of impurities (greater difference
 CC in size compared with use of monomeric synthons).
 XX Sequence 21 BP; 0 A; 10 C; 0 G; 11 T; 0 other;
 SQ

Query Match 100.0%; Score 20; DB 18; Length 21;
 Best Local Similarity 100.0%; Pred. No. 18;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 agagagagagagagagagag 20
 DB 21 AGAGAGAGAGAGAGAGAG 2

RESULT 2
 AAT86583/c
 ID AAT86583 standard; DNA; 21 BP.
 XX
 XX AAT86583;
 XX 25-MAR-1998 (first entry)
 DT
 DE Phosphorothioate oligonucleotide #2.
 XX
 KW Phosphorothioate oligonucleotide; dimeric phosphoramidite synthon;
 KW thioester; DNA synthesis; antisense oligonucleotide; gene therapy;
 KW ss.
 OS Synthetic.
 XX
 XX Key Location/Qualifiers
 FH misc_difference 1..21
 FT /*tag= a
 FT /note= "Phosphorothioate linkages between alternate
 FT nucleotides (1 and 2, 3 and 4 etc.)"
 XX
 XX WO9729116-A1.
 PN 14-AUG-1997.
 PD
 XX
 XX 06-FEB-1997; 97WO-GB00327.
 PF
 XX 06-FEB-1996; 96GB-0002326.
 PR
 XX (CRUA-) CRUACHEM LTD.
 PA
 PI Rao MV, Reese CB;
 XX
 XX WPI; 1997-415290/38.
 DR
 XX Solid phase synthesis of phosphorothioate oligonucleotide(s) using
 PT new dimeric synthon(s) - useful as anti-sense molecules for
 PT inhibiting gene expression
 XX Example 3; Page 25; 38pp; English.

XX The present sequence represents a phosphorothioate oligonucleotide which
 CC was prepared by solid phase synthesis. The method comprises adding at
 CC least one dimeric phosphoramidite synthon, optionally having a protected
 CC thioester group in its internucleotide link, during the synthesis cycle.
 CC These novel dimeric phosphoramidite synthons are used as antisense
 CC molecules for inhibition of gene expression. The method gives increased
 CC yields of the phosphorothioate oligonucleotide (since fewer cycles are
 CC needed) and facilitates separation of impurities (greater difference
 CC in size compared with use of monomeric synthons).
 XX Sequence 21 BP; 1 A; 10 C; 0 G; 10 T; 0 other;
 SQ

Query Match 100.0%; Score 20; DB 18; Length 21;
 Best Local Similarity 100.0%; Pred. No. 18;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 agagagagagagagagagag 20
 DB 20 AGAGAGAGAGAGAGAGAG 1

RESULT 3
 AAQ33557
 ID AAQ33557 standard; DNA; 22 BP.
 XX
 XX AAQ33557;
 XX 02-FEB-1993 (first entry)
 DT
 DE Microsatellite sequence from clone AGLA248.
 XX
 KW PCR; selection; primers; OPTIPRIM; breeding; cattle; parentage;
 KW genetic mapping; traits; amplification; ss.
 XX
 XX Bos taurus.
 OS
 XX WO9213102-A.
 PN 06-AUG-1992.
 PD
 XX 15-JAN-1992; 92WO-US00340.
 PF
 XX 15-JAN-1991; 91US-0642342.
 PR
 XX (GENM-) GENMARK.
 PA
 XX Georges M, Massey JM;
 PI
 XX WPI; 1992-284684/34.
 DR
 XX Polymorphic bovine DNA markers - used in genetic identification,
 PT gene mapping, and selective breeding
 XX
 XX Table 7; Page 151; 517pp; English.
 PS
 XX The sequence is that of a bovine microsatellite sequence obtd. by
 CC screening a library of bovine MboI DNA fragments of between
 CC 250 and 500 bp with an (AC)15 and a (TC)15 oligonucleotide probe.
 CC One out of 50 clones cross-hybridised. Assuming independent
 CC distribution of microsatellites and MboI sites, the frequency of
 CC (T6)n >9 microsatellites in the bovine genome is estimated at >100,
 CC 000. The sequence information for ca. 230 such bovine microsatellites
 CC is summarised in the specification and indexed herein (see below).
 CC The sequences upstream and downstream of the microsatellite sequence
 CC were used to generate the required PCR primers for in vitro
 CC amplification of the corresp. microsatellite (using the program
 CC OPTIPRIM). The microsatellites may be used to identify individuals,
 CC for parentage testing, and in the genetic mapping of economic trait
 CC loci, or genes involved in the determination of economically important
 CC traits esp. in cattle, to allow selective breeding.
 CC See also AAQ33501-34437.

XX Sequence 22 BP; 11 A; 0 C; 10 G; 0 U; 1 other;

Query Match 100.0%; Score 20; DB 13; Length 22;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagagag 20
|||||

DB 3 agagagagagagagagagag 22
|||||

RESULT 4
AAF99703/C
ID AAF99703 standard; DNA; 22 BP.

XX AAF99703;

XX 12-JUN-2001 (first entry)

XX Immunostimulatory nucleic acid #819.

XX Vaccines; cytostatic; virucidal; bactericidal; fungicidal; anti-parasitic;
KW Immunostimulatory; tumour; viral infection; bacterial infection;
KW fungal infection; parasitic infection; cancer; asthma;
KW Infectious disease; allergy; immune deficiency; phosphorothioate; ss.

XX Synthetic.

XX WO200122972-A2.

XX 05-APR-2001.

XX 25-SEP-2000; 2000WO-US26383.

XX 25-SEP-1999; 99US-0156113.

XX 27-SEP-1999; 99US-0156135.

XX 23-AUG-2000; 2000US-0227436.

XX (IOWA) UNIV IOWA RES FOUND.

XX (COLE-) COLEY PHARM GMBH.

XX Krieg AM, Schetter C, Vollmer J;

XX WPI; 2001-273485/28.

XX Vaccinating against tumors, infectious diseases, allergies and asthma
using immunostimulatory Py-rich and T6 nucleic acids -

XX Claim 101; Page 56; 338pp; English.

XX The present invention relates to a method for stimulating an immune
response. The method comprises administering an immunostimulatory nucleic
acid to a non-rodent subject in sufficient quantity to stimulate an
immune response. The present sequence is one such immunostimulatory
nucleic acid. The immunostimulatory nucleic acids can be pyrimidine rich
(py-rich) or thymidine (T) rich. The method is used to vaccinate subjects
against tumour antigens, viral antigens (e.g. herpesviridae, retroviridae
and/or orthomyxoviridae), bacterial antigens (e.g. toxoplasma,
haemophilus, campylobacter, clostridium, Escherichia coli and/or
staphylococcus), fungal antigens and/or parasitic antigens. The method is
also useful for preventing cancer, asthma, infectious disease, allergy or
immune deficiency. The present sequence can also be used to redirect a
Th2 to a Th1 immune response and to activate immune cells.
XX Note: the present sequence may have a phosphorothioate backbone.

XX Sequence 22 BP; 0 A; 11 C; 0 G; 11 T; 0 other;

Query Match 100.0%; Score 20; DB 22; Length 22;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagagag 20
|||||

DB 22 AGAGAGAGAGAGAGAGAG 3
|||||

RESULT 5
AAQ33511
ID AAQ33511 standard; DNA; 23 BP.

XX AAQ33511;

XX 02-FEB-1993 (first entry)

XX Sequence of microsatellite from clone AGLA209.

XX PCR; selection; primers; OPTIPRIM; breeding; cattle; parentage;
XX genetic mapping; traits; amplification; ss.

XX Bos taurus.

XX WO9213102-A.

XX 06-AUG-1992.

XX 15-JAN-1992; 92WO-US00340.

XX 15-JAN-1991; 91US-0642342.

XX (GENN-) GENMARK.

XX Georges M, Massey JM;

XX WPI; 1992-284684/34.

XX Polymorphic bovine DNA markers - used in genetic identification,
gene mapping, and selective breeding

XX Table 7; Page 132; 517pp; English.

XX The sequence is that of a bovine microsatellite sequence obtd. by
screening a genomic library of bovine MboI DNA fragments of between
250 and 500 bp with an (AC)₁₅ and a (TC)₁₅ oligonucleotide probe.
XX One out of 50 clones cross-hybridised. Assuming independent
distribution of microsatellites and MboI sites, the frequency of
(T)₆n > 9 microsatellites in the bovine genome is estimated at >100.
XX 000. The sequence information for ca. 230 such bovine microsatellites
is summarised in the specification and indexed herein (see below).
XX The sequences upstream and downstream of the microsatellite sequence
were used to generate the required PCR primers for in vitro
amplification of the corresp. microsatellite (using the program
OPTIPRIM). The microsatellites may be used to identify individuals,
for parentage testing, and in the genetic mapping of economic trait
loci, or genes involved in the determination of economically important
traits esp. in cattle, to allow selective breeding.
XX See also AAQ33501-34437.

XX Sequence 23 BP; 12 A; 0 C; 11 G; 0 U; 0 other;

Query Match 100.0%; Score 20; DB 13; Length 23;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagagag 20
|||||

DB 1 agagagagagagagagagag 20
|||||

RESULT 6
AAQ00524
ID AAQ00524 standard; mRNA; 24 BP.

```

AC AAX00524;
XX
DT 30-MAR-1999 (first entry)
XX
DE Target sequence #2 for antisense oligonucleotides.
XX
KW Target; antisense; selective rank; inhibition; ranking; stability;
KW interaction; ss.
XX
OS Synthetic.
XX
PN US5856103-A.
XX
PD 05-JAN-1999.
XX
PF 03-MAR-1997; 97US-0808474.
XX
PR 03-MAR-1997; 97US-0808474.
PR 07-OCT-1994; 94US-0320507.
XX
PA (TEXA ) UNIV TEXAS.
XX
PI Clark CL, Gray DM;
XX
DR WPI; 1999-105098/09.
XX
XX Selectively ranking nucleic acid molecules, for inhibitory
PT efficiency - comprises determining the fraction a set of
PT nearest-neighbour nucleic acid base pair types in a target
PT zone, substituting nearest-neighbour nucleic acid base pair
PT fractions to determine the fractions and multiplying
XX
PS Disclosure; Column 13-14; 72pp; English.
XX
XX This sequence represents a target mRNA for the generation of antisense
CC oligonucleotides (ASO) in a method of selectively ranking nucleic acid
CC molecules for inhibitory efficiency. The method comprises:
CC (a) determining the fraction of each of a set of 13 nearest-neighbour
CC nucleic acid base pair types in a target sequence zone RNA:ASO-DNA hybrid
CC nucleic acid sequence; (b) substituting nearest-neighbour nucleic acid
CC base pair fractions into formulas to determine the fractions of each of
CC a series of 13 nearest-neighbour nucleic acid base pair types to provide
CC determined fractions; and (c) multiplying the fractions of the 13
CC nearest-neighbour nucleic acid base pair types by a stability ranking
CC to the nucleic acid antisense sequence; where the results are ordered
CC to produce a ranking. The process is used to rank nucleic acid sequences
CC based on the stability of nucleic acid oligomer binding interactions to
CC select sequence zones for antisense targeting.
XX
SQ Sequence 24 BP; 12 A; 0 C; 12 G; 0 U; 0 other;

Query Match 100.0%; Score 20; DB 20; Length 24;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
DB 1 agagagagagagagagagag 20

RESULT 7
AAX00526/c
ID AAX00526 standard; mRNA; 24 BP.
XX
AC AAX00526;
XX
DT 30-MAR-1999 (first entry)
XX
DE Poly-pyrimidine target sequence for antisense oligonucleotides.
XX
KW Target; antisense; selective rank; inhibition; ranking; stability;
KW interaction; ss.

```

```

XX
OS Synthetic.
XX
PN US5856103-A.
XX
PD 05-JAN-1999.
XX
PF 03-MAR-1997; 97US-0808474.
XX
PR 03-MAR-1997; 97US-0808474.
PR 07-OCT-1994; 94US-0320507.
XX
PA (TEXA ) UNIV TEXAS.
XX
PI Clark CL, Gray DM;
XX
DR WPI; 1999-105098/09.
XX
XX Selectively ranking nucleic acid molecules, for inhibitory
PT efficiency - comprises determining the fraction a set of
PT nearest-neighbour nucleic acid base pair types in a target sequence
PT zone, substituting nearest-neighbour nucleic acid base pair
PT fractions to determine the fractions and multiplying
XX
PS Disclosure; Column 13-14; 72pp; English.
XX
XX This sequence represents a target mRNA for the generation of antisense
CC oligonucleotides (ASO) in a method of selectively ranking nucleic acid
CC molecules for inhibitory efficiency. The method comprises:
CC (a) determining the fraction of each of a set of 13 nearest-neighbour
CC nucleic acid base pair types in a target sequence zone RNA:ASO-DNA hybrid
CC nucleic acid sequence; (b) substituting nearest-neighbour nucleic acid
CC base pair fractions into formulas to determine the fractions of each of
CC a series of 13 nearest-neighbour nucleic acid base pair types to provide
CC determined fractions; and (c) multiplying the fractions of the 13
CC nearest-neighbour nucleic acid base pair types by a stability ranking
CC to the nucleic acid antisense sequence; where the results are ordered
CC to produce a ranking. The process is used to rank nucleic acid sequences
CC based on the stability of nucleic acid oligomer binding interactions to
CC select sequence zones for antisense targeting.
XX
SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 U; 0 other;

Query Match 100.0%; Score 20; DB 20; Length 24;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
DB 23 AGAGAGAGAGAGAGAGAGAG 4

RESULT 8
AAX00525/c
ID AAX00525 standard; DNA; 24 BP.
XX
AC AAX00525;
XX
DT 30-MAR-1999 (first entry)
XX
DE Antisense oligonucleotide for poly-purine target sequence.
XX
KW Target; antisense; selective rank; inhibition; ranking; stability;
KW interaction; ss.
XX
OS Synthetic.
XX
PN US5856103-A.
XX
PD 05-JAN-1999.
XX
PF 03-MAR-1997; 97US-0808474.

```

```

XX 03-MAR-1997; 97US-0808474.
PR 07-OCT-1994; 94US-0320507.
XX (TEXA ) UNIV TEXAS.
XX Clark CL, Gray DM;
XX WPI; 1999-105098/09.
XX Selectively ranking nucleic acid molecules, for inhibitory
PT efficiency - comprises determining the fraction a set of
PT nearest-neighbour nucleic acid base pair types in a target sequence
PT zone, substituting nearest-neighbour nucleic acid base pair
PT fractions to determine the fractions and multiplying
XX Disclosure; Column 13-14; 72pp; English.
XX This oligonucleotide represents an antisense oligonucleotides (ASO)
CC targeted to a poly-purine mRNA sequence generated by a method of
CC selectively ranking nucleic acid molecules for inhibitory efficiency.
CC The method comprises: (a) determining the fraction of each of a set of
CC 13 nearest-neighbour nucleic acid base pair types in a target sequence
CC zone RNA:ASO-DNA hybrid nucleic acid sequence; (b) substituting
CC nearest-neighbour nucleic acid base pair fractions into formulas to
CC determine the fractions of each of a series of 13 nearest-neighbour
CC nucleic acid base pair types to provide determined fractions; and
CC (c) multiplying the fractions of the 13 nearest-neighbour nucleic acid
CC base pair types by a stability ranking to the nucleic acid antisense
CC sequence; where the results are ordered to produce a ranking.
CC The process is used to rank nucleic acid sequences based on the
CC stability of nucleic acid oligomer binding interactions to select
CC sequence zones for antisense targeting.
XX SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 T; 0 other;

Query Match 100.0%; Score 20; DB 20; Length 24;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagagag 20
Db 24 AGAGAGAGAGAGAGAGAGAG 5

RESULT 9
AAX00527
ID AAX00527 standard; DNA; 24 BP.
XX AAX00527;
XX 30-MAR-1999 (first entry)
XX Antisense oligonucleotide for poly-pyrimidine target sequence.
DE Target; antisense; selective rank; inhibition; ranking; stability;
XX interaction; ss.
XX Synthetic.
XX US5856103-A.
XX 05-JAN-1999.
XX 03-MAR-1997; 97US-0808474.
XX 03-MAR-1997; 97US-0808474.
PR 07-OCT-1994; 94US-0320507.
XX (TEXA ) UNIV TEXAS.
XX Clark CL, Gray DM;

```

```

XX WPI; 1999-105098/09.
XX Selectively ranking nucleic acid molecules, for inhibitory
PT efficiency - comprises determining the fraction a set of
PT nearest-neighbour nucleic acid base pair types in a target sequence
PT zone, substituting nearest-neighbour nucleic acid base pair
PT fractions to determine the fractions and multiplying
XX Disclosure; Column 13-14; 72pp; English.
XX This oligonucleotide represents an antisense oligonucleotides (ASO)
CC targeted to a poly-pyrimidine mRNA sequence generated by a method of
CC selectively ranking nucleic acid molecules for inhibitory efficiency.
CC The method comprises: (a) determining the fraction of each of a set of
CC 13 nearest-neighbour nucleic acid base pair types in a target sequence
CC zone RNA:ASO-DNA hybrid nucleic acid sequence; (b) substituting
CC nearest-neighbour nucleic acid base pair fractions into formulas to
CC determine the fractions of each of a series of 13 nearest-neighbour
CC nucleic acid base pair types to provide determined fractions; and
CC (c) multiplying the fractions of the 13 nearest-neighbour nucleic acid
CC base pair types by a stability ranking to the nucleic acid antisense
CC sequence; where the results are ordered to produce a ranking.
CC The process is used to rank nucleic acid sequences based on the
CC stability of nucleic acid oligomer binding interactions to select
CC sequence zones for antisense targeting.
XX SQ Sequence 24 BP; 12 A; 0 C; 12 G; 0 U; 0 other;

Query Match 100.0%; Score 20; DB 20; Length 24;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagagag 20
Db 2 agagagagagagagagagag 21

RESULT 10
AAF57996/c
ID AAF57996 standard; DNA; 24 BP.
XX AAF57996;
XX 26-APR-2001 (first entry)
XX Nucleic acid triplex DNA sequence #1.
DE Hoogsteen-paired duplex; Watson-Crick pairing; triplex;
XX antisense therapy; gene expression control; transcription; ss.
XX Synthetic.
XX WO200105937-A2.
XX 25-JAN-2001.
XX 20-JUL-2000; 2000WO-US19783.
XX 20-JUL-1999; 99US-0357424.
PR 19-JAN-2000; 2000US-0487130.
XX (TEXA ) UNIV TEXAS.
XX Gray DM, Hashem GM;
XX WPI; 2001-159523/16.
XX Generating nucleic acid molecule comprising Hoogsteen-paired
PT RNA:ASO-DNA pyrimidine:purine duplex for use as an antisense
PT molecule, by heating a triplex to dissociate a Watson-Crick paired
PT pyrimidine strand.

```

XX Example 1; Page 9; 23pp; English.

CC The present invention describes a method for producing a nucleic acid
 CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being
 CC used as an antisense molecule and capable of recognising an RNA sequence
 CC to form a triplex. This involves Watson-Crick pairing. This is useful in
 CC antisense therapy, as it controls gene expression by causing
 CC transcription to be prevented. The present sequence is an example of a
 CC triplex sequence used in the methods of the invention.

XX Sequence 24 BP; 0 A; 12 C; 0 G; 12 T; 0 other;

Query Match 100.0%; Score 20; DB 22; Length 24;
 Best Local Similarity 100.0%; Pred. No. 18;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
 |||||
 DB 24 AGAGAGAGAGAGAGAGAG 5

RESULT 11

AAAF57997
 ID AAF57997 standard; DNA; 24 BP.

XX AAF57997;

XX 26-APR-2001 (first entry)

XX Nucleic acid triplex DNA sequence #2.

XX Hoogsteen-paired duplex; Watson-Crick pairing; triplex;
 KW antisense therapy; gene expression control; transcription; ss.

OS Synthetic.

PN WO200105937-A2.

PD 25-JAN-2001.

XX 20-JUL-2000; 2000WO-US19783.

XX 20-JUL-1999; 99US-0357424.

PR 19-JAN-2000; 2000US-0487130.

PA (TEXA) UNIV TEXAS.

PI Gray DM, Hashem GM;

XX WPI; 2001-159523/16.

XX Generating nucleic acid molecule comprising Hoogsteen-paired
 PT RNA:DNA pyrimidine:purine duplex for use as an antisense
 PT molecule, by heating a triplex to dissociate a Watson-Crick paired
 PT pyrimidine strand -

PS Example 1; Page 9; 23pp; English.

XX The present invention describes a method for producing a nucleic acid
 CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being
 CC used as an antisense molecule and capable of recognising an RNA sequence
 CC to form a triplex. This involves Watson-Crick pairing. This is useful in
 CC antisense therapy, as it controls gene expression by causing
 CC transcription to be prevented. The present sequence is an example of a
 CC triplex sequence used in the methods of the invention.

XX Sequence 24 BP; 12 A; 0 C; 12 G; 0 U; 0 other;

Query Match 100.0%; Score 20; DB 22; Length 24;
 Best Local Similarity 100.0%; Pred. No. 18;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
 |||||
 DB 1 agagagagagagagagagag 20

RESULT 12

AAAF57998/C
 ID AAF57998 standard; DNA; 24 BP.

XX AAF57998;

XX 26-APR-2001 (first entry)

XX Nucleic acid triplex DNA sequence #3.

XX Hoogsteen-paired duplex; Watson-Crick pairing; triplex;
 KW antisense therapy; gene expression control; transcription; ss.

OS Synthetic.

PN WO200105937-A2.

PD 25-JAN-2001.

XX 20-JUL-2000; 2000WO-US19783.

XX 20-JUL-1999; 99US-0357424.

PR 19-JAN-2000; 2000US-0487130.

PA (TEXA) UNIV TEXAS.

PI Gray DM, Hashem GM;

XX WPI; 2001-159523/16.

XX Generating nucleic acid molecule comprising Hoogsteen-paired
 PT RNA:DNA pyrimidine:purine duplex for use as an antisense
 PT molecule, by heating a triplex to dissociate a Watson-Crick paired
 PT pyrimidine strand -

PS Example 1; Page 9; 23pp; English.

XX The present invention describes a method for producing a nucleic acid
 CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being
 CC used as an antisense molecule and capable of recognising an RNA sequence
 CC to form a triplex. This involves Watson-Crick pairing. This is useful in
 CC antisense therapy, as it controls gene expression by causing
 CC transcription to be prevented. The present sequence is an example of a
 CC triplex sequence used in the methods of the invention.

XX Sequence 24 BP; 0 A; 12 C; 0 G; 12 T; 0 other;

Query Match 100.0%; Score 20; DB 22; Length 24;
 Best Local Similarity 100.0%; Pred. No. 18;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
 |||||
 DB 24 AGAGAGAGAGAGAGAGAG 5

RESULT 13

AAAF57999/C
 ID AAF57999 standard; RNA; 24 BP.

XX AAF57999;

XX 26-APR-2001 (first entry)

XX Nucleic acid triplex RNA sequence #1.

```
XX Hoogsteen-paired duplex; Watson-Crick pairing; triplex;  
KW antisense therapy; gene expression control; transcription; ss.  
XX Synthetic.  
OS  
XX WO200105937-A2.  
PN  
XX 25-JAN-2001.  
PD  
XX  
PF 20-JUL-2000; 2000WO-US19783.  
XX  
PR 20-JUL-1999; 99US-0357424.  
PR 19-JAN-2000; 2000US-0487130.  
XX  
PA (TEXA ) UNIV TEXAS.  
XX  
XX Gray DM, Hashem GM;  
PI  
XX WPI; 2001-159523/16.  
DR  
XX  
XX Generating nucleic acid molecule comprising Hoogsteen-paired  
PT RNAasteriskDNA pyrimidineasteriskpurine duplex for use as an antisense  
PT molecule, by heating a triplex to dissociate a Watson-Crick paired  
PT pyrimidine strand -  
XX  
PS Claim 14; Page 17; 23pp; English.  
XX  
CC The present invention describes a method for producing a nucleic acid  
CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being  
CC used as an antisense molecule and capable of recognising an RNA sequence  
CC to form a triplex. This involves Watson-Crick pairing. This is useful in  
CC antisense therapy, as it controls gene expression by causing  
CC transcription to be prevented. The present sequence is an example of a  
CC triplex sequence used in the methods of the invention.  
XX  
SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 U; 0 other;  
  
Query Match 100.0%; Score 20; DB 22; Length 24;  
Best Local Similarity 100.0%; Pred. No. 18;  
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;  
  
Qy 1 agagagagagagagagagag 20  
Db 24 AGAGAGAGAGAGAGAGAG 5  
  
RESULT 14  
AAF58000  
ID AAF58000 standard; DNA; 24 BP.  
XX  
XX AAF58000;  
AC  
XX 26-APR-2001 (first entry)  
DT  
XX Nucleic acid triplex DNA sequence #4.  
DE  
XX Hoogsteen-paired duplex; Watson-Crick pairing; triplex;  
KW antisense therapy; gene expression control; transcription; ss.  
XX  
OS Synthetic.  
XX  
XX WO200105937-A2.  
PN  
XX 25-JAN-2001.  
PD  
XX  
PF 20-JUL-2000; 2000WO-US19783.  
XX  
PR 20-JUL-1999; 99US-0357424.  
PR 19-JAN-2000; 2000US-0487130.  
XX  
PA (TEXA ) UNIV TEXAS.
```

```
XX Gray DM, Hashem GM;  
PI  
XX WPI; 2001-159523/16.  
DR  
XX  
XX Generating nucleic acid molecule comprising Hoogsteen-paired  
PT RNAasteriskDNA pyrimidineasteriskpurine duplex for use as an antisense  
PT molecule, by heating a triplex to dissociate a Watson-Crick paired  
PT pyrimidine strand -  
XX  
PS Claim 14; Page 17; 23pp; English.  
XX  
CC The present invention describes a method for producing a nucleic acid  
CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being  
CC used as an antisense molecule and capable of recognising an RNA sequence  
CC to form a triplex. This involves Watson-Crick pairing. This is useful in  
CC antisense therapy, as it controls gene expression by causing  
CC transcription to be prevented. The present sequence is an example of a  
CC triplex sequence used in the methods of the invention.  
XX  
SQ Sequence 24 BP; 12 A; 0 C; 12 G; 0 U; 0 other;  
  
Query Match 100.0%; Score 20; DB 22; Length 24;  
Best Local Similarity 100.0%; Pred. No. 18;  
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;  
  
Qy 1 agagagagagagagagagag 20  
Db 1 agagagagagagagagagag 20  
  
RESULT 15  
AAF58001/C  
ID AAF58001 standard; RNA; 24 BP.  
XX  
XX AAF58001;  
AC  
XX 26-APR-2001 (first entry)  
DT  
XX Nucleic acid triplex RNA sequence #2.  
DE  
XX Hoogsteen-paired duplex; Watson-Crick pairing; triplex;  
KW antisense therapy; gene expression control; transcription; ss.  
XX  
OS Synthetic.  
XX  
XX WO200105937-A2.  
PN  
XX 25-JAN-2001.  
PD  
XX  
PF 20-JUL-2000; 2000WO-US19783.  
XX  
PR 20-JUL-1999; 99US-0357424.  
PR 19-JAN-2000; 2000US-0487130.  
XX  
PA (TEXA ) UNIV TEXAS.  
XX  
XX Gray DM, Hashem GM;  
PI  
XX WPI; 2001-159523/16.  
DR  
XX  
XX Generating nucleic acid molecule comprising Hoogsteen-paired  
PT RNAasteriskDNA pyrimidineasteriskpurine duplex for use as an antisense  
PT molecule, by heating a triplex to dissociate a Watson-Crick paired  
PT pyrimidine strand -  
XX  
PS Claim 14; Page 17; 23pp; English.  
XX  
CC The present invention describes a method for producing a nucleic acid  
CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being  
CC used as an antisense molecule and capable of recognising an RNA sequence  
CC to form a triplex. This involves Watson-Crick pairing. This is useful in
```

CC antisense therapy, as it controls gene expression by causing
CC transcription to be prevented. The present sequence is an example of a
CC triplex sequence used in the methods of the invention.

XX

SQ Sequence 24 BP; 0 A; 12 C; 0 G; 1 T; 11 U; 0 other;

Query Match 100.0%; Score 20; DB 22; Length 24;
Best Local Similarity 100.0%; Pred. No. 18;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20

|||||
Db 24 AGAGAGAGAGAGAGAGAG 5

Search completed: August 24, 2002, 22:08:16
Job time: 8849 sec


```
Db 1 AGAGAGAGAGAGAGAGAG 20

RESULT 2
US-08-863-639A-93/C
; Sequence 93, Application US/08863639A
; Patent No. 5981185
; GENERAL INFORMATION:
; APPLICANT: Matson, Robert S.
; APPLICANT: Coassin, Peter J.
; APPLICANT: Rampal, Jang B.
; APPLICANT: Caskey, C. T.
; TITLE OF INVENTION: OLIGONUCLEOTIDE REPEAT ARRAYS
; NUMBER OF SEQUENCES: 95
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheldon & Mak
; STREET: 225 South Lake Avenue, 9th Floor
; CITY: Pasadena
; STATE: CA
; COUNTRY: USA
; ZIP: 91101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Windows 95
; SOFTWARE: Corel Wordperfect 8 version
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/863,639A
; FILING DATE: May 28, 1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Joseph E. Mueh
; REGISTRATION NUMBER: 20,532
; REFERENCE/DOCKET NUMBER: 11859-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (626) 796-4000
; TELEFAX: (626) 795-6321
; INFORMATION FOR SEQ ID NO: 93:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 20 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: Other nucleic acid
US-08-863-639A-93

Query Match 100.0%; Score 20; DB 2; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 20 AGAGAGAGAGAGAGAGAG 1

RESULT 3
US-08-808-474A-8
; Sequence 8, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; APPLICANT: Clark, Chris L.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/808,474A
FILING DATE: 03-MAR-1997
ATTORNEY/AGENT INFORMATION:
NAME: Mayfield, Denise L.
REGISTRATION NUMBER: 33,732
REFERENCE/DOCKET NUMBER: UTDAL:001
TELECOMMUNICATION INFORMATION:
TELEPHONE: (214) 740-8000
TELEFAX: (214) 740-8800
INFORMATION FOR SEQ ID NO: 9:
SEQUENCE CHARACTERISTICS:
LENGTH: 24 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-808-474A-8

Query Match 100.0%; Score 20; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 1 AGAGAGAGAGAGAGAGAG 20

RESULT 4
US-08-808-474A-9/C
; Sequence 9, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; APPLICANT: Clark, Chris L.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776

COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/808,474A
FILING DATE: 03-MAR-1997
ATTORNEY/AGENT INFORMATION:
NAME: Mayfield, Denise L.
REGISTRATION NUMBER: 33,732
REFERENCE/DOCKET NUMBER: UTDAL:001
TELECOMMUNICATION INFORMATION:
TELEPHONE: (214) 740-8000
TELEFAX: (214) 740-8800
INFORMATION FOR SEQ ID NO: 9:
SEQUENCE CHARACTERISTICS:
LENGTH: 24 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
US-08-808-474A-9
```

Query Match 100.0%; Score 20; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 23 AGAGAGAGAGAGAGAGAG 4

RESULT 5

US-08-808-474A-10/c
; Sequence 10, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; APPLICANT: Clark, Chris L.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; TITLE OF INVENTION: FOR ANTISENSE TARGETING
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/808,474A
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8800
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-808-474A-10

Query Match 100.0%; Score 20; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 23 AGAGAGAGAGAGAGAGAG 4

RESULT 6

US-08-808-474A-11
; Sequence 11, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; APPLICANT: Clark, Chris L.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; TITLE OF INVENTION: FOR ANTISENSE TARGETING
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/808,474A
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8800
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-808-474A-10

Query Match 100.0%; Score 20; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 23 AGAGAGAGAGAGAGAGAG 4

RESULT 7

US-09-235-614-8
; Sequence 8, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/56384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 8
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid mRNA
; US-09-235-614-8

Query Match 100.0%; Score 20; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 1 agagagagagagagagagag 20

; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/808,474A
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8800
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-808-474A-11

Query Match 100.0%; Score 20; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 1 AGAGAGAGAGAGAGAGAGAG 20

RESULT 8

US-09-235-614-8
; Sequence 8, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/56384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 8
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid mRNA
; US-09-235-614-8

Query Match 100.0%; Score 20; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
Db 1 agagagagagagagagagag 20

RESULT 8

US-09-235-614-9/c
; Sequence 9, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; FILE REFERENCE: 91556/66384
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: US/09/235,614
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 9
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid DNA
US-09-235-614-9

Query Match

100.0%; Score 20; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. I.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 20
|||||
Db 24 AGAGAGAGAGAGAGAG 5

RESULT 9

US-09-235-614-10/c
; Sequence 10, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; FILE REFERENCE: 91556/66384
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: US/09/235,614
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 10
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid mRNA
US-09-235-614-10

Query Match

100.0%; Score 20; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. I.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 20
|||||
Db 23 AGAGAGAGAGAGAGAG 4

RESULT 10

US-09-235-614-11
; Sequence 11, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; FILE REFERENCE: 91556/66384
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: US/09/235,614
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 11
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid DNA
US-09-235-614-11

Query Match

100.0%; Score 20; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. I.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 20
|||||
Db 2 agagagagagagagagag 21

RESULT 11

US-08-860-038-19/c
; Sequence 19, Application US/08860038
; Patent No. 6287762
; GENERAL INFORMATION:
; APPLICANT: CROUZET, Joel
; APPLICANT: SCHERMAN, Daniel
; APPLICANT: WILS, Pierre
; TITLE OF INVENTION: PURIFICATION OF A TRIPLE HELIX FORMATION
; WITH AN IMMOBILIZED OLIGONUCLEOTIDE
; NUMBER OF SEQUENCES: 25
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Rhone-Poulenc Rorer Inc.
; STREET: 500 Arcola Road, Mailstop 3043
; CITY: Collegeville
; STATE: PA
; COUNTRY: USA
; ZIP: 19426
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION NUMBER: US/08/860,038
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: FR 94/15162
; FILING DATE: 16-DEC-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: WO FR95/01468
; FILING DATE: 08-NOV-1995
; ATTORNEY/AGENT INFORMATION:
; NAME: Savitzky Esq., Martin F.
; REGISTRATION NUMBER: 23,699
; REFERENCE/DOCKET NUMBER: ST94090-US
; TELECOMMUNICATION INFORMATION:

; TELEPHONE: (610) 454-3816
; TELEFAX: (610) 454-3808
; INFORMATION FOR SEQ ID NO: 19:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 26 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: other nucleic acid
; DESCRIPTION: /desc = "Oligonucleotide"
US-08-860-038-13

Query Match 100.0%; Score 20; DB 4; Length 26;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 26 AGAGAGAGAGAGAGAG 7

RESULT 12

US-09-580-923-19/c
; Sequence 19, Application US/09580923
; Patent No. 6319672
; GENERAL INFORMATION:
; APPLICANT: Crouzet, Joel
; APPLICANT: Scherman, Daniel
; APPLICANT: Wills, Pierre
; APPLICANT: Cameron, Beatrice
; APPLICANT: Blanche, Francis
; TITLE OF INVENTION: PURIFICATION OF A TRIPLE HELIX FORMATION WITH AN
; IMMobilized OLIGONUCLEOTIDE
; FILE REFERENCE: 03804.0138-01
; CURRENT APPLICATION NUMBER: US/09/580.923
; CURRENT FILING DATE: 2000-05-26
; PRIOR FILING DATE: 08/860.038
; PRIOR FILING DATE: 1997-06-09
; PRIOR FILING DATE: PCT/FR95/01458
; PRIOR FILING DATE: 1995-11-08
; NUMBER OF SEQ ID NOS: 36
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 19
; LENGTH: 26
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence:
; OTHER INFORMATION: oligonucleotide
US-09-580-923-19

Query Match 100.0%; Score 20; DB 4; Length 26;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 26 AGAGAGAGAGAGAGAG 7

RESULT 13

US-08-946-138-1
; Sequence 1, Application US/08946138
; Patent No. 6013445
; GENERAL INFORMATION:
; APPLICANT: Glenn Albrecht, Sydney Brenner, David H. Lloyd
; TITLE OF INVENTION: Massively Parallel Signature Sequencing by
; Ligation of Encoded Adaptors
; NUMBER OF SEQUENCES: 28
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Stephen C. Macevicz, Lynx Therapeutics, Inc.

; STREET: 3832 Bay Center Place
; CITY: Hayward
; STATE: California
; COUNTRY: USA
; ZIP: 94545
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch diskette
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Windows 3.1/DOS 5.0
; SOFTWARE: Microsoft Word for Windows, vers. 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/946.138
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/689,587
; FILING DATE: 12-AUG-96
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/659,453
; FILING DATE: 06-JUN-96
; ATTORNEY/AGENT INFORMATION:
; NAME: Stephen C. Macevicz
; REGISTRATION NUMBER: 30,285
; REFERENCE/DOCKET NUMBER: 808-1us
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (510) 670-9365
; TELEFAX: (510) 670-9302
; INFORMATION FOR SEQ ID NO: 1:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 28 nucleotides
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
US-08-946-138-1

Query Match 100.0%; Score 20; DB 3; Length 28;
Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
Db 9 AGAGAGAGAGAGAGAG 28

RESULT 14

US-09-225-652-1
; Sequence 1, Application US/09225652
; Patent No. 6175002
; GENERAL INFORMATION:
; APPLICANT: Robert B. DuBridge, Glen Albrecht, Sydney Brenner,
; APPLICANT: Sergei M. Gryaznov, Sarah N. McCurdy
; TITLE OF INVENTION: Adaptor-Based Sequence Analysis
; NUMBER OF SEQUENCES: 9
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Dehlinger & Associates
; STREET: P.O. Box 60850
; CITY: Palo Alto
; STATE: CA
; COUNTRY: USA
; ZIP: 94306
; COMPUTER READABLE FORM:
; MEDIUM TYPE: 3.5 inch diskette
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Windows 3.1/DOS 5.0
; SOFTWARE: Microsoft Word for Windows, vers. 2.0
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/09/225.652
; FILING DATE:
; CLASSIFICATION:
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 08/842,608

FILED DATE: 15-APR-1997
ATTORNEY/AGENT INFORMATION:
NAME: Vincent M. Powers
REGISTRATION NUMBER: 36,246
REFERENCE/DOCKET NUMBER: 5525-0033
TELECOMMUNICATION INFORMATION:
TELEPHONE: (650) 324-0880
TELEFAX: (650) 324-0960
INFORMATION FOR SEQ ID NO: 1:
SEQUENCE CHARACTERISTICS:
LENGTH: 28 nucleotides
TYPE: nucleic acid
STRANDEDNESS: double
TOPOLOGY: linear
US-09-225-652-1

Query Match 100.0%; Score 20; DB 4; Length 28;
Best Local similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
|||||
Db 9 AGAGAGAGAGAGAGAGAG 28


RESULT 15
US-08-469-802B-28
; Sequence 28, Application US/08469802B
; Patent No. 5741645
; GENERAL INFORMATION:
; APPLICANT: Orr, Harry T.
; APPLICANT: Ranum, Laura P.W.
; APPLICANT: Chung, Ming-yi
; APPLICANT: Zoghbi, Huda Y.
; TITLE OF INVENTION: Gene Sequence for Spinocerebellar Ataxia
; Patent No. 5741645
; TITLE OF INVENTION: Type 1 and Method for Diagnosis
; NUMBER OF SEQUENCES: 47
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Mueiting, Raasch, Gebhardt & Schwappach, P.A.
; STREET: 119 No. 5741645th Fourth Street, Suite 203
; CITY: Minneapolis
; STATE: MN
; COUNTRY: USA
; ZIP: 55401
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/469,802B
; FILING DATE: 06-JUN-1995
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Mueiting, Ann M.
; REGISTRATION NUMBER: 33,977
; REFERENCE/DOCKET NUMBER: 110.00030101
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 612-305-1217
; TELEFAX: 612-305-1225
; INFORMATION FOR SEQ ID NO: 28:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 32 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: DNA
US-08-469-802B-28

Query Match 100.0%; Score 20; DB 1; Length 32;

Best Local Similarity 100.0%; Pred. No. 1.4;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
|||||
Db 10 AGAGAGAGAGAGAGAGAG 29

Search completed: August 24, 2002, 21:57:39
Job time: 21597 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:19:22 : Search time 4810.92 Seconds
(without alignments)
56.110 Million cell updates/sec

Title: US-10-077-383-29

Perfect score: 20

Sequence: 1 agagagagagagagagag 20

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 13736207 seqs, 6748477542 residues

Total number of hits satisfying chosen parameters: 27472414

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

EST :

1: em_estba:*
2: em_esthum:*
3: em_estin:*
4: em_estmu:*
5: em_estov:*
6: em_estpl:*
7: em_estro:*
8: em_hic:*
9: gb_est1:*
10: gb_est2:*
11: gb_hic:*
12: gb_gss:*
13: em_gss_hum:*
14: em_gss_inv:*
15: em_gss_pin:*
16: em_gss_vrt:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
C 1	20	100.0	20	12	AZ433566 1M0219C02
C 2	20	100.0	21	12	AZ394897 1M0158H11
C 3	20	100.0	21	12	AZ589098 1M0397B19
C 4	20	100.0	21	12	AZ627978 1M0476L04
C 5	20	100.0	22	12	AZ633751 1M0489I11
C 6	20	100.0	23	12	AZ822888 2M0096G06
C 7	20	100.0	25	12	AZ389918 1M0151E05
C 8	20	100.0	25	12	AZ510124 1M0354K22
C 9	20	100.0	25	12	AZ659095 1M0536E18
C 10	20	100.0	25	12	AZ664804 1M0545H24
C 11	20	100.0	26	12	AZ342914 1M0075C22
C 12	20	100.0	26	12	AZ579594 1M0367O10
C 13	20	100.0	26	12	AZ641486 1M0504J06
C 14	20	100.0	26	12	AZ666145 1M0548C02
C 15	20	100.0	26	12	AZ771239 1M0573F15
C 16	20	100.0	26	12	AZ803946 2M0064P06
C 17	20	100.0	26	12	AZ813253 2M0080M20

C 18	20	100.0	26	12	AZ939813
C 19	20	100.0	27	12	AZ632991 1M0487M21
C 20	20	100.0	27	12	AZ655531 1M0530L03
C 21	20	100.0	27	12	AZ776487 2M0010G08
C 22	20	100.0	27	12	AZ873739 2M0187C08
C 23	20	100.0	28	12	AZ462549 1M0271N04
C 24	20	100.0	28	12	AZ860136 2M0166D02
C 25	20	100.0	28	12	AZ943199 2M0203H17
C 26	20	100.0	29	12	AZ455946 1M0259I01
C 27	20	100.0	30	12	AZ610578 1M0433M24
C 28	20	100.0	31	12	AZ641732 1M0504L23
C 29	20	100.0	31	12	AZ869598 2M0181H14
C 30	20	100.0	32	12	AZ345558 1M0080G16
C 31	20	100.0	33	12	AZ606035 1M0427P12
C 32	20	100.0	33	12	AZ759124 1M0551N24
C 33	20	100.0	33	12	AZ839021 2M0134P21
C 34	20	100.0	33	12	AZ869302 2M0181C20
C 35	20	100.0	33	12	AZ876021 2M0190C23
C 36	20	100.0	33	12	AZ964180 2M0233F17
C 37	20	100.0	34	12	AZ966687 2M0237L17
C 38	20	100.0	35	10	BM047352 603628A75
C 39	20	100.0	35	12	AZ956924 2M0223D07
C 40	20	100.0	36	12	AZ387862 1M0147M22
C 41	20	100.0	36	12	AZ664037 1M0544E05
C 42	20	100.0	37	9	AV673465
C 43	20	100.0	37	12	AZ346663 1M0082C01
C 44	20	100.0	37	12	AZ645311 1M0510K10
C 45	20	100.0	37	12	AZ803054 2M0063C14

ALIGNMENTS

RESULT 1
AZ433566/c
LOCUS
DEFINITION
ACCESSION
VERSION
KEYWORDS
SOURCE
ORGANISM
REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

AZ433566 20 bp DNA linear GSS 03-OCT-2000
1M0219C02R Mouse 10kb plasmid UUGCLM library Mus musculus genomic
clone UUGCLM0219C02 R, DNA sequence.

ACCESSION AZ433566.1 GI:10557579

VERSION GSS
KEYWORDS house mouse.
SOURCE Mus musculus

ORGANISM

REFERENCE
AUTHORS
TITLE
JOURNAL
COMMENT

1 (bases 1 to 20)
Dunn, D., Aoyagi, A., Barber, M., Beacorn, T., Duval, B., Hamil, C.,
Islam, H., Longacre, S., Malmoud, M., Meenen, E., Pedersen, T., Reilly,
M., Rose, M., Rose, R., Stokes, R., Tingey, A., von Niederhausen, A.
and Wright, B., Weiss, R.

Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts

Unpublished (2000)
Contact: Robert B. Weiss
University of Utah Genome Center

Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112 USA
Tel: 801 585 5606
Fax: 801 585 7177

Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0219 row: C column: 02
Seq primer: CACACAGGAAACAGCTATGACC
Class: plasmid ends

High quality sequence stop: 20.
Location/Qualifiers
1. .20
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0219C02"
/clone_lib="Mouse 10kb plasmid UUGCLM library"

/sex="Male"
 /lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
 /note="vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource
 (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
 BASE COUNT 0 a 10 c 0 g 10 t
 ORIGIN

Query Match 100.0%; Score 20; DB 12; Length 20;
 Best Local Similarity 100.0%; Pred. No. 1.6e+03;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
 |||||
 Db 20 AGAGAGAGAGAGAGAGAG 1

RESULT 2
 AZ394897/c

LOCUS AZ394897 21 bp DNA linear GSS 03-OCT-2000
 DEFINITION IM0158H1R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 clone UUGC1M0158H1 R, DNA sequence.

ACCESSION AZ394897
 VERSION AZ394897.1 GI:10509969
 KEYWORDS GSS.
 SOURCE house mouse.

ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 1 (bases 1 to 21)

REFERENCE
 AUTHORS Dunn, D., Aoyagi, A., Barber, M., Beacorn, T., Duval, B., Hamill, C.,
 Islam, H., Longacre, S., Mahmoud, M., Meenen, E., Pedersen, T., Reilly,
 M., Rose, M., Rose, R., Stokes, R., Tingey, A., von Niederhausern, A.
 and Wright, D., Weiss, R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb
 plasmid inserts

JOURNAL Unpublished (2000)
 COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 University of Utah
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
 84112, USA
 Tel: 801 585 5606
 Fax: 801 585 7177
 Email: ddunn@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0158 row: H column: 11
 Seq primer: CACACAGGAACAGCTATGACC
 Class: plasmid ends
 High quality sequence stop: 21.

FEATURES
 source
 1..21
 Location/Qualifiers
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGC1M0158H1"

/clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
 /note="vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource
 (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
 BASE COUNT 0 a 10 c 0 g 11 t
 ORIGIN

Query Match 100.0%; Score 20; DB 12; Length 21;
 Best Local Similarity 100.0%; Pred. No. 1.6e+03;
 Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20
 |||||
 Db 21 AGAGAGAGAGAGAGAGAG 2

RESULT 3
 AZ589098

LOCUS AZ589098 21 bp DNA linear GSS 13-DEC-2000
 DEFINITION IM0397B19R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 clone UUGC1M0397B19 R, DNA sequence.

ACCESSION AZ589098
 VERSION AZ589098.1 GI:11711288
 KEYWORDS GSS.
 SOURCE house mouse.

ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
 Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 1 (bases 1 to 21)

REFERENCE
 AUTHORS Dunn, D., Aoyagi, A., Barber, M., Beacorn, T., Duval, B., Hamill, C.,
 Islam, H., Longacre, S., Mahmoud, M., Meenen, E., Pedersen, T., Reilly,
 M., Rose, M., Rose, R., Stokes, R., Tingey, A., von Niederhausern, A.
 and Wright, D., Weiss, R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb
 plasmid inserts

JOURNAL Unpublished (2000)
 COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 University of Utah
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
 84112, USA
 Tel: 801 585 5606
 Fax: 801 585 7177
 Email: ddunn@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0397 row: B column: 19
 Seq primer: CACACAGGAACAGCTATGACC
 Class: plasmid ends
 High quality sequence stop: 21.

FEATURES
 source
 1..21
 Location/Qualifiers
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"

```

/clone="UUGCLM037819"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      11 a      0 c      10 g      0 t
ORIGIN

```

```

Query Match      100.0%; Score 20; DB 12; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy 1 agagagagagagagagagag 20
    |||||
Db 1 AGAGAGAGAGAGAGAGAG 20

```

```

RESULT 4
AZ627978/c
LOCUS      21 bp      DNA      linear      GSS 13-DEC-2000
DEFINITION      1M0476104F Mouse 10kb plasmid UUGCLM library Mus musculus genomic
clone UUGCLM0476L04 F, DNA sequence.
ACCESSION      AZ627978
VERSION
KEYWORDS
SOURCE      house mouse.
ORGANISM      Mus musculus
Eukaryota; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 21)
Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D., Weiss,R.
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts
Unpublished (2000)
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0476 row: L column: 04
Seq primer: CGTTGTAAACGAGCGCCAGT
Class: plasmid ends
High quality sequence stop: 21.
FEATURES
source
1..21
/organism="Mus musculus"
/strain="C57BL/6J"

```

```

/db_xref="taxon:10090"
/clone="UUGCLM0476L04"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      0 a      10 c      0 g      11 t
ORIGIN

```

```

Query Match      100.0%; Score 20; DB 12; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy 1 agagagagagagagagagag 20
    |||||
Db 21 AGAGAGAGAGAGAGAGAG 21

```

```

RESULT 5
AZ633751/c
LOCUS      22 bp      DNA      linear      GSS 13-DEC-2000
DEFINITION      1M0489111F Mouse 10kb plasmid UUGCLM library Mus musculus genomic
clone UUGCLM0489111 F, DNA sequence.
ACCESSION      AZ633751
VERSION
KEYWORDS
SOURCE      house mouse.
ORGANISM      Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 22)
Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D., Weiss,R.
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts
Unpublished (2000)
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0489 row: I column: 11
Seq primer: CGTTGTAAACGAGCGCCAGT
Class: plasmid ends
High quality sequence stop: 22.
FEATURES
source
1..22
/organism="Mus musculus"

```

```

/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC1M048911"
/clone_lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gll4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      0 a      0 g      11 c      11 t
ORIGIN

```

```

Query Match      100.0%; Score 20; DB 12; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagagag 20
    |||||
DB 21 AGAGAGAGAGAGAGAGAG 2

```

```

RESULT 6
LOCUS      A2822888      23 bp      DNA      linear      GSS 20-FEB-2001
DEFINITION 2M0096G06R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
clone UUGC2M0096G06 R, DNA sequence.
ACCESSION  A2822888
VERSION    A2822888.1 GI:12992796
KEYWORDS   GSS.
SOURCE     house mouse.
ORGANISM   Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE  1 (bases 1 to 23)
AUTHORS   Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
            Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
            ,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
            and Wright,D.,Weiss,R.
TITLE     Mouse whole genome scaffolding with paired end reads from 10kb
            plasmid inserts
JOURNAL   Unpublished (2000)
COMMENT   Contact: Robert B. Weiss
            University of Utah Genome Center
            Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
            84112, USA
            Tel: 801 585 5606
            Fax: 801 585 7177
            Email: ddunn@genetics.utah.edu
            Insert Length: 10000 Std Error: 0.00
            Plate: 0096 row: G column: 06
            Seq primer: CACACAGGAACAGCTATGACC
            Class: plasmid ends
            High quality sequence stop: 23.
            Location/Qualifiers
FEATURES             source

```

```

/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC2M0096G06"
/clone_lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gll4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      11 a      0 c      12 g      0 t
ORIGIN

```

```

Query Match      100.0%; Score 20; DB 12; Length 23;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

QY 1 agagagagagagagagagag 20
    |||||
DB 2 AGAGAGAGAGAGAGAGAG 21

```

```

RESULT 7
LOCUS      AZ389918      25 bp      DNA      linear      GSS 02-OCT-2000
DEFINITION 1M0151E05F Mouse 10kb plasmid UUGC1M library Mus musculus genomic
clone UUGC1M0151E05 F, DNA sequence.
ACCESSION  AZ389918
VERSION    AZ389918.1 GI:10503626
KEYWORDS   GSS.
SOURCE     house mouse.
ORGANISM   Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE  1 (bases 1 to 25)
AUTHORS   Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
            Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
            ,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
            and Wright,D.,Weiss,R.
TITLE     Mouse whole genome scaffolding with paired end reads from 10kb
            plasmid inserts
JOURNAL   Unpublished (2000)
COMMENT   Contact: Robert B. Weiss
            University of Utah Genome Center
            Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
            84112, USA
            Tel: 801 585 5606
            Fax: 801 585 7177
            Email: ddunn@genetics.utah.edu
            Insert Length: 10000 Std Error: 0.00
            Plate: 0151 row: E column: 05
            Seq primer: CGTGTAAACGACGCGCAGT
            Class: plasmid ends
            High quality sequence stop: 25.
            Location/Qualifiers
FEATURES

```

```

source
1. .25
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0151E05"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      1 a 12 c 1 g 11 t
ORIGIN

Query Match      100.0%; Score 20; DB 12; Length 25;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 25 AGAGAGAGAGAGAGAGAG 6

RESULT 8
AZ510124/c
LOCUS
DEFINITION
LM0354K22F Mouse 10kb plasmid UUGCLM library Mus musculus genomic
clone UUGCLM0354K22 F, DNA sequence.
ACCESSION
AZ510124
VERSION
AZ510124.1 GI:10691440
KEYWORDS
GSS.
SOURCE
house mouse.
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 25)
REFERENCE
AUTHORS
Dunn,B., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamill,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D.,Weiss,R.
TITLE
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts
JOURNAL
Unpublished (2000)
COMMENT
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0354 row: K column: 23
Seq primer: CGTTGTAACGACGCCAGT
Class: plasmid ends
High quality sequence stop: 25

FEATURES
source
Location/Qualifiers
1. .25
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0354K22"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      0 a 12 c 0 g 13 t
ORIGIN

Query Match      100.0%; Score 20; DB 12; Length 25;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 25 AGAGAGAGAGAGAGAGAG 6

RESULT 9
AZ659095
LOCUS
DEFINITION
LM0536E18F Mouse 10kb plasmid UUGCLM library Mus musculus genomic
clone UUGCLM0536E18 F, DNA sequence.
ACCESSION
AZ659095
VERSION
AZ659095.1 GI:11796241
KEYWORDS
GSS.
SOURCE
house mouse.
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 25)
REFERENCE
AUTHORS
Dunn,B., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamill,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D.,Weiss,R.
TITLE
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts
JOURNAL
Unpublished (2000)
COMMENT
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0536 row: E column: 18
Seq primer: CGTTGTAACGACGCCAGT
Class: plasmid ends

```

```

Class: plasmid ends
High quality sequence stop: 25.
Location/Qualifiers
1. .25
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0545H24"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gil4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      12 a  0 c  13 g  0 t
ORIGIN
Query Match      100.0%; Score 20; DB 12; Length 25;
Best Local Similarity 100.0%; Pred. No. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 20
|||||
Db 3 AGAGAGAGAGAGAGAGAG 22

RESULT 10
AZ664804/c
LOCUS
DEFINITION
clone UUGCLM0545H24 F, DNA sequence.
ACCESSION
VERSION
KEYWORDS
SOURCE
house mouse.
ORGANISM
Mus musculus
Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Mus.
1 (bases 1 to 25)
REFERENCE
AUTHORS
Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D.,Weiss,R.
TITLE
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts
JOURNAL
COMMENT
Unpublished (2000)
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Sed primer: CGTTGTAAACGACGCCGAGT

```

Seq primer: CGTTGTAACAGCGCCAGT
 Class: plasmid ends
 High quality sequence stop: 26.
 Location/Qualifiers
 1. .26

FEATURES

source

/organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGCLM0076C22"
 /clone_lib="Mouse 10kb plasmid UUGCLM library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT
 ORIGIN

3 a 11 c 1 g 11 t

Query Match 100.0%; Score 20; DB 12; Length 26;

Best Local Similarity 100.0%; Pred. No. 1.6e+03;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
 |||||
 Db 26 AGAGAGAGAGAGAGAGAG 7

RESULT 12
 AZ579594

LOCUS

DEFINITION 26 bp DNA linear GSS 13-DEC-2000
 IM0367010F Mouse 10kb plasmid UUGCLM library Mus musculus genomic
 clone UUGCLM0367010 F, DNA sequence.

ACCESSION

AZ579594

VERSION

AZ579594.1

KEYWORDS

GSS.

SOURCE

house mouse.

ORGANISM

Mus musculus

REFERENCE

AUTHORS

Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
 Islam,H., Longacre,S., Mahmood,M., Meenen,E., Pedersen,T., Reilly
 M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
 and Wright,D., Weiss,R.

TITLE

Mouse whole genome scaffolding with paired end reads from 10kb

Plasmid inserts

Unpublished (2000)

Contact: Robert B. Weiss

University of Utah Genome Center

University of Utah

Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT

84112 USA

Tel: 801 585 5606

Fax: 801 585 7177

Email: ddunn@genetics.utah.edu

Insert Length: 10000 Std Error: 0.00

Plate: 0367 row: 0 column: 10
 Seq primer: CGTTGTAACAGCGCCAGT
 Class: plasmid ends
 High quality sequence stop: 26.
 Location/Qualifiers
 1. .26

FEATURES

source

/organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGCLM0367010"
 /clone_lib="Mouse 10kb plasmid UUGCLM library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi14732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 13 a 1 c 12 g 0 t

ORIGIN

Query Match 100.0%; Score 20; DB 12; Length 26;

Best Local Similarity 100.0%; Pred. No. 1.6e+03;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagagag 20
 |||||
 Db 2 AGAGAGAGAGAGAGAGAG 21

RESULT 13

AZ641486/c

LOCUS

DEFINITION 26 bp DNA linear GSS 14-DEC-2000

IM0504J06F Mouse 10kb plasmid UUGCLM library Mus musculus genomic

clone UUGCLM0504J06 F, DNA sequence.

ACCESSION

AZ641486

VERSION

AZ641486.1

KEYWORDS

GSS.

SOURCE

house mouse.

ORGANISM

Mus musculus

REFERENCE

AUTHORS

Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
 Islam,H., Longacre,S., Mahmood,M., Meenen,E., Pedersen,T., Reilly
 M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
 and Wright,D., Weiss,R.

TITLE

Mouse whole genome scaffolding with paired end reads from 10kb

plasmid inserts

Unpublished (2000)

Contact: Robert B. Weiss

University of Utah Genome Center

University of Utah

Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT

84112, USA

Tel: 801 585 5606

Fax: 801 585 7177

Email: ddunn@genetics.utah.edu

Insert Length: 10000 Std Error: 0.00
 Plate: 0504 row: J column: 06
 Seq primer: CGTGTAAACGACGCCAGT
 Class: plasmid ends
 High quality sequence stop: 26.
 Location/Qualifiers

FEATURES

source
 1..26
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGC1M0504J06"
 /clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adapted DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi|4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adapted mouse DNA was annealed to adapted vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT
 ORIGIN
 0 a 13 c 0 g 13 t

Query Match 100.0%; Score 20; DB 12; Length 26;

Best Local Similarity 100.0%; Pred. No. 1.6e+03;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20

Db 25 AGAGAGAGAGAGAGAGAG 6

RESULT 14

AZ666145 26 bp DNA linear GSS 14-DPC-2000
 LOCUS
 DEFINITION IM0548C02F Mouse 10kb plasmid UUGC1M library Mus musculus genomic

ACCESSION AZ666145.1 GI:11803291

VERSION GSS.

KEYWORDS house mouse.

SOURCE Mus musculus

ORGANISM Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;

REFERENCE 1 (bases 1 to 26)

AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,

Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly

,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.

and Wright,D., Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb

plasmid inserts

JOURNAL Unpublished (2000)

COMMENT Contact: Robert B. Weiss

University of Utah Genome Center

Rm. 308, Biomedical

Polymers Research Bldg., 20 S. 2030 E., SLC, UT

84112, USA

Tel: 801 585 5606

Fax: 801 585 7177

Email: ddunn@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0548 row: C column: 02
 Seq primer: CGTGTAAACGACGCCAGT
 Class: plasmid ends
 High quality sequence stop: 26.
 Location/Qualifiers

FEATURES

source
 1..26
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGC1M0548C02"
 /clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adapted DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gi|4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adapted mouse DNA was annealed to adapted vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 13 a 0 c 13 g 0 t

ORIGIN

Query Match 100.0%; Score 20; DB 12; Length 26;

Best Local Similarity 100.0%; Pred. No. 1.6e+03;

Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagagag 20

Db 2 AGAGAGAGAGAGAGAGAG 21

RESULT 15

AZ771239 26 bp DNA linear GSS 16-FEB-2001
 LOCUS
 DEFINITION IM0573F15F Mouse 10kb plasmid UUGC1M library Mus musculus genomic

ACCESSION AZ771239.1 GI:12893285

VERSION GSS.

KEYWORDS house mouse.

SOURCE Mus musculus

ORGANISM Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi;

REFERENCE 1 (bases 1 to 26)

AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,

Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly

,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.

and Wright,D., Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb

plasmid inserts

JOURNAL Unpublished (2000)

COMMENT Contact: Robert B. Weiss

University of Utah Genome Center

Rm. 308, Biomedical

Polymers Research Bldg., 20 S. 2030 E., SLC, UT

84112, USA

Tel: 801 585 5606

Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0573 row: F column: 15
Seq primer: CGTTGTAAACGACGCGCAGT
Class: plasmid ends
High quality sequence stop: 26.

FEATURES

Location/Qualifiers

1..26
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC1M0573F15"
/clone_lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 Kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gi|4732114|gb|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 13 a 0 c 13 g 0 t
ORIGIN

Query Match 100.0%; Score 20; DB 12; Length 26;
Best Local Similarity 100.0%; Pred. Nc. 1.6e+03;
Matches 20; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 20
|||||
Db 1 AGAGAGAGAGAGAGAGAG 20

Search completed: August 24, 2002, 21:19:25
Job time: 20528 sec


```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 2
LOCUS A95992/c A95992 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 25 from Patent WO924578.
ACCESSION A95992
VERSION A95992.1 GI:6779888
KEYWORDS .
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza,M., Scariato,V., Rappuoli,R., Grandi,G. and Masignani,V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 25 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
Location/Qualifiers
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 3
LOCUS A96002 A96002 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 35 from Patent WO924578.
ACCESSION A96002
VERSION A96002.1 GI:6779893
KEYWORDS .
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza,M., Scariato,V., Rappuoli,R., Grandi,G. and Masignani,V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 35 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
Location/Qualifiers
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 4
LOCUS A96002/c A96002 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 35 from Patent WO924578.
ACCESSION A96002
VERSION A96002.1 GI:6779893
KEYWORDS .
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza,M., Scariato,V., Rappuoli,R., Grandi,G. and Masignani,V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 35 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
Location/Qualifiers
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 5
LOCUS A96012 A96012 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 45 from Patent WO924578.
ACCESSION A96012
VERSION A96012.1 GI:6779898
KEYWORDS .
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza,M., Scariato,V., Rappuoli,R., Grandi,G. and Masignani,V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 45 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
Location/Qualifiers
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 6
LOCUS A96012/c A96012 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 45 from Patent WO924578.

```

ACCESSION A96012
 VERSION A96012.1 GI:677988
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 45 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
 FEATURES
 source
 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 n 1
 Db 1 n 1
 RESULT 7
 A96022
 LOCUS A96022
 DEFINITION Sequence 55 from Patent WO9924578.
 ACCESSION A96022
 VERSION A96022.1 GI:6779903
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 55 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
 FEATURES
 source
 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 n 1
 Db 1 n 1
 RESULT 8
 A96022/c
 LOCUS A96022/c
 DEFINITION Sequence 55 from Patent WO9924578.
 ACCESSION A96022
 VERSION A96022.1 GI:6779903
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.
 REFERENCE 1 (bases 1 to 1)

AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 55 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
 FEATURES
 source
 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 n 1
 Db 1 n 1
 RESULT 9
 A96040
 LOCUS A96040
 DEFINITION Sequence 73 from Patent WO9924578.
 ACCESSION A96040
 VERSION A96040.1 GI:6779912
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 73 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
 FEATURES
 source
 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 n 1
 Db 1 n 1
 RESULT 10
 A96040/c
 LOCUS A96040/c
 DEFINITION Sequence 73 from Patent WO9924578.
 ACCESSION A96040
 VERSION A96040.1 GI:6779912
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 73 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
 FEATURES
 source
 1
 Location/Qualifiers

BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1
 Db 1 N 1

RESULT 11
 A96058
 LOCUS 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 91 from Patent WO9924578.
 ACCESSION A96058
 VERSION A96058.1 GI:6779921
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 91 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1
 Db 1 N 1

RESULT 12
 A96058/c
 LOCUS 1 bp DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 91 from Patent WO9924578.
 ACCESSION A96058
 VERSION A96058.1 GI:6779921
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 91 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;

Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1
 Db 1 N 1

RESULT 13
 A96076
 LOCUS 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1
 Db 1 N 1

RESULT 14
 A96076/c
 LOCUS 1 bp DNA linear PAT 08-SEP-2000
 DEFINITION Sequence 109 from Patent WO9924578.
 ACCESSION A96076
 VERSION A96076.1 GI:6779930
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unclassified.

REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza, M., Scariato, V., Rappuoli, R., Grandi, G. and Masignani, V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 109 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
 source 1
 Location/Qualifiers
 /organism="unidentified"
 /db_xref="taxon:32644"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1
 Db 1 N 1

```


RESULT 15
A96086
LOCUS A96086 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 119 from Patent WO9921578.
ACCESSION A96086
VERSION A96086.1 GI:6779935
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified
unclassified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Piza,M., Scariato,V., Rappuoli,R., Grandi,G. and Masignani,V.
TITLE Neisserial antigens
JOURNAL Patent: WO 9924578-A 119 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
    source
        1
        /organism="unidentified"
        /db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 N 1

```

Search completed: August 24, 2002, 21:54:45
Job time: 22408 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 22:08:16 ; Search time 623.77 Seconds
(without alignments)
55.050 Million cell updates/sec

```
Title: US-10-077-383-30  
perfect score: 20  
Sequence: 1 nnnnnnnnnnnnnnnnnnnnnn 20
```

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters: 3472872

```
Minimum DB seq length: 0
Maximum DB seq length: 2000000000
```

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 su

Database : N_Geneseq_032802.*

1:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1980.DAT.*
2:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1981.DAT.*
3:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1982.DAT.*
4:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1983.DAT.*
5:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1984.DAT.*
6:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1985.DAT.*
7:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1986.DAT.*
8:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1987.DAT.*
9:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1988.DAT.*
10:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1989.DAT.*
11:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1990.DAT.*
12:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1991.DAT.*
13:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1992.DAT.*
14:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1993.DAT.*
15:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1994.DAT.*
16:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1995.DAT.*
17:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1996.DAT.*
18:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1997.DAT.*
19:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1998.DAT.*
20:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA1999.DAT.*
21:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA2000.DAT.*
22:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA2001A.DAT.*
23:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA2001B.DAT.*
24:	/SID55/cgcdata/geneseq/geneseqn-emb1/NA2002.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Query Match	Score	Length	DB	ID	Description
1	0	0.0	1	20	AA557131	Human mutant KCNQ3
c	0	0.0	1	20	AA557131	Human mutant KCNQ3
3	0	0.0	3	9	AAN80743	Sequence encoding
c	0	0.0	3	9	AAN80743	Sequence encoding
5	0	0.0	3	16	AQ085491	Plasmid p52318.th
c	0	0.0	3	16	AQ085491	Plasmid p52318.th
7	0	0.0	3	17	AAT33326	CAPL trinucleotide
c	0	0.0	3	17	AAT33326	CAPL trinucleotide
9	0	0.0	3	21	AA94655	Human TUB gene pro

C	10	0	0	0	3	21	AA94655	Human TUB gene probe
C	11	0	0	0	3	22	AA120244	Human breast cancer
C	12	0	0	0	3	22	AA120244	Human breast cancer
C	13	0	0	0	4	16	AA081564	BRGF binding oligo
C	14	0	0	0	4	16	AA081564	BRGF binding oligo
C	15	0	0	0	4	16	AA081565	BRGF binding oligo
C	16	0	0	0	4	16	AA081565	BRGF binding oligo
C	17	0	0	0	4	18	AA986385	Probe for target n
C	18	0	0	0	4	18	AA986385	Probe for target n
C	19	0	0	0	4	18	AA977252	Immunostimulatory
C	20	0	0	0	4	18	AA977252	Immunostimulatory
C	21	0	0	0	4	22	AA171191	Human breast cancer
C	22	0	0	0	4	22	AA171191	Human breast cancer
C	23	0	0	0	4	22	AA124357	Human breast cancer
C	24	0	0	0	4	22	AA124357	Human breast cancer
C	25	0	0	0	4	22	AA961450	Cyclin binding ham
C	26	0	0	0	4	22	AA961450	Cyclin binding ham
C	27	0	0	0	5	10	AA93676	Synthetic probe fo
C	28	0	0	0	5	10	AA93676	Synthetic probe fo
C	29	0	0	0	5	15	AA068752	CHA255 heavy chain
C	30	0	0	0	5	15	AA068752	CHA255 heavy chain
C	31	0	0	0	5	16	AA081567	BRGF binding oligo
C	32	0	0	0	5	16	AA081567	BRGF binding oligo
C	33	0	0	0	5	16	AA081566	BRGF binding oligo
C	34	0	0	0	5	16	AA081566	BRGF binding oligo
C	35	0	0	0	5	17	AA12043	Cleavable replicab
C	36	0	0	0	5	17	AA12043	Cleavable replicab
C	37	0	0	0	5	19	AAV61563	Fusarium sp. 18S r
C	38	0	0	0	5	19	AAV61563	Fusarium sp. 18S r
C	39	0	0	0	5	19	AA96299	Fungal telomeric n
C	40	0	0	0	5	19	AA96299	Fungal telomeric n
C	41	0	0	0	5	20	AA210695	Oligonucleotide se
C	42	0	0	0	5	20	AA210695	Oligonucleotide se
C	43	0	0	0	5	20	AA210696	Oligonucleotide se
C	44	0	0	0	5	20	AA210696	Oligonucleotide se
C	45	0	0	0	5	20	AA211611	DNA enhancer sequ

ALIGNMENTS

RESULT 1

AA57131

ID AA57131 standard; DNA; 1 BP.

AC AA57131;

22-JUL-1999 (first entry)

Human mutant KCNQ3 primer 26.

KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis; benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy; JME; rolandic epilepsy; mutant; treatment; screening; epilepsy; detection; gene therapy; drug screening; primer; ss.

Synthetic.

OS Homo sapiens.

PN WO921875-Al.

XX PD 06-MAY-1999.

XX 23-OCT-1998; 98WO-US22375.

XX 24-OCT-1997; 97US-0063147.

PA (UTAH) UNIV UTAH RES FOUND.

XX Charlier C, Leppert MF, Singh NA;

PI WPI; 1999-312938/26.

PT Nucleic acid encoding potassium channels KCNQ2 and 3

XX Claim 65; Page 151; 195pp; English.

CC This invention describes novel human and mouse potassium channel
CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode
CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
CC proteins themselves in cell-free form) are used to screen for agents that
CC can be used to treat or prevent these forms of epilepsy. Fragments of the
CC encoding nucleic acids are used as probes or primers, either for
CC detecting mutations or for isolation of related sequences, while the
CC complete sequences may be used in gene therapy to provide wild-type
CC protein. Antibodies specific for mutant or wild-type proteins are used
CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
CC are useful in rational design of drugs and therapeutically (in
CC replacement therapies). The forms of epilepsy associated with mutations
CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
CC manifest), and better treatment options will be available.

CC AAX57074-X57139 are primers used in the method of the invention.

XX Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;

Best Local Similarity 0.0%; Pred. No. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 a 1

RESULT 2

AAX57131/C

ID AAX57131 standard; DNA; 1 BP.

XX AAX57131;

XX 22-JUL-1999 (first entry)

XX Human mutant KCNQ3 primer 26.

XX KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis;
KW benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy;
KW JME; rolandic epilepsy; mutant; treatment; screening; epilepsy;
KW detection; gene therapy; drug screening; primer; ss.

XX Synthetic.

OS Homo sapiens.

XX WO9921875-A1.

PN 06-MAY-1999.

XX 23-OCT-1998; 98WO-US22375.

XX 24-OCT-1997; 97US-0063147.

XX (UTAH) UNIV UTAH RES FOUND.

XX Charlier C, Leppert MF, Singh NA;

XX WPT; 1999-312938/26.

PT Nucleic acid encoding potassium channels KCNQ2 and 3

XX Claim 65; Page 151; 195pp; English.

XX This invention describes novel human and mouse potassium channel

CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode

CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
CC proteins themselves in cell-free form) are used to screen for agents that
CC can be used to treat or prevent these forms of epilepsy. Fragments of the
CC encoding nucleic acids are used as probes or primers, either for
CC detecting mutations or for isolation of related sequences, while the
CC complete sequences may be used in gene therapy to provide wild-type
CC protein. Antibodies specific for mutant or wild-type proteins are used
CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
CC are useful in rational design of drugs and therapeutically (in
CC replacement therapies). The forms of epilepsy associated with mutations
CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
CC manifest), and better treatment options will be available.

CC AAX57074-X57139 are primers used in the method of the invention.

SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;

Best Local Similarity 0.0%; Pred. No. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 T 1

RESULT 3

AAN80743

ID AAN80743 standard; DNA; 3 BP.

XX AAN80743;

XX 10-SEP-1990 (first entry)

XX Sequence encoding complete mature and precursor forms of human tissue
DE factor heavy chain proteins (hutfh & pre-hutfh, respectively).

XX Human tissue factor heavy chain (hutfh); immunoassays;

KW precursor human tissue factor heavy chain (pre-hutfh);

KW human tissue factor detection.

XX Homo sapiens.

XX Key Location/Qualifiers

FT CDS 34..921

FT /*tag= a

FT /product=pre-hutfh

FT mat_peptide 130..921

FT /*tag= b

FT /product=hutfh

XX WO8807543-A.

PN 06-OCT-1988.

XX 29-MAR-1988; 88WO-US00998.

XX 25-JUN-1987; 87US-0067103.

XX (SCRI-) SCRIPPS CLINIC RES.

XX Eddington TS, Morrissey JH;

XX WPT; 1988-292837/41.

XX P-PSDB; AAP80713.

XX New DNA segment -

PT has gene encoding human tissue factor heavy chain protein and is

PT useful for inhibiting coagulation

PS Disclosure; ; pp: English.

CC A DNA segment with a nucleotide sequence from about 130 to about 918 of the sequence given here is claimed. Also claimed are antibodies which immunoreact with hutfh and the claimed peptides (given in AAP80713). The antibodies may be used in immunoassays for detection of hutfh. The claimed peptides may be used to inhibit the binding of hutfh to coagulation factor VII/VIIa in vivo.

SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 9; Length 3;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 4
AAN80743/c
ID AAN80743 standard; DNA: 3 BP.
XX
AC AAN80743;
XX
DT 10-SEP-1990 (first entry)
XX
DE Sequence encoding complete mature and precursor forms of human tissue factor heavy chain proteins (hutfh & pre-hutfh, respectively).
DE
KW Human tissue factor heavy chain (hutfh); immunoassays;
KW precursor human tissue factor heavy chain (pre-hutfh);
KW human tissue factor detection.
XX
OS Homo sapiens.
XX
FH Key Location/Qualifiers
FT CDS 34..921
FT FT /*tag= a
FT FT /product=pre-hutfh
FT mat_peptide 130..921
FT FT /*tag= b
FT FT /product=hutfh

XX
FN W08807543-A.
XX
XX
PD 06-OCT-1988.
XX
XX 29-MAR-1988; 88WO-0500998.
XX
XX 25-JUN-1987; 87US-0067103.
XX
PA (SCRIPT-) SCRIPPS CLINIC RES.
XX
PI Eddington TS, Morrissey JH;
XX
DR WPI; 1988-292837/41.
DR P-PSDB; AAP80713.
XX
XX New DNA segment -
PT has gene encoding human tissue factor heavy chain protein and is
PT useful for inhibiting coagulation
XX
XX Disclosure; ; pp: English.

CC A DNA segment with a nucleotide sequence from about 130 to about 918 of the sequence given here is claimed. Also claimed are antibodies which immunoreact with hutfh and the claimed peptides (given in AAP80713). The antibodies may be used in immunoassays for detection of hutfh. The claimed peptides may be used to inhibit the binding of hutfh to coagulation factor VII/VIIa in vivo.

XX
SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 9; Length 3;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 N 3

RESULT 5
AAQ85491
ID AAQ85491 standard; cDNA; 3 BP.
XX
AC AAQ85491;
XX
DT 18-AUG-1995 (first entry)
XX
DE Plasmid pEZZ318.thy2.
XX
KW OMTX3; turkey ovomucoid third domain peptide inhibitor;
KW furin inhibitor; protease inhibitor; pEZZ318.thy2; probe;
KW Escherichia coli; ss.
XX
OS Synthetic.
XX
XX W09502055-A.
XX
PD 19-JAN-1995.
XX
XX 08-JUL-1994; 94WO-US07779.
XX
XX 09-JUL-1993; 93US-0089248.
XX
XX (ANDE/) ANDERSON S.
XX (LASK/) LASKOWSKI M.
XX Anderson S, Laskowski M;
XX WPI; 1995-066900/09.
XX
XX Protein inhibitors of serine proteinase(s), e.g. furin, deriv.
XX from turkey ovomucoid third domain - used as laboratory reagents
XX to study the proteinase(s), or as chemotherapeutic agents to
XX treat diseases associated with them
XX
XX Disclosure; Page 42-45; 66pp; English.

XX
CC In synthetic analogs of turkey ovomucoid domain protein (6-56)
CC (OMTX3), given in AAR69818-24, the region immediately adjacent to
CC the reactive site peptide bond is mutated to include the consensus
CC sequence of furin or other serine protease. Polynucleotides
CC encoding such analogs are incorporated into pEZZ318.thy2 and
CC expressed in Escherichia coli RV308 (ATCC 31608).
XX
XX
SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 16; Length 3;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 6
AAQ85491/c
ID AAQ85491 standard; cDNA; 3 BP.

XX AAQ85491;
 AC
 XX
 DT 18-AUG-1995 (first entry)
 XX
 DE Plasmid PEZ318.thy2.
 XX
 XX OMTK3; turkey ovomucoid third domain peptide inhibitor;
 KW furin inhibitor; pezz318.thy2; probe;
 KW Escherichia coli; ss.
 XX
 OS Synthetic.
 XX
 XX WO9502055-A.
 PN
 XX
 PD 19-JAN-1995.
 XX
 XX 08-JUL-1994; 94WO-US07779.
 PF
 XX
 PR 09-JUL-1993; 93US-0089248.
 XX
 PA (ANDE/) ANDERSON S.
 PA (LASK/) LASKOWSKI M.
 XX
 PI Anderson S, Laskowski M;
 XX
 DR WPI; 1995-066900/09.
 XX
 XX Protein inhibitors of serine proteinase(s), e.g. furin, deriv.
 PT from turkey ovomucoid third domain - used as laboratory reagents
 PT to study the proteinase(s), or as chemotherapeutic agents to
 PT treat diseases associated with them
 XX
 PS Disclosure; Page 42-45; 66pp; English.
 XX
 CC In synthetic analogs of turkey ovomucoid domain protein (6-56)
 CC (OMTK3), given in AAR69818-24, the region immediately adjacent to
 CC the reactive site peptide bond is mutated to include the consensus
 CC sequence of furin or other serine protease. Polynucleotides
 CC encoding such analogs are incorporated into pEZ318.thy2 and
 CC expressed in Escherichia coli RV308 (ATCC 31608).
 XX
 XX Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;
 SQ

Query Match 0.0%; Score 0; DB 16; Length 3;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 n 1
 DB 3 N 3

RESULT 7
 AAT33326
 ID AAT33326 standard; RNA; 3 BP.
 XX
 AC AAT33326;
 XX
 DT 12-NOV-1996 (first entry)
 XX
 DE CAPL trinucleotide.
 XX
 KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
 KW osteosarcoma; therapy; ss.
 XX
 OS Synthetic.
 XX
 XX WO9625499-A1.
 PN
 XX
 PD 22-AUG-1996.
 XX
 PF 16-FEB-1996; 96WO-US02108.
 XX
 PR 17-FEB-1995; 95US-0391375.
 XX
 XX (HYBR-) HYBRIDON INC.
 PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX
 XX Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 PI Von Hofe E;
 XX
 DR WPI; 1996-393400/39.
 XX
 XX Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX
 PS Claim 2; Page 56; 70pp; English.
 XX

PF 16-FEB-1996; 96WO-US02108.
 XX
 PR 17-FEB-1995; 95US-0391375.
 XX
 PA (HYBR-) HYBRIDON INC.
 PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX
 XX Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 PI Von Hofe E;
 XX
 DR WPI; 1996-393400/39.
 XX
 XX Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX
 PS Claim 2; Page 56; 70pp; English.
 XX
 CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
 CC expression may include the trinucleotide GUC (AAT33326, given in 5',
 CC to 3' direction) found in codon 14 of CAPL mRNA. These and
 CC other antisense oligonucleotides (AAT33327-36) complementary to
 CC specific regions of the CAPL gene (see also AAT33345), as well as
 CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
 CC patient as a means of inhibiting metastatic cancer.
 XX
 XX Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;
 SQ

Query Match 0.0%; Score 0; DB 17; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 DB 1 c 1

RESULT 8
 AAT33326/c
 ID AAT33326 standard; RNA; 3 BP.
 XX
 AC AAT33326;
 XX
 DT 12-NOV-1996 (first entry)
 XX
 DE CAPL trinucleotide.
 XX
 KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
 KW osteosarcoma; therapy; ss.
 XX
 OS Synthetic.
 XX
 XX WO9625499-A1.
 PN
 XX
 PD 22-AUG-1996.
 XX
 PF 16-FEB-1996; 96WO-US02108.
 XX
 PR 17-FEB-1995; 95US-0391375.
 XX
 XX (HYBR-) HYBRIDON INC.
 PA (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX
 XX Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 PI Von Hofe E;
 XX
 DR WPI; 1996-393400/39.
 XX
 XX Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX
 PS Claim 2; Page 56; 70pp; English.
 XX

CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
 CC expression may include the trinucleotide GUC (AAT33326, given in 5'
 CC to 3' direction) found in codon 14 of CAPL mRNA. These and
 CC other antisense oligonucleotides (AAT33327-36) complementary to
 CC specific regions of the CAPL gene (see also AAT33345), as well as
 CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
 CC patient as a means of inhibiting metastatic cancer.
 XX Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;
 SQ

Query Match 0.0%; Score 0; DB 17; Length 3;
 Best Local Similarity 0.0%; Pred. NO. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 3 C 3

RESULT 9
 AAA94655
 ID AAA94655 standard; DNA; 3 BP.
 XX AC AAA94655;
 DT 15-JAN-2001 (first entry)
 XX Human TUB gene probe #2.
 DE Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 XX Homo sapiens.
 OS US6114502-A.
 XX 05-SEP-2000.
 PD 27-FEB-1998; 98US-0032365.
 XX 22-AUG-1996; 96US-0701380.
 PR 04-SEP-1996; 96US-0706292.
 PR 10-APR-1996; 96US-0630592.
 PR 17-SEP-1996; 96US-0714991.
 PR 30-APR-1997; 97US-0850218.
 PR 01-AUG-1997; 97US-0904699.
 PR 17-SEP-1997; 97US-0932306.
 XX (AXYS-) AXYS PHARM INC.
 PA North M, Nishina P, Noben-Trauth K, Naggert J;
 PI WPI; 2000-586483/55.
 DR Mammalian proteins expressed in retina and brain, useful for producing
 PT antibodies and for diagnosing neurosensory defects including cochlear
 PT degeneration, peripheral retinal degeneration and cone-rod retinal
 PT dystrophy -
 XX Disclosure; Columns 81-82; 61pp; Engl.sh.
 PS The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel
 CC genes of the present invention.
 XX Sequence 3 BP; 0 A; 1 C; 1 G; 0 U; 0 other;
 SQ

CC genes of the present invention.
 XX Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;
 SQ

Query Match 0.0%; Score 0; DB 21; Length 3;
 Best Local Similarity 0.0%; Pred. NO. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 g 1

RESULT 10
 AAA94655/c
 ID AAA94655 standard; DNA; 3 BP.
 XX AC AAA94655;
 DT 15-JAN-2001 (first entry)
 XX Human TUB gene probe #2.
 DE Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 XX Homo sapiens.
 OS US6114502-A.
 XX 05-SEP-2000.
 PD 27-FEB-1998; 98US-0032365.
 XX 22-AUG-1996; 96US-0701380.
 PR 04-SEP-1996; 96US-0706292.
 PR 10-APR-1996; 96US-0630592.
 PR 17-SEP-1996; 96US-0714991.
 PR 30-APR-1997; 97US-0850218.
 PR 01-AUG-1997; 97US-0904699.
 PR 17-SEP-1997; 97US-0932306.
 XX (AXYS-) AXYS PHARM INC.
 PA North M, Nishina P, Noben-Trauth K, Naggert J;
 PI WPI; 2000-586483/55.
 DR Mammalian proteins expressed in retina and brain, useful for producing
 PT antibodies and for diagnosing neurosensory defects including cochlear
 PT degeneration, peripheral retinal degeneration and cone-rod retinal
 PT dystrophy -
 XX Disclosure; Columns 81-82; 61pp; English.
 PS The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel
 CC genes of the present invention.
 XX Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;
 SQ

Query Match 0.0%; Score 0; DB 21; Length 3;

```

Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 C 3

RESULT 11
AAL20244
ID AAL20244 standard; cDNA; 3 BP.
XX
AC AAL20244;
XX
DT 07-DEC-2001 (first entry)
XX
DE Human breast cancer expressed polynucleotide 12701.
XX
KW Human; breast cancer; cell marker; cytostatic; ss.
XX
OS Homo sapiens.
XX
PN WO200151628-A2.
XX
PD 19-JUL-2001.
XX
PF 10-JAN-2001; 2001WO-US00798.
XX
PR 14-JAN-2000; 2000US-0176077.
XX
PR 14-MAR-2000; 2000US-0189167.
XX
PR 24-MAR-2000; 2000US-0192099.
XX
PR 29-MAR-2000; 2000US-0193480.
XX
PR 15-MAY-2000; 2000US-0205230.
XX
PR 09-JUN-2000; 2000US-0211315.
XX
PR 25-JUL-2000; 2000US-0220534.
XX
PA (MILL-) MILLENNIUM PREDICTIVE MEDICINE INC.
XX
PI Lillie J, Xu Y, Wang Y, Steinmann K;
XX
WPI; 2001-451856/48.
XX
PT New peptide useful as a marker for the diagnosis of breast cancer -
XX
PS Claim 1; Page 2245; 3695pp; English.
XX
CC The invention relates to human breast cancer expressed polynucleotides
CC (AAL07544-AAL26789) and methods of assessing whether a patient is
CC afflicted with breast cancer by examining the correlation between the
CC expression of certain markers and the cancerous state of breast cells.
CC The polynucleotides and encoded polypeptides are potential markers for
CC detecting, diagnosing, monitoring, characterising treating and
CC potentially preventing breast cancer. The polynucleotides and encoded
CC polypeptides are also useful for isolating compounds with cytostatic
CC activity.
XX
SQ Sequence 3 BP; 1 A; 1 C; 0 G; 1 T; 0 other;

Query Match 0.0%; Score 0; DB 22; Length 3;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 A 3

RESULT 13
AAL081664
ID AAL081664 standard; RNA; 4 BP.
XX
AC AAL081664;
XX
DT 29-SEP-1995 (first entry)
XX
DE bFGF binding oligomer core sequence #1.
XX
KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
KW bubble structure; pseudoknot; receptor; heparin; competition;
KW inhibition; enhance; neovascularisation; solid tumour; cancer;
KW metastasis; diagnosis; gene therapy; ss.
XX
OS Synthetic.
XX
PN WO9500528-A.

```

```

XX PD 05-JAN-1995.
XX XX
XX PF 17-JUN-1994; 94WO-US06884.
XX XX
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX XX
XX PA (PHAR-) PHARMAGENICS INC.
XX XX
XX PI Beutel BA, Joesten ME;
XX PI WPI; 1995-051992/07.
XX DR
XX XX
XX CC The sequences given in AAQ81664-95 are oligonucleotides which modulate
XX CC the activity of basic fibroblast growth factor (bFGF) by binding
XX CC to the bFGF protein. Most esp. the sequences given in AAQ81664-67
XX CC represent core sequences of which at least one is present in each of
XX CC the binding oligos. These oligonucleotides may form a single
XX CC strand, double strand, a stem-loop structure, a bubble structure, a
XX CC pseudoknot or a closed, circular structure. bFGF binds to high
XX CC affinity receptor and low affinity heparin-like molecules on the
XX CC cell surface. These oligonucleotides bind to bFGF in competition
XX CC with its receptor and heparin. These oligonucleotides may inhibit
XX CC or enhance the activity of bFGF. Particularly, they inhibit
XX CC neovascularisation so they can be used to suppress growth of solid
XX CC tumours and to reduce the risk of metastasis. They can be used as
XX CC diagnostic reagents to determine the presence of thrombin, or used in
XX CC gene therapy.
XX SQ Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 g 1

RESULT 14
AAQ81664/C
ID AAQ81664 standard; RNA; 4 BP.
XX AC AAQ81664;
XX DT 29-SEP-1995 (first entry)
XX DE bFGF binding oligomer core sequence #1.
XX DE
XX KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
XX KW bubble structure; pseudoknot; receptor; heparin; competition;
XX KW inhibition; enhance; neovascularisation; solid tumour; cancer;
XX KW metastasis; diagnosis; gene therapy; ss.
XX OS Synthetic.
XX OS
XX PN WO9500528-A.
XX PN
XX PD 05-JAN-1995.
XX PD
XX PF 17-JUN-1994; 94WO-US06884.
XX PF
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX PR

```

```

XX PA (PHAR-) PHARMAGENICS INC.
XX XX
XX PI Beutel BA, Joesten ME;
XX XX
XX DR WPI; 1995-051992/07.
XX XX
XX PT New oligo-nucleotide(s) that bind to basic fibroblast growth
XX PT factor - modulating, esp. inhibiting, its activity, useful in
XX PT treating cancer, preventing metastasis, and diagnosis.
XX PT
XX PS Claim 3; Page 25; 44pp; English.
XX XX
XX CC The sequences given in AAQ81642-95 are oligonucleotides which modulate
XX CC the activity of basic fibroblast growth factor (bFGF) by binding
XX CC to the bFGF protein. Most esp. the sequences given in AAQ81664-67
XX CC represent core sequences of which at least one is present in each of
XX CC the binding oligos. These oligonucleotides may form a single
XX CC strand, double strand, a stem-loop structure, a bubble structure, a
XX CC pseudoknot or a closed, circular structure. bFGF binds to high
XX CC affinity receptor and low affinity heparin-like molecules on the
XX CC cell surface. These oligonucleotides bind to bFGF in competition
XX CC with its receptor and heparin. These oligonucleotides may inhibit
XX CC or enhance the activity of bFGF. Particularly, they inhibit
XX CC neovascularisation so they can be used to suppress growth of solid
XX CC tumours and to reduce the risk of metastasis. They can be used as
XX CC diagnostic reagents to determine the presence of thrombin, or used in
XX CC gene therapy.
XX SQ Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 4 G 4

RESULT 15
AAQ81665
ID AAQ81665 standard; RNA; 4 BP.
XX AC AAQ81665;
XX DT 29-SEP-1995 (first entry)
XX DE bFGF binding oligomer core sequence #2.
XX DE
XX KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
XX KW bubble structure; pseudoknot; receptor; heparin; competition;
XX KW inhibition; enhance; neovascularisation; solid tumour; cancer;
XX KW metastasis; diagnosis; gene therapy; ss.
XX OS Synthetic.
XX OS
XX PN WO9500528-A.
XX PN
XX PD 05-JAN-1995.
XX PD
XX PF 17-JUN-1994; 94WO-US06884.
XX PF
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX PR
XX PA (PHAR-) PHARMAGENICS INC.
XX XX
XX PI Beutel BA, Joesten ME;
XX XX
XX DR WPI; 1995-051992/07.
XX DR

```

PT New oligo-nucleotide(s) that bind to basic fibroblast growth
PR factor - modulating, esp. inhibiting, its activity, useful in
PR treating cancer, preventing metastasis, and diagnosis.
XX
PS
XX Claim 3; Page 25; 44pp; English.
XX
CC The sequences given in AA081642-95 are oligonucleotides which modulate
CC the activity of basic fibroblast growth factor (bFGF) by binding
CC to the bFGF protein. Most esp. the sequences given in AA081664-67
CC represent core sequences of which at least one is present in each of
CC the binding oligos. These oligonucleotides may form a single
CC strand, double strand, a stem-loop structure, a bubble structure, a
CC pseudoknot or a closed, circular structure. bFGF binds to high
CC affinity receptor and low affinity heparin-like molecules on the
CC cell surface. These oligonucleotides bind to bFGF in competition
CC with its receptor and heparin. These oligonucleotides may inhibit
CC or enhance the activity of bFGF. Particularly, they inhibit
CC neovascularisation so they can be used to suppress growth of solid
CC tumours and to reduce the risk of metastasis. They can be used as
CC diagnostic reagents to determine the presence of thrombin, or used in
CC gene therapy.
XX
SQ Sequence 4 BP; 0 A; 2 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
Best Local Smilarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

OY 1 n l
Db 1 c l

Search completed: August 24, 2002, 22:08:16
Job time: 8849 sec

RESULT 2

PCT-US93-00977-702/c
; Sequence 702, Application PC/TUS9300977
; GENERAL INFORMATION:
; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
; NUMBER OF SEQUENCES: 711
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobbe, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patentin Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US93/00977
; FILING DATE: 19930129
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Altman, Daniel E.
; REGISTRATION NUMBER: 34,115
; REFERENCE/DOCKET NUMBER: HITACHI.006H
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 714-760-0404
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 702:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1
; TYPE: NUCLEIC ACID
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA to mRNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 t 1

RESULT 3

US-08-268-679B-8
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHTERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; TITLE OF INVENTION: SYNTHESIS PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/268,679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846,914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719,761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN
; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 0887-4095 US2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 758-4800
; TELEFAX: (212) 751-6849
; TELEX: 421792
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2
; TYPE: NUCLEIC ACID
; STRANDEDNESS: SINGLE
; TOPOLOGY: UNKNOWN
; MOLECULE TYPE:
; DESCRIPTION: OLIGONUCLEOTIDE
; HYPOTHETICAL: NO
; ANTI-SENSE: YES
; ORIGINAL SOURCE: N.A.
; POSITION IN GENOME: N.A.
US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 g 1

RESULT 4

US-08-268-679B-8/c
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHTERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; TITLE OF INVENTION: SYNTHESIS PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/268,679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846,914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719,761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN

; REGISTRATION NUMBER: 29, 323
 ; REFERENCE/DOCKET NUMBER: 0887-4095 US2
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (212) 758-4800
 ; TELEFAX: (212) 751-6849
 ; TELEX: 421792
 ; INFORMATION FOR SEQ ID NO: 8:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2
 ; TYPE: NUCLEIC ACID
 ; STRANDEDNESS: SINGLE
 ; TOPOLOGY: UNKNOWN
 ; MOLECULE TYPE:
 ; DESCRIPTION: OLIGONUCLEOTIDE
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: YES
 ; ORIGINAL SOURCE: N.A.
 ; POSITION IN GENOME: N.A.
 ; US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 2 C 2

RESULT 5
 US-08-457-274A-16
 ; Sequence 16, Application US/08457274A
 ; Patent No. 5734086
 ; GENERAL INFORMATION:
 ; APPLICANT: Scott, Jeffrey G.
 ; APPLICANT: Tomita, Takashi
 ; TITLE OF INVENTION: Cytochrome P450lpr Gene and Its Uses
 ; NUMBER OF SEQUENCES: 29
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Nixon, Hargrave, Devans & Doyle
 ; STREET: P.O. Box 1051, Clinton Square
 ; CITY: Rochester
 ; STATE: New York
 ; COUNTRY: USA
 ; ZIP: 14603
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/457,274A
 ; FILING DATE:
 ; CLASSIFICATION: 800
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Goldman, Michael L.
 ; REGISTRATION NUMBER: 30,727
 ; REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 716-263-1304
 ; TELEFAX: 716-263-1600
 ; INFORMATION FOR SEQ ID NO: 16:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: double
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: NO
 ; ORIGINAL SOURCE:
 ; ORGANISM: Musca domestica
 ; STRAIN: Learn-Pyr
 ; DEVELOPMENTAL STAGE: Adult
 ; POSITION IN GENOME:
 ; CHROMOSOME/SEGMENT: Chromosome 1
 ; US-08-457-274A-16
 ; INFORMATION FOR SEQ ID NO: 16:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: double
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: NO
 ; ORIGINAL SOURCE:
 ; ORGANISM: Musca domestica

; STRAIN: Learn-Pyr
 ; DEVELOPMENTAL STAGE: Adult
 ; POSITION IN GENOME:
 ; CHROMOSOME/SEGMENT: Chromosome 1
 ; US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 A 1

RESULT 6
 US-08-457-274A-16/c
 ; Sequence 16, Application US/08457274A
 ; Patent No. 5734086
 ; GENERAL INFORMATION:
 ; APPLICANT: Scott, Jeffrey G.
 ; APPLICANT: Tomita, Takashi
 ; TITLE OF INVENTION: Cytochrome P450lpr Gene and Its Uses
 ; NUMBER OF SEQUENCES: 29
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Nixon, Hargrave, Devans & Doyle
 ; STREET: P.O. Box 1051, Clinton Square
 ; CITY: Rochester
 ; STATE: New York
 ; COUNTRY: USA
 ; ZIP: 14603
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/457,274A
 ; FILING DATE:
 ; CLASSIFICATION: 800
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Goldman, Michael L.
 ; REGISTRATION NUMBER: 30,727
 ; REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 716-263-1304
 ; TELEFAX: 716-263-1600
 ; INFORMATION FOR SEQ ID NO: 16:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: double
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: DNA (genomic)
 ; HYPOTHETICAL: NO
 ; ANTI-SENSE: NO
 ; ORIGINAL SOURCE:
 ; ORGANISM: Musca domestica
 ; STRAIN: Learn-Pyr
 ; DEVELOPMENTAL STAGE: Adult
 ; POSITION IN GENOME:
 ; CHROMOSOME/SEGMENT: Chromosome 1
 ; US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 2 T 2

RESULT 7

US-08-484-192-16
; Sequence 16, Application US/08484192
; Patent No. 5756291
; GENERAL INFORMATION:
; APPLICANT: GRIFFIN, LINDA C.
; APPLICANT: ALBRECHT, GLENN
; APPLICANT: LATHAM, JOHN
; APPLICANT: LEUNG, LAWRENCE
; APPLICANT: VERMAAS, ERIC
; APPLICANT: TOOLE, JOHN J.
; TITLE OF INVENTION: APTAMERS SPECIFIC FOR BIOMOLECULES AND
; METHODS OF MAKING
; NUMBER OF SEQUENCES: 181
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: PALO ALTO
; STATE: CALIFORNIA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,192
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/934,387
; FILING DATE: 21-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: GRACEY, NANCY J.
; REGISTRATION NUMBER: 28,216
; REFERENCE/DOCKET NUMBER: 246102002221
; TELEPHONE: 415-813-5600
; TELEFAX: 415-494-0792
; TELEX: 706141
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; FEATURE:
; NAME/KEY: misc_difference
; LOCATION: replace(1, "")
; OTHER INFORMATION: /note="This is a biotin-17
; OTHER INFORMATION: nucleotide stretch of abasic residues."
US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 8

US-08-484-192-16/c
; Sequence 16, Application US/08484192
; Patent No. 5756291
; GENERAL INFORMATION:
; APPLICANT: GRIFFIN, LINDA C.
; APPLICANT: ALBRECHT, GLENN

; APPLICANT: LATHAM, JOHN
; APPLICANT: LEUNG, LAWRENCE
; APPLICANT: VERMAAS, ERIC
; APPLICANT: TOOLE, JOHN J.
; TITLE OF INVENTION: APTAMERS SPECIFIC FOR BIOMOLECULES AND
; METHODS OF MAKING
; NUMBER OF SEQUENCES: 181
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORRISON & FOERSTER
; STREET: 755 PAGE MILL ROAD
; CITY: PALO ALTO
; STATE: CALIFORNIA
; COUNTRY: USA
; ZIP: 94304
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/484,192
; FILING DATE:
; CLASSIFICATION: 435
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: US 07/934,387
; FILING DATE: 21-AUG-1992
; ATTORNEY/AGENT INFORMATION:
; NAME: GRACEY, NANCY J.
; REGISTRATION NUMBER: 28,216
; REFERENCE/DOCKET NUMBER: 246102002221
; TELEPHONE: 415-813-5600
; TELEFAX: 415-494-0792
; TELEX: 706141
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; FEATURE:
; NAME/KEY: misc_difference
; LOCATION: replace(1, "")
; OTHER INFORMATION: /note="This is a biotin-17
; OTHER INFORMATION: nucleotide stretch of abasic residues."
US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 2 C 2

RESULT 9

US-08-726-464B-28
; Sequence 28, Application US/08726464B
; Patent No. 5932346
; GENERAL INFORMATION:
; APPLICANT: BARRETT, Ronald W.
; APPLICANT: DOWER, William J.
; APPLICANT: CWIRLA, Steven A.
; APPLICANT: JOHNSON, Sherril S.
; APPLICANT: WRIGHTON, Nicholas C.
; APPLICANT: DUFFIN, David J.
; APPLICANT: WAGSTROM, Christopher R.
; TITLE OF INVENTION: PEPTIDES AND COMPOUNDS THAT BIND TO THE
; THROMBOPOIETIN RECEPTOR
; NUMBER OF SEQUENCES: 58
; CORRESPONDENCE ADDRESS:

ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
STREET: Two Embarcadero Center, 8th Floor
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/726.464B
FILING DATE: 04-OCT-1996
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:
NAME: Garrett-Wackowski, Eugenia
REGISTRATION NUMBER: 37,330
REFERENCE/DOCKET NUMBER: 16528A-024100
TELEPHONE: 415/576-0200
TELEFAX: 415/576-0300
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: nucleic acid
US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 v 1

RESULT 10
US-08-726-464B-28/c
Sequence 28, Application US/08726464B
Patent No. 5932546
GENERAL INFORMATION:
APPLICANT: BARRETT, Ronald W.
APPLICANT: DOWER, William J.
APPLICANT: CWIRLA, Steven A.
APPLICANT: JOHNSON, Sherrill S.
APPLICANT: WRIGHTON, Nicholas C.
APPLICANT: DUFFIN, David J.
APPLICANT: WAGSTROM, Christopher R.
TITLE OF INVENTION: PETIDES AND COMPOUNDS THAT BIND TO THE
TITLE OF INVENTION: THROMBOPOIETIN RECEPTOR
NUMBER OF SEQUENCES: 58
CORRESPONDENCE ADDRESS:
ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
STREET: Two Embarcadero Center, 8th Floor
CITY: San Francisco
STATE: California
COUNTRY: USA
ZIP: 94111-3834
COMPUTER READABLE FORM:
MEDIUM TYPE: Floppy disk
COMPUTER: IBM PC compatible
OPERATING SYSTEM: PC-DOS/MS-DOS
SOFTWARE: PatentIn Release #1.0, Version #1.30
CURRENT APPLICATION DATA:
APPLICATION NUMBER: US/08/726.464B
FILING DATE: 04-OCT-1996
CLASSIFICATION: 514
ATTORNEY/AGENT INFORMATION:

NAME: Garrett-Wackowski, Eugenia
REGISTRATION NUMBER: 37,330
REFERENCE/DOCKET NUMBER: 16528A-024100
TELEPHONE: 415/576-0200
TELEFAX: 415/576-0300
INFORMATION FOR SEQ ID NO: 28:
SEQUENCE CHARACTERISTICS:
LENGTH: 2 base pairs
TYPE: nucleic acid
STRANDEDNESS: single
TOPOLOGY: linear
MOLECULE TYPE: nucleic acid
US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 2 y 2

RESULT 11
US-09-016-520-35
Sequence 35, Application US/09016520A
Patent No. 6127533
GENERAL INFORMATION:
APPLICANT: Cook, Phillip D
APPLICANT: Manoharan, Muthiah
APPLICANT: Kawasaki, Andrew
TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
FILE REFERENCE: ISI52824
CURRENT APPLICATION NUMBER: US/09/016,520A
EARLIER FILING DATE: 1998-01-30
EARLIER FILING DATE: 1997-02-14
NUMBER OF SEQ ID NOS: 47
SOFTWARE: PatentIn Ver. 2.1
SEQ ID NO 35
LENGTH: 2
TYPE: DNA
ORGANISM: Artificial Sequence
FEATURE:
OTHER INFORMATION: Description of Artificial Sequence: Synthetic
OTHER INFORMATION: Sequence
FEATURE:
NAME/KEY: misc_feature
LOCATION: (1)..(2)
OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
US-09-016-520-35

Query Match 0.0%; Score 0; DB 3; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 t 1

RESULT 12
US-09-016-520-35/c
Sequence 35, Application US/09016520A
Patent No. 6127533
GENERAL INFORMATION:
APPLICANT: Cook, Phillip D
APPLICANT: Manoharan, Muthiah
APPLICANT: Kawasaki, Andrew
TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides

; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/016,520A
; CURRENT FILING DATE: 1998-01-30
; EARLIER APPLICATION NUMBER: 60/037,143
; EARLIER FILING DATE: 1997-02-14
; NUMBER OF SEQ ID NOS: 47
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 5-methyl-2'-dimethylaminooxyethoxy
US-09-016-520-35

Query Match 0.0%; Score 0; DB 3; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 2 A 2

RESULT 13
US-09-130-973-35
; Sequence 35, Application US/09130973
; Patent No. 6172209
; GENERAL INFORMATION:
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Cook, Phillip Dan
; APPLICANT: Prakash, Thazha P
; APPLICANT: Kawasaki, Andrew M
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
; TITLE OF INVENTION: Making Same
; FILE REFERENCE: ISIS2955
; CURRENT APPLICATION NUMBER: US/09/130,973
; CURRENT FILING DATE: 1998-08-07
; NUMBER OF SEQ ID NOS: 58
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 2'-dimethylaminooxyethyl thymidine (T-2'-DMAOE)
; OTHER INFORMATION: Description of Artificial Sequence: No. 6172209el
US-09-130-973-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 t 1

RESULT 14
US-09-130-973-35/c
; Sequence 35, Application US/09130973
; Patent No. 6172209
; GENERAL INFORMATION:

; APPLICANT: Manoharan, Muthiah
; APPLICANT: Cook, Phillip Dan
; APPLICANT: Prakash, Thazha P
; APPLICANT: Kawasaki, Andrew M
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
; TITLE OF INVENTION: Making Same
; FILE REFERENCE: ISIS2955
; CURRENT APPLICATION NUMBER: US/09/130,973
; CURRENT FILING DATE: 1998-08-07
; NUMBER OF SEQ ID NOS: 58
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 2'-dimethylaminooxyethyl thymidine (T-2'-DMAOE)
; OTHER INFORMATION: Description of Artificial Sequence: No. 6172209el
US-09-130-973-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 2 A 2

RESULT 15
US-09-477-902-35
; Sequence 35, Application US/09477902
; Patent No. 6194598
; GENERAL INFORMATION:
; APPLICANT: Cook, Phillip D
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Kawasaki, Andrew
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/477,902
; CURRENT FILING DATE: 2000-01-05
; PRIOR APPLICATION NUMBER: 09/016,520
; PRIOR FILING DATE: 1998-01-30
; PRIOR APPLICATION NUMBER: 60/037,143
; PRIOR FILING DATE: 1997-02-14
; NUMBER OF SEQ ID NOS: 47
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 5-methyl-2'-dimethylaminooxyethoxy
US-09-477-902-35

Query Match 0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;


Qy 1 n 1
Db 1 t 1

Mon Aug 26 10:18:08 2002

us-10-077-383-30.rni

Page 7

Search completed: August 24, 2002, 21:57:39
Job time: 21597 sec




```

FT      Xl-2blue; sites NotI + SalI"
FT      /dev_stage="fetal"
FT      /tissue_type="brain"
XX
SQ      Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

      Query Match          0.0%; Score 0; DB 2; Length 1;
      Best Local Similarity 0.0%; Pred. No. 0;
      Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 n 1
DB      1 C 1

RESULT  2
HSM001740/c
ID      HSM001740 standard; RNA; EST; 1 BP.
XX
AC      AL037411;
XX
SV      AL037411.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp564L2071_s1 (from clone DKFZp564L2071)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Bloecker H., Boecher M., Brandt P., Mewes W., Gassenhuber J., Wiemann S.;
RL      Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
XX
MIFS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by GBF within the cDNA
CC      sequencing consortium of the German Genome Project
CC      No r1 sequence available
CC      This clone is available at the RZPD in Berlin
CC      Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC      Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH      Key      Location/Qualifiers
FH      source      1..1
FT      /db_xref="taxon:9606"
FT      /organism="Homo sapiens"
FT      /clone="DKFZp564L2071"
FT      /clone_lib="564 (synonym: hfbr2). Vector pAMP1; host
FT      Xl-2blue; sites NotI + SalI"
FT      /dev_stage="fetal"
FT      /tissue_type="brain"
XX
SQ      Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

      Query Match          0.0%; Score 0; DB 2; Length 1;
      Best Local Similarity 0.0%; Pred. No. 0;
      Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 n 1
DB      1 G 1

RESULT  3
HSM003869
ID      HSM003869 standard; RNA; EST; 1 BP.
XX
AC      AL039393;
XX
SV      AL039393.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434J0410_s1 (from clone DKFZp434J0410)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Duesterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RL      Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
XX
MIFS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by Qiagen within the cDNA
CC      sequencing consortium of the German Genome Project
CC      r1 sequence also available
CC      This clone is available at the RZPD in Berlin
CC      Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC      Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH      Key      Location/Qualifiers
FH      source      1..1
FT      /db_xref="taxon:9606"
FT      /organism="Homo sapiens"
FT      /clone="DKFZp434J0410"
FT      /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT      DHL0B; sites NotI + SalI"
FT      /dev_stage="adult"
FT      /tissue_type="testis"
XX
SQ      Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other;

      Query Match          0.0%; Score 0; DB 2; Length 1;
      Best Local Similarity 0.0%; Pred. No. 0;
      Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY      1 n 1
DB      1 A 1

RESULT  4
HSM003869/c
ID      HSM003869 standard; RNA; EST; 1 BP.
XX
AC      AL039393;
XX
SV      AL039393.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434J0410_s1 (from clone DKFZp434J0410)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.

```

```

XX [1]
RN 1-1
RA Dueterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by Qiagen within the cDNA
CC sequencing consortium of the German Genome Project
CC RI sequence also available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites NotI + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
DB 1 T 1

RESULT 5
HSM005008
ID HSM005008 standard; RNA; EST; 1 BP.
AC AL040532;
XX
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214..1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No SI sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites NotI + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
DB 1 T 1

RESULT 5
HSM005008
ID HSM005008 standard; RNA; EST; 1 BP.
AC AL040532;
XX
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214..1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No SI sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers

```

```

FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites NotI + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
DB 1 C 1

RESULT 6
HSM005008/C
ID HSM005008 standard; RNA; EST; 1 BP.
XX
AC AL040532;
XX
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214..1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No SI sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites NotI + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

```

```

Db      1 G 1

RESULT 7
HSM011115
ID      HSM011115 standard; RNA; EST; 1 BP.
XX
AC      AL046265;
SV
XX      AL046265.1
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT      ;
RL      Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL      MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC      sequencing consortium of the German Genome Project
CC      No sl sequence available
CC      This clone is available at the RZPD in Berlin
CC      Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC      Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH      Key      Location/Qualifiers
FH      source      1. .1
FH      /db_xref="taxon:9606"
FH      /organism="Homo sapiens"
FH      /clone="DKFZp434G017"
FH      /clone_lib="434 (synonym: htes3). Vector pSport1; host
FH      DH10B; sites NotI + SalI"
FH      /dev_stage="adult"
FH      /tissue_type="testis"
XX
SQ      Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match      0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy      1 n 1
Db      1 G 1

RESULT 9
HSM011270
ID      HSM011270 standard; RNA; EST; 1 BP.
XX
AC      AL046420;
XX
SV      AL046420.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT      ;
RL      Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL      MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC      sequencing consortium of the German Genome Project
CC      No sl sequence available
CC      This clone is available at the RZPD in Berlin
XX

Db      1 G 1

RESULT 8
HSM011115/c
ID      HSM011115 standard; RNA; EST; 1 BP.
XX
AC      AL046265;
XX
SV      AL046265.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX

```

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX FH FH Key Location/Qualifiers
 FT source 1. .1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434N037"
 FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites NotI + SalI"
 FT /dev_stage="adult"
 FT /tissue_type="testis"

XX SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 C 1

RESULT 10
 HSM011270/c
 ID HSM011270 standard; RNA; EST; 1 BP.
 XX AC AL046420;
 XX SV AL046420.1
 XX 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
 XX Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)
 DE EST; expressed sequence tag.
 KW Homo sapiens (human)
 XX Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
 OS Eutheria; Primates; Catarrhini; Homiidae; Homo.

XX [1]
 RA Koehler K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
 RL MTPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY

XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No SI sequence available
 CC This clone is available at the RZPD in Berlin
 CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX FH FH Key Location/Qualifiers
 FT source 1. .1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434N037"
 FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites NotI + SalI"
 FT /dev_stage="adult"
 FT /tissue_type="testis"

XX SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 G 1

RESULT 11
 HSM011922
 ID HSM011922 standard; RNA; EST; 1 BP.

XX AC AL047072;
 XX SV AL047072.1

XX 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

XX Homo sapiens mRNA; EST DKFZp586P0817_r1 (from clone DKFZp586P0817)
 DE EST; expressed sequence tag.

XX Homo sapiens (human)
 OS Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Homiidae; Homo.

XX [1]
 RA Koehler K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.

XX MTPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY
 XX Cloned from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No SI sequence available
 CC This clone is available at the RZPD in Berlin
 CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX FH FH Key Location/Qualifiers
 FT source 1. .1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp586P0817"
 FT /clone_lib="586 (synonym: htel). Vector pSport1; host
 FT DH10B; sites NotI + SalI/MluI"
 FT /dev_stage="adult"
 FT /tissue_type="uterus"

XX SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 C 1

RESULT 12
 HSM011922/c
 ID HSM011922 standard; RNA; EST; 1 BP.

XX AC AL047072;
 XX SV AL047072.1

DT 12-MAR-1999 (Rel. 59, Created)
 DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
 XX Homo sapiens mRNA; EST DKFZp586P0817_r1 (from clone DKFZp586P0817)
 XX EST; expressed sequence tag.
 XX Homo sapiens (human)
 OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominoidea; Homo.
 XX [1]
 RN l-1
 RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBI databases.
 RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
 XX Clone from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No sl sequence available
 CC This clone is available at the RZPD in Berlin
 CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
 XX Key Location/Qualifiers
 FH source
 FT 1.1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp586P0817"
 FT /clone_lib="586 (synonym: hutel). Vector pSport1; host
 FT DH10B; sites NotI + SalI/MluI"
 FT /dev_stage="adult"
 FT /tissue_type="uterus"
 XX
 SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

 Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

 QY 1 n 1
 DB 1 G 1

 RESULT 13
 BI416880 1 bp mRNA linear EST 15-AUG-2001
 LOCUS hasp002xj20f Heterobasidion annosum - Scots pine infection stage
 DEFINITION subtraction cDNA library (hasp) Pinus sylvestris/Heterobasidion
 annosum cDNA clone hasp002xj20f, mRNA sequence.
 ACCESSION BI416880
 VERSION BI416880.1 GI:15187903
 KEYWORDS EST.
 SOURCE Pinus sylvestris/Heterobasidion annosum.
 ORGANISM Pinus sylvestris/Heterobasidion annosum.
 Eukaryota; mixed EST libraries.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Asiegbu, F.O., Nahalkova, J., Choi, W., Stenlid, J. and Dean, R.A.
 TITLE Expressed sequence tags of randomly selected cDNA clones from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se
 Seq primer: T7 primer.
 Location/Qualifiers
 1.1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:169015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 Unpublished (2001)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se

Seq primer: T7 primer.
 Location/Qualifiers
 1.1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:169015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (PP5)."
 Heterobasidion annosum (PP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

 QY 1 n 1
 DB 1 N 1

 RESULT 14
 BI416880/c 1 bp mRNA linear EST 15-AUG-2001
 LOCUS hasp002xj20f Heterobasidion annosum - Scots pine infection stage
 DEFINITION subtraction cDNA library (hasp) Pinus sylvestris/Heterobasidion
 annosum cDNA clone hasp002xj20f, mRNA sequence.
 ACCESSION BI416880
 VERSION BI416880.1 GI:15187903
 KEYWORDS EST.
 SOURCE Pinus sylvestris/Heterobasidion annosum.
 ORGANISM Pinus sylvestris/Heterobasidion annosum.
 Eukaryota; mixed EST libraries.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Asiegbu, F.O., Nahalkova, J., Choi, W., Stenlid, J. and Dean, R.A.
 TITLE Expressed sequence tags of randomly selected cDNA clones from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se
 Seq primer: T7 primer.
 Location/Qualifiers
 1.1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:169015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (PP5)."
 Heterobasidion annosum (PP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 15

BI817896

LOCUS

DEFINITION

G3-Q23 Axolotl Lambda Zap Library Ambystoma mexicanum cDNA similar

ACCESSION

BI817896

VERSION

BI817896.1

KEYWORDS

EST

SOURCE

ORGANISM

axolotl.

Ambystoma mexicanum

Eukaryota; Metazoa;

Amphibia; Batrachia;

Ambystomidae;

REFERENCE

AUTHORS

TITLE

JOURNAL

COMMENT

Contact: Voss SR

Department of Biology

Colorado State University

Fort Collins, CO 80523, USA

Tel: 970 491 4869

Fax: 970 491 0649

Email: srvoss@amar.colostate.edu

Single pass sequence from 5' end. Low quality sequence was trimmed

from the ends (PHRED error rate = 5%). Trace file available:

srvoss@amar.colostate.edu.

Location/Qualifiers

1. . 1

source

/organism="Ambystoma mexicanum"

/db_xref="taxon:8296"

/clone_lib="Axolotl Lambda Zap Library"

/tissue_type="Regenerating forelimb"

/dev_stage="Medium-bud blastema"

BASE COUNT

ORIGIN

0 a 1 c 0 g 0 t

Query Match

Best Local Similarity


Matches

Qy 1 n 1

Db 1 c 1

Search completed: August 24, 2002, 21:19:25

Job time: 20528 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:54:45 ; Search time 2108.3 Seconds
(without alignments)
178.684 Million cell updates/sec

Title: US-10-077-383-31

Perfect score: 18

Sequence: 1 agagagagagagagag 18

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 1797656 seqs, 10463268293 residues

Total number of hits satisfying chosen parameters: 3595312

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

GenEmbl.*

1: gb_ba.*

2: gb_htg.*

3: gb_in.*

4: gb_om.*

5: gb_ov.*

6: gb_pat.*

7: gb_ph.*

8: gb_pl.*

9: gb_pr.*

10: gb_ro.*

11: gb_sts.*

12: gb_sv.*

13: gb_un.*

14: gb_vi.*

15: em_ba.*

16: em_fun.*

17: em_hum.*

18: em_in.*

19: em_mu.*

20: em_om.*

21: em_or.*

22: em_ov.*

23: em_pat.*

24: em_ph.*

25: em_pl.*

26: em_ro.*

27: em_sts.*

28: em_un.*

29: em_vi.*

30: em_htg_hum.*

31: em_htg_inv.*

32: em_htg_other.*

33: em_htg_inv.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description

c 1	18	100.0	18	6	AR178168	Sequence
c 2	18	100.0	20	6	AR069073	Sequence
c 3	18	100.0	20	6	AR084583	Sequence
c 4	18	100.0	20	6	AR084604	Sequence
c 5	18	100.0	20	6	I16926	Sequence 1
c 6	18	100.0	21	6	A64735	Sequence 1
c 7	18	100.0	21	6	A64736	Sequence 2
c 8	18	100.0	21	6	A64738	Sequence 4
c 9	18	100.0	21	6	A64739	Sequence 5
c 10	18	100.0	21	6	AX083691	Sequence
c 11	18	100.0	21	6	AX083696	Sequence
c 12	18	100.0	22	6	AX083692	Sequence
c 13	18	100.0	22	6	AX104716	Sequence
c 14	18	100.0	24	6	AR026545	Sequence
c 15	18	100.0	24	6	AR026546	Sequence
c 16	18	100.0	24	6	AR026547	Sequence
c 17	18	100.0	24	6	AR026548	Sequence
c 18	18	100.0	24	6	AR128993	Sequence
c 19	18	100.0	24	6	AR128994	Sequence
c 20	18	100.0	24	6	AR128995	Sequence
c 21	18	100.0	24	6	AR128996	Sequence
c 22	18	100.0	26	6	A51713	Sequence 19
c 23	18	100.0	26	6	AR167592	Sequence
c 24	18	100.0	26	6	AX232384	Sequence
c 25	18	100.0	26	6	E28852	Process for
c 26	18	100.0	27	6	AX175242	Sequence 2
c 27	18	100.0	27	6	I16927	Sequence 2
c 28	18	100.0	28	6	AR142456	Sequence
c 29	18	100.0	32	6	AR002289	Sequence
c 30	18	100.0	32	6	AR053140	Sequence
c 31	18	100.0	38	6	AX207477	Sequence
c 32	18	100.0	41	6	E13926	Primer, 6/1
c 33	18	100.0	41	6	E16035	DNA primer
c 34	18	100.0	43	6	I78646	Sequence 1
c 35	18	100.0	43	6	I78647	Sequence 2
c 36	18	100.0	43	6	I78648	Sequence 3
c 37	18	100.0	43	6	I78649	Sequence 4
c 38	18	100.0	43	6	I78650	Sequence 5
c 39	18	100.0	43	6	I78651	Sequence 6
c 40	18	100.0	43	6	I78652	Sequence 7
c 41	18	100.0	43	6	I78653	Sequence 8
c 42	18	100.0	43	6	I78654	Sequence 9
c 43	18	100.0	43	6	I78656	Sequence 11
c 44	18	100.0	43	6	I78657	Sequence 12
c 45	18	100.0	43	6	I78658	Sequence 13

ALIGNMENTS

RESULT 1	AR178168/c	AR178168	Sequence 4	from patent US 6316186.	18 bp	DNA	1linear	PAT 18-DEC-2001
LOCUS	AR178168	Sequence 4	from patent US 6316186.					
DEFINITION	AR178168	Sequence 4	from patent US 6316186.					
ACCESSION	AR178168	Sequence 4	from patent US 6316186.					
VERSION	AR178168.1	GI:17921061						
KEYWORDS	Unknown.							
SOURCE	Unknown.							
ORGANISM	Unknown.							
REFERENCE	Unclassified.							
AUTHORS	1 (bases 1 to 18)							
TITLE	Exkins,R.Philip.							
JOURNAL	Binding assay using binding agents with tail groups							
FEATURES	Patent: US 6316186-A 4 13-NOV-2001;							
	Location/Qualifiers							
	1..18							
	/organism="unknown"							
BASE COUNT	0 a	9 c	0 g					9 t
ORIGIN								

Query Match 100.0%; Score 18; DB 6; Length 18;
Best Local Similarity 100.0%; Pred. No. 1.7e+02;

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 18 AGAGAGAGAGAGAGAG 1

RESULT 2
AR069073/c
LOCUS AR069073 20 bp DNA PAT 29-SEP-1999
DEFINITION Sequence 23 from patent US 5854410.
ACCESSION AR069073
VERSION AR069073.1 GI:6001280
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 20)
AUTHORS Arnold, L.J. Jr., Reynolds, M.A., Schwartz, D.A. and Daily, W.J.
TITLE Oligonucleoside cleavage compounds and therapies
JOURNAL Patent: US 5854410-A 23 29-DEC-1998;
FEATURES Location/Qualifiers
source 1..20
/organism="unknown"
BASE COUNT 1 a 9 c 9 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 19 AGAGAGAGAGAGAGAG 2

RESULT 3
AR084583
LOCUS AR084583 20 bp DNA PAT 01-SEP-2000
DEFINITION Sequence 72 from patent US 5981185.
ACCESSION AR084583
VERSION AR084583.1 GI:10011354
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 20)
AUTHORS Matson, R.S., Coassin, P.J., Rampal, J.B. and Caskey, C.Thomas.
TITLE Oligonucleotide repeat arrays
JOURNAL Patent: US 5981185-A 72 09-NOV-1999;
FEATURES Location/Qualifiers
source 1..20
/organism="unknown"
BASE COUNT 10 a 0 c 10 g 0 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 1 AGAGAGAGAGAGAGAG 18

RESULT 4
AR084604/c
LOCUS AR084604 20 bp DNA PAT 01-SEP-2000
DEFINITION Sequence 93 from patent US 5981185.
ACCESSION AR084604
VERSION AR084604.1 GI:10011375

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 1 AGAGAGAGAGAGAGAG 18

KEYWORDS Unknown.
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 20)
AUTHORS Matson, R.S., Coassin, P.J., Rampal, J.B. and Caskey, C.Thomas.
TITLE Oligonucleotide repeat arrays
JOURNAL Patent: US 5981185-A 93 09-NOV-1999;
FEATURES Location/Qualifiers
source 1..20
/organism="unknown"
BASE COUNT 0 a 10 c 0 g 10 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 20 AGAGAGAGAGAGAGAG 3

RESULT 5
I16926/c
LOCUS I16926 20 bp DNA PAT 03-APR-1996
DEFINITION Sequence 1 from patent US 5482836.
ACCESSION I16926
VERSION I16926.1 GI:1251834
KEYWORDS
SOURCE Unknown.
ORGANISM Unclassified.
REFERENCE 1 (bases 1 to 20)
AUTHORS Cantor, C.R., Ito, T. and Smith, C.L.
TITLE DNA purification by triplex-affinity capture and affinity capture electrophoresis
JOURNAL Patent: US 5482836-A 1 09-JAN-1996;
FEATURES Location/Qualifiers
source 1..20
/organism="unknown"
BASE COUNT 0 a 10 c 0 g 10 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 20;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 19 AGAGAGAGAGAGAGAG 2

RESULT 6
A64735/c
LOCUS A64735 21 bp DNA PAT 29-MAR-1999
DEFINITION Sequence 1 from patent WO9729116.
ACCESSION A64735
VERSION A64735.1 GI:4530771
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 21)
AUTHORS Reese, C.B. and Rao, M.V.
TITLE SULPHUR CONTAINING DINUCLEOTIDE PHOSPHORAMIDITES
JOURNAL Patent: WO 9729116-A 1 14-AUG-1997;
FEATURES Location/Qualifiers
source 1..21
/organism="unidentified"

BASE COUNT 0 a 10 c 0 g 11 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
|||||
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 7

A64736/c A64736 21 bp DNA 1linear PAT 29-MAR-1999
LOCUS
DEFINITION Sequence 2 from Patent WO9729116.
ACCESSION A64736
VERSION A64736.1 GI:4530772

KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.

REFERENCE 1 (bases 1 to 21)
AUTHORS Reese,C.B. and Rao,M.V.
TITLE SULPHUR CONTAINING DINUCLEOTIDE PHOSPHORAMIDITES
JOURNAL Patent: WO 9729116-A 2 14-AUG-1997;
CRUACHEM LTD (GB)

FEATURES
source Location/Qualifiers
1..21
/organism="unidentified"
/db_xref="taxon:32644"

BASE COUNT 1 a 10 c 0 g 10 t
ORIGIN

Query Match 100.0%; Score 13; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
|||||
Db 20 AGAGAGAGAGAGAGAG 3

RESULT 8

A64738/c A64738 21 bp DNA 1linear PAT 16-OCT-1999
LOCUS
DEFINITION Sequence 4 from Patent WO9729116.
ACCESSION A64738
VERSION A64738.1 GI:4530774

KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.

REFERENCE 1 (bases 1 to 21)
AUTHORS Reese,C.B. and Rao,M.V.
TITLE SULPHUR CONTAINING DINUCLEOTIDE PHOSPHORAMIDITES
JOURNAL Patent: WO 9729116-A 4 14-AUG-1997;
CRUACHEM LTD (GB)

FEATURES
source Location/Qualifiers
1..21
/organism="unidentified"
/db_xref="taxon:32644"

modified_base 2

modified_base 4

modified_base 6

modified_base 8

modified_base 10 /mod_base=OTHER
modified_base 12 /mod_base=OTHER
modified_base 14 /mod_base=OTHER
modified_base 16 /mod_base=OTHER
modified_base 18 /mod_base=OTHER
modified_base 20 /mod_base=OTHER
BASE COUNT 0 a 10 c 0 g 11 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
|||||
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 9

A64739/c A64739 21 bp DNA 1linear PAT 16-OCT-1999
LOCUS
DEFINITION Sequence 5 from Patent WO9729116.
ACCESSION A64739
VERSION A64739.1 GI:4530775

KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.

REFERENCE 1 (bases 1 to 21)
AUTHORS Reese,C.B. and Rao,M.V.
TITLE SULPHUR CONTAINING DINUCLEOTIDE PHOSPHORAMIDITES
JOURNAL Patent: WO 9729116-A 5 14-AUG-1997;
CRUACHEM LTD (GB)

FEATURES
source Location/Qualifiers
1..21
/organism="unidentified"
/db_xref="taxon:32644"

modified_base 2

modified_base 4

modified_base 6

modified_base 8

modified_base 10

modified_base 12

modified_base 14

modified_base 16

modified_base 18

modified_base 20

BASE COUNT 1 a 10 c 0 g 10 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18

```

Db      20 AGAGAGAGAGAGAGAG 3
|||||
RESULT 10
AX083691/c
LOCUS   AX083691
DEFINITION Sequence 5 from Patent WO0110468.
ACCESSION AX083691
VERSION  AX083691.1 GI:13185419
KEYWORDS
SOURCE  synthetic construct.
ORGANISM synthetic construct.
REFERENCE
AUTHORS Papisov,M.I.
TITLE    Drug-carrier complexes and methods of use thereof
JOURNAL  Patent: WO 0110468-A 5 15-FEB-2001;
        THE GENERAL HOSPITAL CORPORATION (US)
FEATURES
source  1..21
        /organism="synthetic construct"
        /db_xref="taxon:32630"
        /note="Synthetic Oligonucleotide"
BASE COUNT 0 a 9 c 0 g 12 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 11
AX083696/c
LOCUS   AX083696
DEFINITION Sequence 10 from Patent WO0110468.
ACCESSION AX083696
VERSION  AX083696.1 GI:13185424
KEYWORDS
SOURCE  synthetic construct.
ORGANISM synthetic construct.
REFERENCE
AUTHORS Papisov,M.I.
TITLE    Drug-carrier complexes and methods of use thereof
JOURNAL  Patent: WO 0110468-A 10 15-FEB-2001;
        THE GENERAL HOSPITAL CORPORATION (US)
FEATURES
source  1..21
        /organism="synthetic construct"
        /db_xref="taxon:32630"
        /note="Synthetic Oligonucleotide"
BASE COUNT 0 a 9 c 0 g 12 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 21;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 21 AGAGAGAGAGAGAGAG 4

RESULT 12
AX083692
LOCUS   AX083692
DEFINITION Sequence 6 from Patent WO0110468.
ACCESSION AX083692
VERSION  AX083692.1 GI:13185420
KEYWORDS
SOURCE  synthetic construct.
ORGANISM synthetic construct.
REFERENCE
AUTHORS Papisov,M.I.
TITLE    Drug-carrier complexes and methods of use thereof
JOURNAL  Patent: WO 0110468-A 6 15-FEB-2001;
        THE GENERAL HOSPITAL CORPORATION (US)
FEATURES
source  1..22
        /organism="synthetic construct"
        /db_xref="taxon:32630"
        /note="Synthetic Oligonucleotide"
BASE COUNT 13 a 0 c 9 g 0 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 1 AGAGAGAGAGAGAGAG 18

RESULT 13
AX104716/c
LOCUS   AX104716
DEFINITION Sequence 908 from Patent WO0122972.
ACCESSION AX104716
VERSION  AX104716.1 GI:13920913
KEYWORDS
SOURCE  synthetic construct.
ORGANISM synthetic construct.
REFERENCE
AUTHORS Krieg,A.M., Schetter,C. and Vollmer,J.C.
TITLE    Immunostimulatory nucleic acids
JOURNAL  Patent: WO 0122972-A 908 05-APR-2001;
        UNIVERSITY OF IOWA RESEARCH FOUNDATION (US) ; Coley Pharmaceutical
        GmbH (DE)
FEATURES
source  1..22
        /organism="synthetic construct"
        /db_xref="taxon:32630"
BASE COUNT 0 a 11 c 0 g 11 t
ORIGIN

Query Match 100.0%; Score 18; DB 6; Length 22;
Best Local Similarity 100.0%; Pred. No. 1.6e+02;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||
Db 22 AGAGAGAGAGAGAGAG 5

RESULT 14
AR026545
LOCUS   AR026545
DEFINITION Sequence 8 from patent US 5856103.
ACCESSION AR026545
VERSION  AR026545.1 GI:5937385
KEYWORDS
SOURCE  Unknown.
ORGANISM Unclassified.

```

REFERENCE 1 (bases 1 to 24)
 AUTHORS Gray, D.M. and Clark, C.L.
 TITLE Method for selectively ranking sequences for antisense targeting
 JOURNAL Patent: US 5856103-A 8 05-JAN-1999;
 FEATURES Location/Qualifiers
 source
 1. .24
 /organism="unknown"

BASE COUNT 12 a 0 c 12 g 0 t
 ORIGIN

Query Match 100.0%; Score 13; DB 6; Length 24;
 Best Local Similarity 100.0%; Pred. No. 1.6e+02;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 1 AGAGAGAGAGAGAGAG 18

RESULT 15
 AR026546/c
 LOCUS AR026546 24 bp DNA linear PAT 29-SEP-1999
 DEFINITION Sequence 9 from patent US 5856103.
 ACCESSION AR026546
 VERSION AR026546.1 GI:5937386
 KEYWORDS
 SOURCE Unknown.
 ORGANISM Unknown.
 Unclassified.


REFERENCE 1 (bases 1 to 24)
 AUTHORS Gray, D.M. and Clark, C.L.
 TITLE Method for selectively ranking sequences for antisense targeting
 JOURNAL Patent: US 5856103-A 9 05-JAN-1999;
 FEATURES Location/Qualifiers
 source
 1. .24
 /organism="unknown"

BASE COUNT 0 a 12 c 0 g 12 t
 ORIGIN

Query Match 100.0%; Score 13; DB 6; Length 24;
 Best Local Similarity 100.0%; Pred. No. 1.6e+02;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 23 AGAGAGAGAGAGAGAG 6

Search completed: August 24, 2002, 21:54:45
 Job time: 22408 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nuclelc - nuclelc search, using sw model

Run on: August 24, 2002, 22:08:16 ; Search time 623.77 Seconds
(without alignments)
49.545 Mllion cell updates/sec

Title: US-10-077-383-31

Perfect score: 18

Sequence: 1 agagagagagagagag 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters: 3472872

Minimum DB seq length: 0

Maximum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Lstlng first 45 summaries

```

Database :
N_CenSeq_032802.*
1: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1980.DAT.*
2: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1981.DAT.*
3: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1982.DAT.*
4: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1983.DAT.*
5: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1984.DAT.*
6: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1985.DAT.*
7: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1986.DAT.*
8: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1987.DAT.*
9: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1988.DAT.*
10: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1989.DAT.*
11: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1990.DAT.*
12: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1991.DAT.*
13: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1992.DAT.*
14: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1993.DAT.*
15: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1994.DAT.*
16: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1995.DAT.*
17: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1996.DAT.*
18: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1997.DAT.*
19: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1998.DAT.*
20: /SID55/gcgdata/geneseq/geneseqn-emb1/NA1999.DAT.*
21: /SID55/gcgdata/geneseq/geneseqn-emb1/NA2000.DAT.*
22: /SID55/gcgdata/geneseq/geneseqn-emb1/NA2001A.DAT
23: /SID55/gcgdata/geneseq/geneseqn-emb1/NA2001B.DAT
24: /SID55/gcgdata/geneseq/geneseqn-emb1/NA2002.DAT.*

```

SUMMARIES

Result No.	Query %		Length	DB	ID	Description
	Score	Match				
C 1	18	100.0	18	20	AAK91065	CAT gene target RN
C 2	18	100.0	20	16	AAK56904	W0526733 target s
C 3	18	100.0	20	18	AAK86582	Phosphorothioate o
C 4	18	100.0	21	18	AAK86583	Phosphorothioate o
C 5	18	100.0	22	13	AAQ33557	Microsatellite seq
C 6	18	100.0	22	22	AAQ99703	Immunostimulatory
C 7	18	100.0	23	23	AAQ33511	Sequence of micros
C 8	18	100.0	24	20	AAK00524	Target sequence #2
C 9	18	100.0	24	20	AAK00526	Poly-pyrimidine ta

ALIGNMENTS

RESULT 1
AAX91065/C
1D AAX91065 standard: RNA: 18 BP.

XX
AC AAX91055:XX
DT 15-NOV-1999 (first entry)

XX	XX	CAT gene target	RNA fragment
NE	NE	NE	NE

XX Phosphonate internucleosidyl linkage; chirality; hybridization; racemic;
KW binding affinity; ss.

XX
OS
Synthetic.XX
PN
IIS5955597-AXX
21-SEP-1999XX
XX
20 - TUNY - 1007. 07810 - 0005100[illegible]

PR 16-NOV-1993; 93US-0154013.

XX

XX
XX
XX (over 1000)

ATLANTA 20, REYNOLDS MR, NRIEY IN, SCHWARTZ DA, VAGNELL MM, XX

XX
WFL; 1999-339000/43.

PT Oligomers made using chirally pure nucleoside dimers, trimers, or

PT tetramers with enhanced binding affinities

XX Example 19; Column 41-42; 30pp; English.

XX The invention provides methods for preparing oligomers having
CC phosphonate internucleosidyl linkages of a preselected chirality which
CC hybridize to a target RNA sequence. The method of making comprises: (a)
CC synthesizing a nucleoside dimer, trimer, or tetramer with racemic
CC internucleosidyl phosphonate linkages; (b) purifying the racemic
CC nucleoside to a chirally pure nucleoside; and (c) sequentially linking at
CC least 2 of the chirally pure nucleosides to form a synthetic oligomer
CC that is enriched for phosphonate internucleosidyl linkages of a
CC preselected chirality and is complementary to an RNA target sequence. The
CC methods are useful for providing chirally enriched synthetic oligomers
CC Rp chirally enriched synthetic oligomers have enhanced binding affinities
CC for RNA compared to oligomers with racemic all methylphosphonate
CC internucleosidyl linkages. Sequences AAX91054-75 represent oligomers
CC chemically synthesized using the method of the invention.

XX Sequence 18 BP; 0 A; 9 C; 0 G; 9 U; 0 other;

Query Match 100.0%; Score 18; DB 20; Length 18;

Best Local Similarity 100.0%; Pred. No. 58;

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||

DB 18 AGAGAGAGAGAGAGAG 1

RESULT 2

AAX56904/C

ID AAX56904 standard; RNA; 20 BP.

XX AAX56904;

XX 15-JUL-1999 (first entry)

DE W09526733 target strand RNA 9.

XX Cleavage; oligonucleoside; target; inter-strand orientation; inhibitor;
KW disease; treatment; internucleotidyl bond cleavage; primer; ss.

XX Synthetic.

XX W09526733-AL.

XX 12-OCT-1995.

XX 31-MAR-1995; 95WO-US03920.

XX 31-MAR-1994; 94US-0223355.

XX (GENT-) GENTA INC.

XX Arnold LJ, Dally WJ, Reynolds MA, Schwartz DA;

XX WPI; 1995-358439/46.

XX Oligo:nucleoside compounds for cleaving RNA - having a sequence that
PT is complementary to a target nucleic acid strand and a
PT non-complementary portion

XX Disclosure; Page 92; 109pp; English.

XX This invention describes a novel oligonucleoside compound for hybridising
CC to a target nucleic acid strand. The oligonucleoside comprises (a) an
CC oligonucleoside sequence that is complementary to a target region or
CC subregion of the target nucleic acid strand and (b) a portion that is
CC non-complementary to a target site in the target region or subregion such
CC that, when the oligonucleoside compound is hybridised to the target
CC strand, a base group at the site is oriented away from an inter-strand

CC orientation. The oligonucleoside and combinations are used for inhibiting
CC production of a selected protein in a cell by effecting cleavage at a
CC site in a target region of cellular RNA that codes for the selected
CC protein. They can be used for treating a condition in a mammal that is
CC caused by the production of a selected protein. The oligonucleosides are
CC target-mRNA-specific and can be used against mRNA specific to a
CC particular disease state. They are relatively harmless to non-targeted
CC nucleic acid. The non-complementary unit enhances internucleotidyl bond
CC cleavage.

XX Sequence 20 BP; 1 A; 9 C; 1 G; 9 U; 0 other;

Query Match 100.0%; Score 18; DB 16; Length 20;

Best Local Similarity 100.0%; Pred. No. 58;

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
|||||

DB 19 AGAGAGAGAGAGAGAG 2

RESULT 3

AAT86582/C

ID AAT86582 standard; DNA; 21 BP.

XX AAT86582;

XX 25-MAR-1998 (first entry)

DE Phosphorothioate oligonucleotide #1.

XX Phosphorothioate oligonucleotide; dimeric phosphoramidite synthon;

KW thioester; DNA synthesis; antisense oligonucleotide; gene therapy;

XX ss.

XX Synthetic.

XX Key Location/Qualifiers

FT misc_difference 1..21

FT /*tag= a

FT /note= "Phosphorothioate linkages between alternate

FT nucleotides (1 and 2, 3 and 4 etc.)"

XX W09729116-A1.

XX 14-AUG-1997.

XX 06-FEB-1997; 97WO-GB00327.

XX 06-FEB-1996; 96GB-0002326.

XX (CRUA-) CRUACHEM LTD.

XX Rao MV, Reese CB;

XX WPI; 1997-415290/38.

XX Solid phase synthesis of phosphorothioate oligonucleotide(s) using
PT new dimeric synthon(s) - useful as anti-sense molecules for
PT inhibiting gene expression

XX Example 3; Page 20; 38pp; English.

XX The present sequence represents a phosphorothioate oligonucleotide which
CC was prepared by solid phase synthesis. The method comprises adding at
CC least one dimeric phosphoramidite synthon, optionally having a protected
CC thioester group in its internucleotide link, during the synthesis cycle.
CC These novel dimeric phosphoramidite synthons are used as antisense
CC molecules for inhibition of gene expression. The method gives increased
CC yields of the phosphorothioate oligonucleotide (since fewer cycles are
CC needed) and facilitates separation of impurities (greater difference
CC in size compared with use of monomeric synthons).


```

XX SQ Sequence 21 BP; 0 A; 10 C; 0 G; 11 T; 0 other;

Query Match 100.0%; Score 18; DB 18; Length 21;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagag 18
    |||||
DB 21 AGAGAGAGAGAGAGAG 4

RESULT 4
AAT86583/C
ID AAT86583 standard; DNA; 21 BP.
XX
AC AAT86583;
XX
DT -25-MAR-1998 (first entry)
XX
DE Phosphorothioate oligonucleotide #2.
XX
KW Phosphorothioate oligonucleotide; dimeric phosphoramidite synthon;
KW thioester; DNA synthesis; antisense oligonucleotide; gene therapy;
KW ss.
XX
OS Synthetic.
XX
FH Key Location/Qualifiers
FT misc_difference 1..21
FT /*tag= a
FT /note= "Phosphorothioate linkages between alternate
XX nucleotides (1 and 2, 3 and 4 etc.)"
PW W09729116-A1.
XX
PD 14-AUG-1997.
XX
PF 06-FEB-1997; 97WO-GB00327.
XX
PR 06-FEB-1996; 96GB-0002326.
XX
PA (CEUA-) CRUCHEM LTD.
XX
PI Rao MV, Reese CB;
XX
DR WPI; 1997-415290/38.
XX
PT Solid phase synthesis of phosphorothioate oligo-nucleotide(s) using
PT new dimeric synthon(s) - useful as anti-sense molecules for
PT inhibiting gene expression
XX
PS Example 3; Page 25; 38pp; English.
XX
CC The present sequence represents a phosphorothioate oligonucleotide which
CC was prepared by solid phase synthesis. The method comprises adding at
CC least one dimeric phosphoramidite synthon, optionally having a protected
CC thioester group in its internucleotide link, during the synthesis cycle.
CC These novel dimeric phosphoramidite synthons are used as antisense
CC molecules for inhibition of gene expression. The method gives increased
CC yields of the phosphorothioate oligonucleotide (since fewer cycles are
CC needed) and facilitates separation of impurities (greater difference
CC in size compared with use of monomeric synthons).
XX
SQ Sequence 21 BP; 1 A; 10 C; 0 G; 10 T; 0 other;

Query Match 100.0%; Score 18; DB 18; Length 21;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagag 18

```

```

|||
DB 20 AGAGAGAGAGAGAGAG 3

RESULT 5
AAQ33557
ID AAQ33557 standard; DNA; 22 BP.
XX
AC AAQ33557;
XX
DT 02-FEB-1993 (first entry)
XX
DE Microsatellite sequence from clone AGLA248.
XX
KW PCR; selection; primers; OPTIPRIM; breeding; cattle; parentage;
KW genetic mapping; traits; amplification; ss.
XX
OS Bos taurus.
XX
FN W09213102-A.
XX
PD 06-AUG-1992.
XX
PF 15-JAN-1992; 92WO-US00340.
XX
PR 15-JAN-1991; 91US-0642342.
XX
PA (GENM-) GENMARK.
XX
PI Georges M, Massey JM;
XX
DR WPI; 1992-284684/34.
XX
PT Polymorphic bovine DNA markers - used in genetic identification,
PT gene mapping, and selective breeding
XX
PS Table 7; Page 151; 517pp; English.
XX
CC The sequence is that of a bovine microsatellite sequence obtd. by
CC screening a library of bovine MboI DNA fragments of between
CC 250 and 500 bp with an (AC)15 and a (TC)15 oligonucleotide probe.
CC One out of 50 clones cross-hybridised. Assuming independent
CC distribution of microsatellites and MboI sites, the frequency of
CC (76)n >9 microsatellites in the bovine genome is estimated at >100,
CC 000. The sequence information for ca. 230 such bovine microsatellites
CC is summarised in the specification and indexed herein (see below).
CC The sequences upstream and downstream of the microsatellite sequence
CC were used to generate the required PCR primers for in vitro
CC amplification of the corresp. microsatellite (using the program
CC OPTIPRIM). The microsatellites may be used to identify individuals,
CC for parentage testing, and in the genetic mapping of economic trait
CC loci, or genes involved in the determination of economically important
CC traits esp. in cattle, to allow selective breeding.
XX
SQ See also AAQ33501-34437.
XX
SQ Sequence 22 BP; 11 A; 0 C; 10 G; 0 U; 1 other;

Query Match 100.0%; Score 18; DB 13; Length 22;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 agagagagagagagagag 18
    |||||
DB 3 agagagagagagagagag 20

RESULT 6
AAF99703/C
ID AAF99703 standard; DNA; 22 BP.
XX
AC AAF99703;
XX

```

DT 12-JUN-2001 (first entry)
 XX Immunostimulatory nucleic acid #819.
 DE
 XX
 KW Vaccine; cytostatic; virucidal; bactericidal; fungicidal; anti-parasitic;
 KW immunostimulatory; tumour; viral infection; bacterial infection;
 KW fungal infection; parasitic infection; cancer; asthma;
 KW infectious disease; allergy; immune deficiency; phosphorothioate; ss.
 XX
 OS Synthetic.
 XX
 XX WO200122972-A2.
 PN
 XX
 XX 05-APR-2001.
 PD
 XX
 XX 25-SEP-2000; 2000WO-US26383.
 PF
 XX
 PR 25-SEP-1999; 99US-0156113.
 PR 27-SEP-1999; 99US-0156135.
 PR 23-AUG-2000; 2000US-0227436.
 PR
 XX
 PA (IOWA) UNIV IOWA RES FOUND.
 PA (COLE-) COLEY PHARM GMBH.
 PI
 XX Krieg AM, Schetter C, Vollmer J;
 XX
 XX WPI; 2001-273485/28.
 DR
 XX
 XX Vaccinating against tumors, infectious diseases, allergies and asthma
 PT using immunostimulatory Py-rich and TG nucleic acids -
 PT
 XX
 PS Claim 101; Page 56; 338pp; English.
 XX
 CC The present invention relates to a method for stimulating an immune
 CC response. The method comprises administering an immunostimulatory nucleic
 CC acid to a non-rodent subject in sufficient quantity to stimulate an
 CC immune response. The present sequence is one such immunostimulatory
 CC nucleic acid. The immunostimulatory nucleic acids can be pyrimidine rich
 CC (py-rich) or thymidine (T) rich. The method is used to vaccinate subjects
 CC against tumour antigens, viral antigens (e.g. herpesviridae, retroviridae
 CC and/or orthomyxoviridae), bacterial antigens (e.g. toxoplasma,
 CC haemophilus, campylobacter, clostridium, Escherichia coli and/or
 CC staphylococcus), fungal antigens and/or parasitic antigens. The method is
 CC also useful for preventing cancer, asthma, infectious disease, allergy or
 CC immune deficiency. The present sequence can also be used to redirect a
 CC Th2 to a Th1 immune response and to activate immune cells.
 CC Note: the present sequence may have a phosphorothioate backbone.
 XX
 SQ Sequence 22 BP; 0 A; 11 C; 0 G; 11 T; 0 other;

Query Match 100.0%; Score 18; DB 22; Length 22;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 DB 22 AGAGAGAGAGAGAGAG 5

RESULT 7
 ID AAQ33511 standard; DNA; 23 BP.
 AC AAQ33511;
 XX
 XX 02-FEB-1993 (first entry)
 DT
 XX
 DE Sequence of microsatellite from clone AGLA209.
 XX
 XX PCR; selection; primers; OPTIPRIM; breeding; cattle; parentage;
 KW genetic mapping; traits; amplification; ss.
 KW
 XX

OS BOS taurus.
 XX
 PN WO9213102-A.
 XX
 XX 06-AUG-1992.
 PD
 XX
 PF 15-JAN-1992; 92WO-US00340.
 XX
 PR 15-JAN-1991; 91US-0642342.
 PR
 XX (GENM-) GENMARK.
 PA
 XX Georges M, Massey JM;
 PI
 XX WPI; 1992-284684/34.
 DR
 XX
 XX Polymorphic bovine DNA markers - used in genetic identification,
 PT gene mapping, and selective breeding
 PT
 XX Table 7; Page 132; 517pp; English.
 PS
 XX The sequence is that of a bovine microsatellite sequence obtd. by
 CC screening a genomic library of bovine MboI DNA fragments of between
 CC 250 and 500 bp with an (AC)15 and a (TC)15 oligonucleotide probe.
 CC One out of 50 clones cross-hybridised. Assuming independent
 CC distribution of microsatellites and MboI sites, the frequency of
 CC (76)n >9 microsatellites in the bovine genome is estimated at >100,
 CC 000. The sequence information for ca. 230 such bovine microsatellites
 CC is summarised in the specification and indexed herein (see below).
 CC The sequences upstream and downstream of the microsatellite sequence
 CC were used to generate the required PCR primers for in vitro
 CC amplification of the corresp. microsatellite (using the program
 CC OPTIPRIM). The microsatellites may be used to identify individuals,
 CC for parentage testing, and in the genetic mapping of economic trait
 CC loci, or genes involved in the determination of economically important
 CC traits esp. in cattle, to allow selective breeding.
 CC See also AAQ33501-34437.
 XX
 SQ Sequence 23 BP; 12 A; 0 C; 11 G; 0 U; 0 other;

Query Match 100.0%; Score 18; DB 13; Length 23;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 DB 1 agagagagagagagagag 18

RESULT 8
 ID AAQ00524 standard; mRNA; 24 BP.
 AC AAQ00524;
 XX
 XX 30-MAR-1999 (first entry)
 DT
 XX
 DE Target sequence #2 for antisense oligonucleotides.
 XX
 XX Target; antisense; selective rank; inhibition; ranking; stability;
 KW interaction; ss.
 KW
 XX Synthetic.
 OS
 XX US5856103-A.
 PN
 XX 05-JAN-1999.
 PD
 XX
 XX 03-MAR-1997; 97US-0808474.
 PF
 XX 03-MAR-1997; 97US-0808474.
 PR
 PR 07-OCT-1994; 94US-0320507.

XX (TEXA) UNIV TEXAS.
 XX Clark CL, Gray DM;
 XX WPI; 1999-105098/09.
 XX
 XX Selectively ranking nucleic acid molecules, for inhibitory
 PT efficiency - comprises determining the fraction a set of
 PT nearest-neighbour nucleic acid base pair types in a target sequence
 PT zone, substituting nearest-neighbour nucleic acid base pair
 PT fractions to determine the fractions and multiplying
 PT
 XX Disclosure; Column 13-14; 72pp; English.
 XX
 XX This sequence represents a target mRNA for the generation of antisense
 CC oligonucleotides (ASO) in a method of selectively ranking nucleic acid
 CC molecules for inhibitory efficiency. The method comprises:
 CC (a) determining the fraction of each of a set of 13 nearest-neighbour
 CC nucleic acid base pair types in a target sequence zone RNA:ASO-DNA hybrid
 CC nucleic acid sequence; (b) substituting nearest-neighbour nucleic acid
 CC base pair fractions into formulas to determine the fractions of each of
 CC a series of 13 nearest-neighbour nucleic acid base pair types to provide
 CC determined fractions; and (c) multiplying the fractions of the 13
 CC nearest-neighbour nucleic acid base pair types by a stability ranking
 CC to the nucleic acid antisense sequence; where the results are ordered
 CC to produce a ranking. The process is used to rank nucleic acid sequences
 CC based on the stability of nucleic acid oligomer binding interactions to
 CC select sequence zones for antisense targeting.
 XX
 SQ Sequence 24 BP; 12 A; 12 C; 12 G; 0 U; 0 other;

Query Match 100.0%; Score 18; DB 20; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 1 agagagagagagagagag 18
 |||||

RESULT 9
 AAX00526/c
 ID AAX00526 standard; mRNA; 24 BP.
 XX
 AC AAX00526;
 XX
 XX 30-MAR-1999 (first entry)
 XX
 XX Poly-pyrimidine target sequence for antisense oligonucleotides.
 DE
 XX Target; antisense; selective rank; inhibition; ranking; stability;
 KW interaction; ss.
 XX
 XX Synthetic.
 XX
 XX US5856103-A.
 XX
 XX 05-JAN-1999.
 PD
 XX 03-MAR-1997; 97US-0808474.
 XX
 XX 03-MAR-1997; 97US-0808474.
 PR 07-OCT-1994; 94US-0320507.
 XX
 XX (TEXA) UNIV TEXAS.
 XX
 XX Clark CL, Gray DM;
 XX WPI; 1999-105098/09.
 XX
 XX Selectively ranking nucleic acid molecules, for inhibitory

PT efficiency - comprises determining the fraction a set of
 PT nearest-neighbour nucleic acid base pair types in a target sequence
 PT zone, substituting nearest-neighbour nucleic acid base pair
 PT fractions to determine the fractions and multiplying
 XX
 PS Disclosure; Column 13-14; 72pp; English.
 XX
 XX This sequence represents a target mRNA for the generation of antisense
 CC oligonucleotides (ASO) in a method of selectively ranking nucleic acid
 CC molecules for inhibitory efficiency. The method comprises:
 CC (a) determining the fraction of each of a set of 13 nearest-neighbour
 CC nucleic acid base pair types in a target sequence zone RNA:ASO-DNA hybrid
 CC nucleic acid sequence; (b) substituting nearest-neighbour nucleic acid
 CC base pair fractions into formulas to determine the fractions of each of
 CC a series of 13 nearest-neighbour nucleic acid base pair types to provide
 CC determined fractions; and (c) multiplying the fractions of the 13
 CC nearest-neighbour nucleic acid base pair types by a stability ranking
 CC to the nucleic acid antisense sequence; where the results are ordered
 CC to produce a ranking. The process is used to rank nucleic acid sequences
 CC based on the stability of nucleic acid oligomer binding interactions to
 CC select sequence zones for antisense targeting.
 XX
 SQ Sequence 24 BP; 0 A; 12 C; 12 G; 12 U; 0 other;

Query Match 100.0%; Score 18; DB 20; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 |||||
 Db 23 AGAGAGAGAGAGAGAG 6

RESULT 10
 AAX00525/c
 ID AAX00525 standard; DNA; 24 BP.
 XX
 AC AAX00525;
 XX
 XX 30-MAR-1999 (first entry)
 XX
 XX Antisense oligonucleotide for poly-purine target sequence.
 DE
 XX Target; antisense; selective rank; inhibition; ranking; stability;
 KW interaction; ss.
 XX
 XX Synthetic.
 XX
 XX US5856103-A.
 XX
 XX 05-JAN-1999.
 PD
 XX 03-MAR-1997; 97US-0808474.
 XX
 XX 03-MAR-1997; 97US-0808474.
 PR 07-OCT-1994; 94US-0320507.
 XX
 XX (TEXA) UNIV TEXAS.
 XX
 XX Clark CL, Gray DM;
 XX WPI; 1999-105098/09.
 XX
 XX Selectively ranking nucleic acid molecules, for inhibitory
 PT efficiency - comprises determining the fraction a set of
 PT nearest-neighbour nucleic acid base pair types in a target sequence
 PT zone, substituting nearest-neighbour nucleic acid base pair
 PT fractions to determine the fractions and multiplying
 XX
 PS Disclosure; Column 13-14; 72pp; English.
 XX
 XX This oligonucleotide represents an antisense oligonucleotides (ASO)

CC targeted to a poly-purine mRNA sequence generated by a method of
 CC selectively ranking nucleic acid molecules for inhibitory efficiency.
 CC The method comprises: (a) determining the fraction of each of a set of
 CC 13 nearest-neighbour nucleic acid base pair types in a target sequence
 CC zone RNA:ASO-DNA hybrid nucleic acid sequence; (b) substituting
 CC nearest-neighbour nucleic acid base pair fractions into formulas to
 CC determine the fractions of each of a series of 13 nearest-neighbour
 CC nucleic acid base pair types to provide determined fractions; and
 CC (c) multiplying the fractions of the 13 nearest-neighbour nucleic acid
 CC base pair types by a stability ranking to the nucleic acid antisense
 CC sequence; where the results are ordered to produce a ranking.
 CC The process is used to rank nucleic acid sequences based on the
 CC stability of nucleic acid oligomer binding interactions to select
 CC sequence zones for antisense targeting.
 XX
 SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 T; 0 other;

Query Match 100.0%; Score 18; DB 20; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 agagagagagagagagag 18
 Db 24 AGAGAGAGAGAGAGAG 7
 |||||

RESULT 11
 AAX00527
 ID AAX00527 standard; DNA; 24 BP.
 XX
 AC AAX00527;
 XX
 DT 30-MAR-1999 (first entry)
 XX
 DE Antisense oligonucleotide for poly-pyrimidine target sequence.
 XX
 KW Target; antisense; selective rank; inhibition; ranking; stability;
 KW interaction; ss.
 XX
 OS Synthetic.
 XX
 PN US5856103-A.
 XX
 PD 05-JAN-1999.
 XX
 PF 03-MAR-1997; 97US-0808474.
 XX
 PR 03-MAR-1997; 97US-0808474.
 PR 07-OCT-1994; 94US-0320507.
 XX
 PA (TEXA) UNIV TEXAS.
 XX
 PI Clark CL, Gray DM;
 XX
 DR WPI; 1999-105098/09.
 XX
 PT Selectively ranking nucleic acid molecules, for inhibitory
 PT efficiency - comprises determining the fraction a set of
 PT nearest-neighbour nucleic acid base pair types in a target
 PT zone, substituting nearest-neighbour nucleic acid base pair
 PT fractions to determine the fractions and multiplying
 XX
 PS Disclosure; Column 13-14; 72pp; English.
 XX

CC This oligonucleotide represents an antisense oligonucleotides (ASO)
 CC targeted to a poly-pyrimidine mRNA sequence generated by a method of
 CC selectively ranking nucleic acid molecules for inhibitory efficiency.
 CC The method comprises: (a) determining the fraction of each of a set of
 CC 13 nearest-neighbour nucleic acid base pair types in a target sequence
 CC zone RNA:ASO-DNA hybrid nucleic acid sequence; (b) substituting
 CC nearest-neighbour nucleic acid base pair fractions into formulas to
 CC determine the fractions of each of a series of 13 nearest-neighbour

CC nucleic acid base pair types to provide determined fractions; and
 CC (c) multiplying the fractions of the 13 nearest-neighbour nucleic acid
 CC base pair types by a stability ranking to the nucleic acid antisense
 CC sequence; where the results are ordered to produce a ranking.
 CC The process is used to rank nucleic acid sequences based on the
 CC stability of nucleic acid oligomer binding interactions to select
 CC sequence zones for antisense targeting.
 XX
 SQ Sequence 24 BP; 12 A; 0 C; 12 G; 0 U; 0 other;

Query Match 100.0%; Score 18; DB 20; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 agagagagagagagagag 18
 Db 2 agagagagagagagagag 19
 |||||

RESULT 12
 AAF57996/C
 ID AAF57996 standard; DNA; 24 BP.
 XX
 AC AAF57996;
 XX
 DT 26-APR-2001 (first entry)
 XX
 DE Nucleic acid triplex DNA sequence #1.
 XX
 KW Hoogsteen-paired duplex; Watson-Crick pairing; triplex;
 KW antisense therapy; gene expression control; transcription; ss.
 XX
 OS Synthetic.
 XX
 PN WO200105937-A2.
 XX
 PD 25-JAN-2001.
 XX
 PF 20-JUL-2000; 2000WO-US19783.
 XX
 PR 20-JUL-1999; 99US-0357424.
 PR 19-JAN-2000; 2000US-0487130.
 XX
 PA (TEXA) UNIV TEXAS.
 XX
 PI Gray DM, Hashem GM;
 XX
 DR WPI; 2001-159523/16.
 XX
 PT Generating nucleic acid molecule comprising Hoogsteen-paired
 PT RNAsteriskDNA pyrimidineesteriskpurine duplex for use as an antisense
 PT molecule, by heating a triplex to dissociate a Watson-Crick paired
 PT pyrimidine strand -

Example 1; Page 9; 23pp; English.
 XX
 CC The present invention describes a method for producing a nucleic acid
 CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being
 CC used as an antisense molecule and capable of recognising an RNA sequence
 CC to form a triplex. This involves Watson-Crick pairing. This is useful in
 CC antisense therapy, as it controls gene expression by causing
 CC transcription to be prevented. The present sequence is an example of a
 CC triplex sequence used in the methods of the invention.
 XX
 SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 T; 0 other;

Query Match 100.0%; Score 18; DB 22; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 agagagagagagagagag 18

Db 24 AGAGAGAGAGAGAGAG 7
|||||

RESULT 13

ID AAF57997 standard; DNA; 24 BP.
AC AAF57997;

DT 26-APR-2001 (first entry)

XX Nucleic acid triplex DNA sequence #2.

DE Hoogsteen-paired duplex; Watson-Crick pairing; triplex;

KW antisense therapy; gene expression control; transcription; ss.

OS Synthetic.

XX WO200105937-A2.

PN 25-JAN-2001.

XX 20-JUL-2000; 2000WO-US19783.

PR 20-JUL-1999; 99US-0357424.

PR 19-JAN-2000; 2000US-0487130.

XX (TEXA) UNIV TEXAS.

XX Gray DM, Hashem GM;

XX WPI; 2001-159523/16.

XX Generating nucleic acid molecule comprising Hoogsteen-paired

PT RNAsteriskDNA pyrimidineasteriskpurine duplex for use as an antisense

PT molecule, by heating a triplex to dissociate a Watson-Crick paired

PT pyrimidine strand -

XX Example 1; Page 9; 23pp; English.

XX The present invention describes a method for producing a nucleic acid
CC molecule comprising a Hoogsteen-paired RNA-DNA duplex capable of being
CC used as an antisense molecule and capable of recognising an RNA sequence
CC to form a triplex. This involves Watson-Crick pairing. This is useful in
CC antisense therapy, as it controls gene expression by causing
CC transcription to be prevented. The present sequence is an example of a
CC triplex sequence used in the methods of the invention.

XX Sequence 24 BP; 12 A; 12 G; 12 C; 12 U; 0 other;

Query Match 100.0%; Score 18; DB 22; Length 24;

Best Local Similarity 100.0%; Pred. No. 58;

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18

Db 1 agagagagagagagag 18

RESULT 14

ID AAF57998 standard; DNA; 24 BP.
AC AAF57998;

DT 26-APR-2001 (first entry)

XX Nucleic acid triplex DNA sequence #3.

DE Hoogsteen-paired duplex; Watson-Crick pairing; triplex;

KW antisense therapy; gene expression control; transcription; ss.

XX Synthetic.
OS WO200105937-A2.
PN 25-JAN-2001.
XX 20-JUL-2000; 2000WO-US19783.
XX 20-JUL-1999; 99US-0357424.
PR 19-JAN-2000; 2000US-0487130.
XX (TEXA) UNIV TEXAS.
XX Gray DM, Hashem GM;
XX WPI; 2001-159523/16.
XX Generating nucleic acid molecule comprising Hoogsteen-paired
PT RNAsteriskDNA pyrimidineasteriskpurine duplex for use as an antisense
PT molecule, by heating a triplex to dissociate a Watson-Crick paired
PT pyrimidine strand -
XX Example 1; Page 9; 23pp; English.
XX The present invention describes a method for producing a nucleic acid
CC molecule comprising a Hoogsteen-paired RNA-DNA duplex capable of being
CC used as an antisense molecule and capable of recognising an RNA sequence
CC to form a triplex. This involves Watson-Crick pairing. This is useful in
CC antisense therapy, as it controls gene expression by causing
CC transcription to be prevented. The present sequence is an example of a
CC triplex sequence used in the methods of the invention.

XX Sequence 24 BP; 0 A; 12 C; 12 G; 12 T; 0 other;

Query Match 100.0%; Score 18; DB 22; Length 24;
Best Local Similarity 100.0%; Pred. No. 58;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18

Db 24 AGAGAGAGAGAGAGAG 7

RESULT 15

ID AAF57999 standard; RNA; 24 BP.
AC AAF57999;

DT 26-APR-2001 (first entry)

XX Nucleic acid triplex RNA sequence #1.

DE Hoogsteen-paired duplex; Watson-Crick pairing; triplex;

KW antisense therapy; gene expression control; transcription; ss.

OS Synthetic.

XX WO200105937-A2.

PN 25-JAN-2001.

XX 20-JUL-2000; 2000WO-US19783.

PR 20-JUL-1999; 99US-0357424.

PR 19-JAN-2000; 2000US-0487130.

XX (TEXA) UNIV TEXAS.

XX Gray DM, Hashem GM;

XX

DR WPI; 2001-159523/16.
 XX
 PT Generating nucleic acid molecule comprising Hoogsteen-paired
 PT RNasesteriskDNA pyrimidineesteriskpurine duplex for use as an antisense
 PT molecule, by heating a triplex to dissociate a Watson-Crick paired
 XX pyrimidine strand -
 PS
 XX Claim 14; Page 17; 23pp; English.
 CC
 CC The present invention describes a method for producing a nucleic acid
 CC molecule comprising a Hoogsteen-paired RNA:DNA duplex capable of being
 CC used as an antisense molecule and capable of recognising an RNA sequence
 CC to form a triplex. This involves Watson-Crick pairing. This is useful in
 CC antisense therapy, as it controls gene expression by causing
 CC transcription to be prevented. The present sequence is an example of a
 CC triplex sequence used in the methods of the invention.
 XX
 SQ Sequence 24 BP; 0 A; 12 C; 0 G; 12 U; 0 other;

Query Match 100.0%; Score 18; DB 22; Length 24;
 Best Local Similarity 100.0%; Pred. No. 58;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 Qy 1 agagagagagagagagag 18
 Db 24 ACAGAGAGAGAGAGAGAG 7

Search completed: August 24, 2002, 22:08:17
 Job time: 8850 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:57:39 ; Search time 159.68 Seconds
(without alignments)
27.689 Million cell updates/sec

Title: US-10-077-383-31

Perfect score: 18

Sequence: 1 agagagagagagagag 18

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 383533 seqs, 122816752 residues

Total number of hits satisfying chosen parameters: 767066

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

Issued_Patents_NA: *
1: /cgn2.6/ptodata/2/lna/5A.COMB.seq.*
2: /cgn2.6/ptodata/2/lna/5B.COMB.seq.*
3: /cgn2.6/ptodata/2/lna/6A.COMB.seq.*
4: /cgn2.6/ptodata/2/lna/6B.COMB.seq.*
5: /cgn2.6/ptodata/2/lna/6C.COMB.seq.*
6: /cgn2.6/ptodata/2/lna/backfiles1.seq.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB ID	Description
C 1	18	100.0	18	2	US-08-885-126-12
C 2	18	100.0	18	4	US-08-700-530-4
C 3	18	100.0	20	1	US-08-004-552-1
C 4	18	100.0	20	2	US-08-223-355-23
C 5	18	100.0	20	2	US-08-863-639A-72
C 6	18	100.0	20	2	US-08-863-639A-93
C 7	18	100.0	24	2	US-08-808-474A-8
C 8	18	100.0	24	2	US-08-808-474A-9
C 9	18	100.0	24	2	US-08-808-474A-10
C 10	18	100.0	24	2	US-08-808-474A-11
C 11	18	100.0	24	4	US-09-235-614-8
C 12	18	100.0	24	4	US-09-235-614-9
C 13	18	100.0	24	4	US-09-235-614-10
C 14	18	100.0	24	4	US-09-235-614-11
C 15	18	100.0	26	4	US-08-860-038-19
C 16	18	100.0	26	4	US-09-580-923-19
C 17	18	100.0	27	1	US-08-004-552-2
C 18	18	100.0	28	1	US-08-946-138-1
C 19	18	100.0	28	1	US-09-225-652-1
C 20	18	100.0	32	1	US-08-469-802B-28
C 21	18	100.0	32	2	US-08-267-803B-46
C 22	18	100.0	36	4	US-09-387-300-31
C 23	18	100.0	43	1	US-08-473-096-1
C 24	18	100.0	43	1	US-08-473-096-2
C 25	18	100.0	43	1	US-08-473-096-3
C 26	18	100.0	43	1	US-08-473-096-4
C 27	18	100.0	43	1	US-08-473-096-5

c 28 18 100.0 43 1 US-08-473-096-6
c 29 18 100.0 43 1 US-08-473-096-7
c 30 18 100.0 43 1 US-08-473-096-8
c 31 18 100.0 43 1 US-08-473-096-9
c 32 18 100.0 43 1 US-08-473-096-11
c 33 18 100.0 43 1 US-08-473-096-12
c 34 18 100.0 43 1 US-08-473-096-13
c 35 18 100.0 43 1 US-08-473-096-14
c 36 18 100.0 43 4 US-09-387-300-35
c 37 18 100.0 44 1 US-08-223-177A-385
c 38 18 100.0 44 4 US-09-240-918-79
c 39 18 100.0 45 1 US-07-912-900-10
c 40 18 100.0 45 1 US-08-285-309-10
c 41 18 100.0 45 1 US-08-313-075A-6
c 42 18 100.0 45 2 US-08-379-556A-11
c 43 18 100.0 45 2 US-08-379-482A-1
c 44 18 100.0 45 2 US-08-502-046-10
c 45 18 100.0 46 1 US-08-249-112-5

ALIGNMENTS

RESULT 1
US-08-885-126-12/c
; Sequence 12, Application US/08885126A
; Patent No. 5955597
; GENERAL INFORMATION:
; APPLICANT: Arnold, Lyle J.
; APPLICANT: Riley, Timothy A.
; APPLICANT: Reynolds, Mark A.
; APPLICANT: Schwartz, David A.
; TITLE OF INVENTION: CHIRALLY ENRICHED SYNTHETIC PHOSPHATE
; TITLE OF INVENTION: OLIGOMERS
; FILE REFERENCE: GENTA.020FW2
; CURRENT APPLICATION NUMBER: US/08/885,126A
; EARLIER FILING DATE: 1997-06-30
; EARLIER APPLICATION NUMBER: 08/343,018
; EARLIER FILING DATE: 1994-11-21
; EARLIER APPLICATION NUMBER: 08/154,013
; EARLIER FILING DATE: 1993-11-16
; NUMBER OF SEQ ID NOS: 22
; SOFTWARE: Fastseq for Windows Version 3.0
; SEQ ID NO 12
; LENGTH: 18
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Chemically synthesized oligomer
US-08-885-126-12

Query Match 100.0%; Score 18; DB 2; Length 18;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagag 18
Db 18 AGAGAGAGAGAGAGAG 1

RESULT 2
US-08-700-530-4/c
; Sequence 4, Application US/08700530
; Patent No. 6316186
; GENERAL INFORMATION:
; APPLICANT: EKINS, Roger P
; TITLE OF INVENTION: Binding assay using binding agents with tail groups
; FILE REFERENCE: 0380-P01800S0
; CURRENT APPLICATION NUMBER: US/08/700,530
; CURRENT FILING DATE: 1996-10-23
; PRIOR APPLICATION NUMBER: PCT/GB95/00521
; PRIOR FILING DATE: 1995-03-10

; PRIOR APPLICATION NUMBER: GB 9404709.9
 ; PRIOR FILING DATE: 1994-03-11
 ; NUMBER OF SEQ ID NOS: 4
 ; SOFTWARE: Patent In Ver. 2.1
 ; SEQ ID NO 4 \
 ; LENGTH: 18
 ; TYPE: DNA
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence:
 ; OTHER INFORMATION: Oligonucleotide
 US-08-700-530-4

Query Match 100.0%; Score 18; DB 4; Length 18;
 Best Local Similarity 100.0%; Pred. No. 5.2;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 18 AGAGAGAGAGAGAGAG 1

RESULT 3
 US-08-004-552-1/c
 ; Sequence 1, Application US/08004552
 ; Patent No. 5482836
 ; GENERAL INFORMATION:
 ; APPLICANT: Cantor, Charles R.
 ; APPLICANT: Ito, Takashi
 ; APPLICANT: Smith, Cassandra L.
 ; TITLE OF INVENTION: DNA PURIFICATION BY TRIPLEX-AFFINITY
 ; TITLE OF INVENTION: CAPTURE AND AFFINITY CAPTURE ELECTROPHORESIS
 ; NUMBER OF SEQUENCES: 4
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Karen S. Smith
 ; STREET: 4 Embarcadero Center, Suite 3400
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: CA 94111

; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/004,552
 ; FILING DATE: 19930114
 ; CLASSIFICATION: 435
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Smith, Karen S.
 ; REGISTRATION NUMBER: 31,426
 ; REFERENCE/DOCKET NUMBER: A-57666/KSS
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (415) 781-1989
 ; TELEFAX: (415) 398-3249
 ; INFORMATION FOR SEQ ID NO: 1:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 20 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: cDNA
 ; FEATURE:
 ; NAME/KEY: misc.feature
 ; LOCATION: 1..20
 ; OTHER INFORMATION: /note= "BPC-20 oligonucleotide,
 ; OTHER INFORMATION: biotinylated at 5'-end."
 US-08-004-552-1

Query Match 100.0%; Score 18; DB 1; Length 20;

Best Local Similarity 100.0%; Pred. No. 5.2;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 19 AGAGAGAGAGAGAGAG 2

RESULT 4
 US-08-223-355-23/c
 ; Sequence 23, Application US/08223355
 ; Patent No. 5854410
 ; GENERAL INFORMATION:
 ; APPLICANT: Arnold Jr., Lyle J.
 ; APPLICANT: Reynolds, Mark A.
 ; APPLICANT: Schwartz, David A.
 ; APPLICANT: Dally, William J.
 ; TITLE OF INVENTION: Oligonucleoside Cleavage Compounds and
 ; TITLE OF INVENTION: Therapies
 ; NUMBER OF SEQUENCES: 27
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Lyon & Lyon
 ; STREET: 611 W. Sixth St.
 ; CITY: Los Angeles
 ; STATE: CA
 ; COUNTRY: USA
 ; ZIP: 90017

; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patent In Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/223,355
 ; FILING DATE: 31-MAR-1994
 ; CLASSIFICATION: 536
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Meier, Paul H.
 ; REGISTRATION NUMBER: 32,274
 ; REFERENCE/DOCKET NUMBER: 200/069
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 213/489-1600
 ; TELEFAX: 213/955-0440
 ; TELEX: 67-3510
 ; INFORMATION FOR SEQ ID NO: 23:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 20 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: other nucleic acid
 ; HYPOTHETICAL: Yes
 ; ANTI-SENSE: NO
 ; FEATURE:
 ; NAME/KEY: R183
 ; OTHER INFORMATION: target strand
 US-08-223-355-23

Query Match 100.0%; Score 18; DB 2; Length 20;
 Best Local Similarity 100.0%; Pred. No. 5.2;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 agagagagagagagagag 18
 Db 19 AGAGAGAGAGAGAGAG 2

RESULT 5
 US-08-863-639A-72
 ; Sequence 72, Application US/08863639A
 ; Patent No. 5981185
 ; GENERAL INFORMATION:

us-10-077-383-31.rni

Mon Aug 26 10:18:14 2002

```

; APPLICANT: Matson, Robert S.
; APPLICANT: Coassin, Peter J.
; APPLICANT: Rampal, Jang B.
; APPLICANT: Caskey, C. T.
; TITLE OF INVENTION: OLIGONUCLEOTIDE REPEAT ARRAYS
; NUMBER OF SEQUENCES: 95
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheldon & Mak
; STREET: 225 South Lake Avenue, 9th Floor
; CITY: Pasadena
; STATE: CA
; COUNTRY: USA
; ZIP: 91101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Windows 95
; SOFTWARE: Corel WordPerfect 8 version
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/863,639A
; FILING DATE: May 28, 1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Joseph E. Mueth
; REGISTRATION NUMBER: 20,532
; REFERENCE/DOCKET NUMBER: 11859-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (626) 796-4000
; TELEFAX: (626) 795-6321
; INFORMATION FOR SEQ ID NO: 72:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 20 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: Other nucleic acid
; US-08-863-639A-72

Query Match 100.0%; Score 18; DB 2; Length 20;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 18
Db 1 AGAGAGAGAGAGAGAGAG 18

RESULT 6
US-08-863-639A-93/C
; Sequence 93, Application US/08863639A
; Patent No. 5981185
; GENERAL INFORMATION:
; APPLICANT: Matson, Robert S.
; APPLICANT: Coassin, Peter J.
; APPLICANT: Rampal, Jang B.
; APPLICANT: Caskey, C. T.
; TITLE OF INVENTION: OLIGONUCLEOTIDE REPEAT ARRAYS
; NUMBER OF SEQUENCES: 95
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Sheldon & Mak
; STREET: 225 South Lake Avenue, 9th Floor
; CITY: Pasadena
; STATE: CA
; COUNTRY: USA
; ZIP: 91101
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Diskette, 3.50 inch, 1.44 Mb storage
; COMPUTER: IBM compatible
; OPERATING SYSTEM: Windows 95
; SOFTWARE: Corel WordPerfect 8 version
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/863,639A

```

```

; FILING DATE: May 28, 1997
; CLASSIFICATION: 435
; ATTORNEY/AGENT INFORMATION:
; NAME: Joseph E. Mueth
; REGISTRATION NUMBER: 20,532
; REFERENCE/DOCKET NUMBER: 11859-1
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (626) 796-4000
; TELEFAX: (626) 795-6321
; INFORMATION FOR SEQ ID NO: 93:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 20 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; MOLECULE TYPE: Other nucleic acid
; US-08-863-639A-93

Query Match 100.0%; Score 18; DB 2; Length 20;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Oy 1 agagagagagagagagag 18
Db 20 AGAGAGAGAGAGAGAGAG 3

RESULT 7
US-08-808-474A-8
; Sequence 8, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; APPLICANT: Clark, Chris L.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; TITLE OF INVENTION: FOR ANTISENSE TARGETING
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent In Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/808,474A
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8000
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
; US-08-808-474A-8

Query Match 100.0%; Score 18; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

Qy 1 aqagagagagagagag 18
Db 1 AGAGAGAGAGAGAGAG 18

RESULT 8
US-08-808-474A-9/c
; Sequence 9, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; OPERATING SYSTEM: IBM PC compatible
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8000
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 9:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-808-474A-9

Query Match 100.0%; Score 18; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 aqagagagagagagag 18
Db 23 AGAGAGAGAGAGAGAG 6

RESULT 9
US-08-808-474A-10/c
; Sequence 10, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:

; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8000
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 10:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-808-474A-10

Query Match 100.0%; Score 18; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 aqagagagagagagag 18
Db 23 AGAGAGAGAGAGAGAG 6

RESULT 10
US-08-808-474A-11
; Sequence 11, Application US/08808474A
; Patent No. 5856103
; GENERAL INFORMATION:
; APPLICANT: Gray, Donald M.
; TITLE OF INVENTION: METHOD FOR SELECTIVELY RANKING SEQUENCES
; NUMBER OF SEQUENCES: 37
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Locke Purnell Rain Harrell
; STREET: 2200 Ross Avenue, Suite 2200
; CITY: Dallas
; STATE: Texas
; COUNTRY: USA
; ZIP: 75201-6776
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.30
; CURRENT APPLICATION DATA:
; FILING DATE: 03-MAR-1997
; ATTORNEY/AGENT INFORMATION:
; NAME: Mayfield, Denise L.
; REGISTRATION NUMBER: 33,732
; REFERENCE/DOCKET NUMBER: UTDAL:001
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (214) 740-8000
; TELEFAX: (214) 740-8800
; INFORMATION FOR SEQ ID NO: 11:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 24 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: single
; TOPOLOGY: linear
US-08-808-474A-11

Query Match 100.0%; Score 18; DB 2; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
DB 1 AGAGAGAGAGAGAGAG 18

RESULT 11
US-09-235-614-8
; Sequence 8, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/66384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 8
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid mRNA
US-09-235-614-8

Query Match 100.0%; Score 18; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
DB 1 agagagagagagagagag 18

RESULT 12
US-09-235-614-9/c
; Sequence 9, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/66384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 9
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid DNA
US-09-235-614-9

Query Match 100.0%; Score 18; DB 4; Length 24;

Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
DB 24 AGAGAGAGAGAGAGAG 7

RESULT 13
US-09-235-614-10/c
; Sequence 10, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/66384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 10
; LENGTH: 24
; TYPE: RNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid mRNA
US-09-235-614-10

Query Match 100.0%; Score 18; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
| | | | | | | | | | | | | | | | | | | | | |
DB 23 AGAGAGAGAGAGAGAG 6

RESULT 14
US-09-235-614-11
; Sequence 11, Application US/09235614
; Patent No. 6183966
; GENERAL INFORMATION:
; APPLICANT: GRAY, DONALD M.
; APPLICANT: CLARK, CHRISTOPHER L.
; TITLE OF INVENTION: AN APPARATUS AND METHOD FOR SELECTIVELY RANKING
; TITLE OF INVENTION: SEQUENCES FOR ANTISENSE TARGETING
; FILE REFERENCE: 91556/66384
; CURRENT APPLICATION NUMBER: US/09/235,614
; CURRENT FILING DATE: 1999-01-22
; PRIOR APPLICATION NUMBER: 08/808,474
; PRIOR FILING DATE: 1997-03-03
; PRIOR APPLICATION NUMBER: 08/320,507
; PRIOR FILING DATE: 1994-10-07
; NUMBER OF SEQ ID NOS: 38
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 11
; LENGTH: 24
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Hybrid DNA
US-09-235-614-11

Query Match 100.0%; Score 18; DB 4; Length 24;
Best Local Similarity 100.0%; Pred. No. 5.2;

Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 Db 2 agagagagagagagagag 19

RESULT 15

US-08-860-038-19/c
 ; Sequence 19, Application US/08860038
 ; Patent No. 6287762
 ; GENERAL INFORMATION:
 ; APPLICANT: CROUZET, Joel
 ; APPLICANT: SCHERMAN, Daniel
 ; APPLICANT: WILS, Pierre
 ; TITLE OF INVENTION: PURIFICATION OF A TRIPLE HELIX FORMATION
 ; TITLE OF INVENTION: WITH AN IMMOBILIZED OLIGONUCLEOTIDE
 ; NUMBER OF SEQUENCES: 25
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: Rhone-Poulenc Rorer Inc.
 ; STREET: 500 Arcola Road, Mailstop 3C43
 ; CITY: Collegeville
 ; STATE: PA
 ; COUNTRY: USA
 ; ZIP: 19426
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/860,038
 ; FILING DATE:
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: FR 94/15162
 ; FILING DATE: 16-DEC-1994
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: WO FR95/01468
 ; FILING DATE: 08-NOV-1995
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: Savitzky Esq., Martin F.
 ; REGISTRATION NUMBER: 29,699
 ; REFERENCE/DOCKET NUMBER: ST94090-US
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: (610) 454-3816
 ; TELEFAX: (610) 454-3808
 ; INFORMATION FOR SEQ ID NO: 19:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 26 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; MOLECULE TYPE: other nucleic acid
 ; DESCRIPTION: /desc = "Oligonucleotide"
 US-08-860-038-19

Query Match 100.0%; Score 18; DB 4; Length 26;
 Best Local Similarity 100.0%; Pred. No. 5.2;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 Db 2 AGAGAGAGAGAGAGAGAG 9

Search completed: August 24, 2002, 21:57:39
 Job time: 21597 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:19:25 ; Search time 4810.92 seconds
(without alignments)
50.499 Million cell updates/sec

Title: US-10-077-383-31

Perfect score: 18

Sequence: 1 agagagagagagagag 18

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 13736207 seqs, 6748477542 residues

Total number of hits satisfying chosen parameters: 27472414

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

EST:*
1: em_estba:*
2: em_esthum:*
3: em_estin:*
4: em_estnu:*
5: em_estov:*
6: em_estpi:*
7: em_estro:*
8: em_hic:*
9: gb_est1:*
10: gb_est2:*
11: gb_hic:*
12: gb_gss:*
13: em_gss_hum:*
14: em_gss_inv:*
15: em_gss_pln:*
16: em_gss_vrt:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
C 1	18	100.0	19	12	AZ489586
C 2	18	100.0	19	12	AZ510952
C 3	18	100.0	19	12	AZ583014
C 4	18	100.0	20	12	AZ433566
C 5	18	100.0	20	12	AZ492997
C 6	18	100.0	20	12	AZ770557
C 7	18	100.0	21	12	AZ394897
C 8	18	100.0	21	12	AZ589098
C 9	18	100.0	21	12	AZ627978
C 10	18	100.0	22	12	AZ464354
C 11	18	100.0	22	12	AZ633751
C 12	18	100.0	23	12	AZ430288
C 13	18	100.0	23	12	AZ822888
C 14	18	100.0	23	12	AZ973926
C 15	18	100.0	25	12	AZ389918
C 16	18	100.0	25	12	AZ510124
C 17	18	100.0	25	12	AZ659095

C 18	100.0	25	12	AZ664804
C 19	100.0	26	12	AZ342914
C 20	100.0	26	12	AZ579594
C 21	100.0	26	12	AZ61486
C 22	100.0	26	12	AZ666145
C 23	100.0	26	12	AZ771239
C 24	100.0	26	12	AZ803946
C 25	100.0	26	12	AZ813253
C 26	100.0	26	12	AZ939813
C 27	100.0	27	12	AZ632991
C 28	100.0	27	12	AZ655531
C 29	100.0	27	12	AZ776487
C 30	100.0	27	12	AZ873739
C 31	100.0	28	12	AZ462549
C 32	100.0	28	12	AZ860136
C 33	100.0	28	12	AZ943199
C 34	100.0	29	12	AZ455946
C 35	100.0	29	12	AZ804183
C 36	100.0	30	12	AZ610578
C 37	100.0	31	12	AZ641732
C 38	100.0	31	12	AZ869598
C 39	100.0	32	12	AZ345558
C 40	100.0	32	12	AZ634653
C 41	100.0	33	12	AZ606035
C 42	100.0	33	12	AZ759124
C 43	100.0	33	12	AZ839021
C 44	100.0	33	12	AZ869302
C 45	100.0	33	12	AZ876021

ALIGNMENTS

RESULT 1
AZ489586/c

LOCUS
DEFINITION

ACCESSION
VERSION

KEYWORDS
SOURCE

ORGANISM

REFERENCE

AUTHORS

TITLE

JOURNAL

COMMENT

AZ489586 19 bp DNA linear GSS 05-OCT-2000
IM0322C12F Mouse 10kb plasmid UUGC1M library Mus musculus genomic
Clone UUGC1M0322C12 F, DNA sequence.

AZ489586
AZ489586.1 GI:10659481

GSS.
house mouse.

Mus musculus
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;

Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
1 (bases 1 to 19)

Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly

,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D., Weiss,R.

Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts

unpublished (2000)
Contact: Robert B. Weiss

University of Utah Genome Center
University of Utah

Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA

Tel: 801 585 5606
Fax: 801 585 7177

Email: ddunn@genetics.utah.edu
Insert length: 10000 Std Error: 0.00

Plate: 0322 row: C column: 12
Seq primer: CTTTGTAAACGACGCCAGT

Class: plasmid ends
High quality sequence stop: 19.

Location/Qualifiers
1..19

/organism="Mus musculus"
/strain="C57BL/6J"

/db_xref="taxon:10090"
/clone="UUGC1M0322C12"

/clone_lib="Mouse 10kb plasmid UUGC1M library"

```

/sex="Male"
/lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M.
musculus C57BL/6J (male) was obtained from the Jackson
Laboratory Mouse DNA Resource
(http://www.jax.org/resources/documents/dnares/). The DNA
was hydrodynamically sheared by repeated passage through a
0.005 inch orifice at constant velocity. The sheared DNA
was blunt end-repaired with T4 DNA polymerase and T4
polynucleotide kinase. Adaptor oligonucleotides were
ligated to the blunt ends in high molar excess. The
adapted DNA was purified and size-selected for a 9.5 to
10.5 kb range using preparative agarose gel
electrophoresis. Vector DNA was prepared from a derivative
of pWD42 (gil4732114|db|AF129072.1), a copy-number
inducible derivative of plasmid R1. The vector was ligated
with adaptors complementary to the insert adaptors and
purified. The sheared, adapted mouse DNA was annealed to
adapted vector DNA, and transformed into
chemically-competent E. coli XL10-Gold (Stratagene) cells
and selected for ampicillin resistance."
BASE COUNT      0 a      10 c      0 g      9 t
ORIGIN

```

```

Query Match      100.0%; Score 18; DB 12; Length 19;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy 1 agagagagagagagag 18
    |||||
Db 18 AGAGAGAGAGAGAGAG 1

```

```

RESULT 2
AZ510952/c
LOCUS
DEFINITION
IM0355G15R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
clone UUGC1M0355G15 R, DNA sequence.
ACCESSION
AZ510952
VERSION
AZ510952.1 GI:10692268
KEYWORDS
GSS.
SOURCE
house mouse.
ORGANISM
Mus musculus

```

```

REFERENCE
1 (bases 1 to 19)
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D., Weiss,R.
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts

```

```

JOURNAL
Unpublished (2000)
COMMENT
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0355 row: G column: 15
Seq primer: CACAGAGAAACGCTATGACC
Class: plasmid ends
High quality sequence stop: 19.
Location/Qualifiers
1..19
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC1M0355G15"

```

```

FEATURES
source

```

```

/clone_lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M.
musculus C57BL/6J (male) was obtained from the Jackson
Laboratory Mouse DNA Resource
(http://www.jax.org/resources/documents/dnares/). The DNA
was hydrodynamically sheared by repeated passage through a
0.005 inch orifice at constant velocity. The sheared DNA
was blunt end-repaired with T4 DNA polymerase and T4
polynucleotide kinase. Adaptor oligonucleotides were
ligated to the blunt ends in high molar excess. The
adapted DNA was purified and size-selected for a 9.5 to
10.5 kb range using preparative agarose gel
electrophoresis. Vector DNA was prepared from a derivative
of pWD42 (gil4732114|db|AF129072.1), a copy-number
inducible derivative of plasmid R1. The vector was ligated
with adaptors complementary to the insert adaptors and
purified. The sheared, adapted mouse DNA was annealed to
adapted vector DNA, and transformed into
chemically-competent E. coli XL10-Gold (Stratagene) cells
and selected for ampicillin resistance."
BASE COUNT      0 a      9 c      0 g      10 t
ORIGIN

```

```

Query Match      100.0%; Score 18; DB 12; Length 19;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

```

```

Qy 1 agagagagagagagag 18
    |||||
Db 19 AGAGAGAGAGAGAGAG 2

```

```

RESULT 3
AZ583014/c
LOCUS
DEFINITION
2M0264H02F Mouse 10kb plasmid UUGC2M library Mus musculus genomic
clone UUGC2M0264H02 F, DNA sequence.
ACCESSION
AZ583014
VERSION
AZ583014.1 GI:13854241
KEYWORDS
GSS.
SOURCE
house mouse.
ORGANISM
Mus musculus

```

```

REFERENCE
1 (bases 1 to 19)
Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
and Wright,D., Weiss,R.
Mouse whole genome scaffolding with paired end reads from 10kb
plasmid inserts

```

```

JOURNAL
Unpublished (2000)
COMMENT
Contact: Robert B. Weiss
University of Utah Genome Center
University of Utah
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT
84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0264 row: H column: 02
Seq primer: CGTGTAAACGACGCGCCAGT
Class: plasmid ends
High quality sequence stop: 19.
Location/Qualifiers
1..19
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"

```

```

FEATURES
source

```

/clone="UUGC2M0264H02"
 /clone_lib="Mouse 10kb plasmid UUGC2M library"
 /sex="Female"
 /lab_host="E. coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: pMD42nv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adapted DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD42 (g1473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adapted mouse DNA was annealed to adapted vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 0 a 9 c 1 g 9 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 19;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagag 18
 Db 19 AGAGAGAGAGAGAGAG 2
 |||||

RESULT 4
 AZ433566/c
 LOCUS 1M0219C02R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 DEFINITION clone UUGC1M0219C02 R, DNA sequence.
 ACCESSION AZ433566
 VERSION 1
 KEYWORDS GSS.
 SOURCE house mouse.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

REFERENCE 1 (bases 1 to 20)
 AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A., and Wright,D., Weiss,R.
 TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts
 JOURNAL Unpublished (2000)
 COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 University of Utah
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
 Tel: 801 585 5606
 Fax: 801 585 7177
 Email: ddunn@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0219 row: C column: 02
 Seq primer: CACACAGGAACAGCTATGACC
 Class: plasmid ends
 High quality sequence stop: 20.
 Location/Qualifiers
 1..20
 /organism="Mus musculus"
 /strain="C57BL/6J"

FEATURES source
 1..20
 /organism="Mus musculus"
 /strain="C57BL/6J"

/db_xref="taxon:10090"
 /clone="UUGC1M0219C02"
 /clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: pMD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adapted DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pMD42 (g1473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adapted mouse DNA was annealed to adapted vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 0 a 10 c 0 g 10 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 20;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagag 18
 Db 20 AGAGAGAGAGAGAGAG 3
 |||||

RESULT 5
 AZ492997/c
 LOCUS 1M032724F Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 DEFINITION clone UUGC1M0327K24 F, DNA sequence.
 ACCESSION AZ492997
 VERSION 1
 KEYWORDS GSS.
 SOURCE house mouse.
 ORGANISM Mus musculus
 Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

REFERENCE 1 (bases 1 to 20)
 AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A., and Wright,D., Weiss,R.
 TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts
 JOURNAL Unpublished (2000)
 COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 University of Utah
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
 Tel: 801 585 5606
 Fax: 801 585 7177
 Email: ddunn@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0327 row: K column: 24
 Seq primer: CGTTGTAACAGCGCCAGT
 Class: plasmid ends
 High quality sequence stop: 20.
 Location/Qualifiers
 1..20
 /organism="Mus musculus"

FEATURES source
 1..20
 /organism="Mus musculus"

```

/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0572K24"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gii14732114|gbi|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      0 a      10 c      0 g      10 t
ORIGIN

Query Match      100.0%; Score 18; DB 12; Length 20;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagag 18
   |||||
Db 19 AGAGAGAGAGAGAGAG 2

RESULT 6
LOCUS AZ770557 20 bp DNA linear GSS 16-FEB-2001
DEFINITION LM0572N08F Mouse 10kb plasmid UUGCLM library Mus musculus genomic clone UUGCLM0572N08 F, DNA sequence.
ACCESSION AZ770557
VERSION AZ770557.1 GI:12891863
KEYWORDS GSS.
SOURCE house mouse.
ORGANISM Mus musculus
REFERENCE 1 (bases 1 to 20)
AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamll,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A. and Wright,D.,Weiss,R.
TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts
JOURNAL Unpublished (2000)
COMMENT Contact: Robert B. Weiss
University of Utah Genome Center
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0572 row: N column: 08
Seq primer: CGTGTGAAACGAGCGGCGAGT
Class: plasmid ends
High quality sequence stop: 20.
Location/Qualifiers
1. .20
FEATURES
source

```

```

/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGCLM0572N08"
/clone_lib="Mouse 10kb plasmid UUGCLM library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of pWD42 (gii14732114|gbi|AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT      0 a      10 c      0 g      10 t
ORIGIN

Query Match      100.0%; Score 18; DB 12; Length 20;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagag 18
   |||||
Db 19 AGAGAGAGAGAGAGAG 2

RESULT 7
LOCUS AZ394897/c 21 bp DNA linear GSS 03-OCT-2000
DEFINITION LM0158H11R Mouse 10kb plasmid UUGCLM library Mus musculus genomic clone UUGCLM0158H11 R, DNA sequence.
ACCESSION AZ394897
VERSION AZ394897.1 GI:10509969
KEYWORDS GSS.
SOURCE house mouse.
ORGANISM Mus musculus
REFERENCE 1 (bases 1 to 21)
AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamll,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A. and Wright,D.,Weiss,R.
TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts
JOURNAL Unpublished (2000)
COMMENT Contact: Robert B. Weiss
University of Utah Genome Center
Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
Tel: 801 585 5606
Fax: 801 585 7177
Email: ddunn@genetics.utah.edu
Insert Length: 10000 Std Error: 0.00
Plate: 0158 row: H column: 11
Seq primer: CACACAGGAAACAGCTATGACC
Class: plasmid ends
High quality sequence stop: 21.
Location/Qualifiers

```



```

SOURCE          1. .21
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC1M0158H11"
/clone.lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gii1473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT    0 a 10 c 0 g 11 t
ORIGIN

Query Match      100.0%; Score 18; DB 12; Length 21;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY  1 agagagagagagagag 18
    |||
Db   21 AGAGAGAGAGAGAGAG 4

RESULT 8
LOCUS   A2589098          21 bp DNA linear GSS 13-DEC-2000
DEFINITION  LM0387B19R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
clone UUGC1M0397B19 R, DNA sequence.
ACCESSION  A2589098
VERSION    A2589098.1 GI:11711288
KEYWORDS   GSS.
SOURCE     house mouse.
ORGANISM   Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE  1 (bases 1 to 21)
AUTHORS   Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
            Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
            M., Rose,M., Rose,R., Stokes,F., Tingey,A., von Niederhausern,A.
            and Wright,D., Weiss,R.
TITLE     Mouse whole genome scaffolding with paired end reads from 10kb
            plasmid inserts
JOURNAL   Unpublished (2000)
COMMENT   Contact: Robert B. Weiss
            University of Utah Genome Center
            University of Utah
            Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SIC, UT
            84112, USA
            Tel: 801 585 5606
            Fax: 801 585 7177
            Email: ddunn@genetics.utah.edu
            Insert Length: 10000 Std Error: 0.00
            Plate: 0397 row: B column: 19
            Seq primer: CACACAGGAACAGCTATGACC
            Class: plasmid ends
            High quality sequence stop: 21.

FEATURES             source
Location/Qualifiers
1. .21
/organism="Mus musculus"
/strain="C57BL/6J"
/db_xref="taxon:10090"
/clone="UUGC1M0397B19"
/clone.lib="Mouse 10kb plasmid UUGC1M library"
/sex="Male"
/lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
/notes="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gii1473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."
BASE COUNT    11 a 0 c 10 g 0 t
ORIGIN

Query Match      100.0%; Score 18; DB 12; Length 21;
Best Local Similarity 100.0%; Pred. No. 3.5e+03;
Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY  1 agagagagagagagag 18
    |||
Db   1 AGAGAGAGAGAGAGAG 18

RESULT 9
LOCUS   A2627978          21 bp DNA linear GSS 13-DEC-2000
DEFINITION  LM0476L04F Mouse 10kb plasmid UUGC1M library Mus musculus genomic
clone UUGC1M0476L04 F, DNA sequence.
ACCESSION  A2627978
VERSION    A2627978.1 GI:11750168
KEYWORDS   GSS.
SOURCE     house mouse.
ORGANISM   Mus musculus
            Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi;
            Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
REFERENCE  1 (bases 1 to 21)
AUTHORS   Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
            Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly
            M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
            and Wright,D., Weiss,R.
TITLE     Mouse whole genome scaffolding with paired end reads from 10kb
            plasmid inserts
JOURNAL   Unpublished (2000)
COMMENT   Contact: Robert B. Weiss
            University of Utah Genome Center
            University of Utah
            Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SIC, UT
            84112, USA
            Tel: 801 585 5606
            Fax: 801 585 7177
            Email: ddunn@genetics.utah.edu
            Insert Length: 10000 Std Error: 0.00
            Plate: 0476 row: L column: 04
            Seq primer: CGTTGTAAACAGCGCCAGT
            Class: plasmid ends

```


Seq primer: CGTGTAAACGACGCGCA3T
 Class: plasmid ends
 High quality sequence stop: 22.
 Location/Qualifiers

FEATURES

1..22
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGC1M048911"
 /clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (g1147321141gb1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 0 a 11 c 0 g 11 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 22;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||

Db 21 ACAGAGAGAGAGAGAG 4

RESULT 12
 AZ430288/ 23 bp DNA linear GSS 03-OCT-2000
 LOCUS
 DEFINITION 1M0214012R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 Clone UUGC1M0214012 R, DNA sequence.

ACCESSION AZ430288
 VERSION AZ430288.1 GI:10554301
 KEYWORDS GSS.

SOURCE house mouse.
 ORGANISM Mus musculus

REFERENCE
 AUTHORS Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 1 (bases 1 to 23)
 Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
 Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Rellly
 ,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
 and Wright,D.,Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb

plasmid inserts

Unpublished (2000)

CONTACT: Robert B. Weiss

University of Utah Genome Center

84112, USA

Tel: 801 585 5606

Fax: 801 585 7177

Email: ddunn@genetics.utah.edu

Insert Length: 10000 Std Error: 0.00

Plate: 0214 row: 0 column: 12
 Seq primer: CACACAGAAACAGCTATGACC
 Class: plasmid ends
 High quality sequence stop: 23.
 Location/Qualifiers

FEATURES

source

1..23
 /organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUGC1M0214012"
 /clone_lib="Mouse 10kb plasmid UUGC1M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, T1-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (g1147321141gb1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 0 a 10 c 0 g 13 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 23;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||

Db 23 AGACAGAGAGAGAGAG 5

RESULT 13
 AZ822888/ 23 bp DNA linear GSS 20-FEB-2001
 LOCUS
 DEFINITION 2M0096G06R Mouse 10kb plasmid UUGC1M library Mus musculus genomic
 Clone UUGC2M0096G06 R, DNA sequence.

ACCESSION AZ822888
 VERSION AZ822888.1 GI:12992796
 KEYWORDS GSS.

SOURCE house mouse.
 ORGANISM Mus musculus

REFERENCE
 AUTHORS Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.
 1 (bases 1 to 23)
 Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C.,
 Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Rellly
 ,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A.
 and Wright,D.,Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb

plasmid inserts

Unpublished (2000)

CONTACT: Robert B. Weiss

University of Utah Genome Center

84112, USA

Tel: 801 585 5606

Fax: 801 585 7177

Email: ddunn@genetics.utah.edu

Insert Length: 10000 Std Error: 0.00

Insert Length: 10000 Std Error: 0.00
 Plate: 0096 row: G column: 06
 Seq primer: CACAGAGAACACGATGACC
 Class: plasmid ends
 High quality sequence stop: 23.
 Location/Qualifiers
 1. .23

FEATURES

source

/organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUC2M0096G06"
 /clone_lib="Mouse 10kb plasmid UUC2M library"
 /sex="Male"
 /lab_host="E. Coli strain XL10-Gold, Tl-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (male) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gil473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 11 a 0 c 12 g 0 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 23;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 Db 2 AGAGAGAGAGAGAGAG 19

RESULT 14

AZ973926/c
 LOCUS 2M0248N15F Mouse 10kb plasmid UUC2M library Mus musculus genomic
 DEFINITION clone UUC2M0248N15 F, DNA sequence.

ACCESSION AZ973926.1 GI:13845153
 VERSION
 KEYWORDS GSS.

SOURCE house mouse.
 ORGANISM Mus musculus

REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A., and Wright,D., Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts

JOURNAL Unpublished (2000)

COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
 Tel: 801 585 5606
 Fax: 801 585 7177

Email: ddunne@genetics.utah.edu
 Insert Length: 10000 Std Error: 0.00
 Plate: 0248 row: N column: 15
 Seq primer: CGTTGTAACACGAGCCGAGT
 Class: plasmid ends
 High quality sequence stop: 23.
 Location/Qualifiers
 1. .23

FEATURES

source

/organism="Mus musculus"
 /strain="C57BL/6J"
 /db_xref="taxon:10090"
 /clone="UUC2M0248N15"
 /clone_lib="Mouse 10kb plasmid UUC2M library"
 /sex="Female"
 /lab_host="E. coli strain XL10-Gold, Tl-resistant, F-"
 /note="Vector: PWD42nv; Purified genomic DNA from M. musculus C57BL/6J (female) was obtained from the Jackson Laboratory Mouse DNA Resource (http://www.jax.org/resources/documents/dnares/). The DNA was hydrodynamically sheared by repeated passage through a 0.005 inch orifice at constant velocity. The sheared DNA was blunt end-repaired with T4 DNA polymerase and T4 polynucleotide kinase. Adaptor oligonucleotides were ligated to the blunt ends in high molar excess. The adaptor DNA was purified and size-selected for a 9.5 to 10.5 kb range using preparative agarose gel electrophoresis. Vector DNA was prepared from a derivative of PWD42 (gil473211419b1AF129072.1), a copy-number inducible derivative of plasmid R1. The vector was ligated with adaptors complementary to the insert adaptors and purified. The sheared, adaptor mouse DNA was annealed to adaptor vector DNA, and transformed into chemically-competent E. coli XL10-Gold (Stratagene) cells and selected for ampicillin resistance."

BASE COUNT 1 a 11 c 1 g 10 t
 ORIGIN

Query Match 100.0%; Score 18; DB 12; Length 23;
 Best Local Similarity 100.0%; Pred. No. 3.5e+03;
 Matches 18; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

QY 1 agagagagagagagagag 18
 |||||
 Db 22 AGAGAGAGAGAGAGAGAG 5

RESULT 15

AZ389918/c
 LOCUS 1M0151E05F Mouse 10kb plasmid UUC2M library Mus musculus genomic
 DEFINITION clone UUG1M0151E05 F, DNA sequence.

ACCESSION AZ389918.1 GI:10503626
 VERSION
 KEYWORDS GSS.

SOURCE house mouse.
 ORGANISM Mus musculus

REFERENCE Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia; Eutheria; Rodentia; Sciurognathi; Muridae; Murinae; Mus.

AUTHORS Dunn,D., Aoyagi,A., Barber,M., Beacorn,T., Duval,B., Hamil,C., Islam,H., Longacre,S., Mahmoud,M., Meenen,E., Pedersen,T., Reilly,M., Rose,M., Rose,R., Stokes,R., Tingey,A., von Niederhausern,A., and Wright,D., Weiss,R.

TITLE Mouse whole genome scaffolding with paired end reads from 10kb plasmid inserts

JOURNAL Unpublished (2000)

COMMENT Contact: Robert B. Weiss
 University of Utah Genome Center
 Rm. 308, Biomedical Polymers Research Bldg., 20 S. 2030 E., SLC, UT 84112, USA
 Tel: 801 585 5606

GenCore version 4.5
Copyright (c) 1993 - 2000 Compugen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:54:45 ; Search time 2108.3 Seconds
(without alignments)
178.664 Million cell updates/sec

Title: US-10-077-383-33
Sequence: 18
1 nnnnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC
Gapop 10.0 , Gapext 1.0

Searched: 1797656 seqs, 10463268293 residues

Total number of hits satisfying chosen parameters: 3595312

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database :

GenEmbl :

- 1: gb_ba:*
- 2: gb_htg:*
- 3: gb_in:*
- 4: gb_om:*
- 5: gb_ov:*
- 6: gb_pat:*
- 7: gb_ph:*
- 8: gb_pi:*
- 9: gb_pr:*
- 10: gb_ro:*
- 11: gb_sts:*
- 12: gb_sy:*
- 13: gb_un:*
- 14: gb_vl:*
- 15: em_ba:*
- 16: em_fun:*
- 17: em_hum:*
- 18: em_in:*
- 19: em_mu:*
- 20: em_om:*
- 21: em_or:*
- 22: em_ov:*
- 23: em_pat:*
- 24: em_ph:*
- 25: em_pl:*
- 26: em_ro:*
- 27: em_sts:*
- 28: em_un:*
- 29: em_vi:*
- 30: em_htg_hum:*
- 31: em_htg_inv:*
- 32: em_htg_other:*
- 33: em_htgo_inv:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Match	Length	DB ID	Description

1	0	0.0	1	6	A95992	A95992 Sequence 25
2	0	0.0	1	6	A95992	A95992 Sequence 25
3	0	0.0	1	6	A96002	A96002 Sequence 35
4	0	0.0	1	6	A96002	A96002 Sequence 35
5	0	0.0	1	6	A96012	A96012 Sequence 45
6	0	0.0	1	6	A96012	A96012 Sequence 45
7	0	0.0	1	6	A96022	A96022 Sequence 55
8	0	0.0	1	6	A96022	A96022 Sequence 55
9	0	0.0	1	6	A96040	A96040 Sequence 73
10	0	0.0	1	6	A96040	A96040 Sequence 73
11	0	0.0	1	6	A96058	A96058 Sequence 91
12	0	0.0	1	6	A96058	A96058 Sequence 91
13	0	0.0	1	6	A96076	A96076 Sequence 10
14	0	0.0	1	6	A96076	A96076 Sequence 10
15	0	0.0	1	6	A96086	A96086 Sequence 11
16	0	0.0	1	6	A96086	A96086 Sequence 11
17	0	0.0	1	6	A96096	A96096 Sequence 12
18	0	0.0	1	6	A96096	A96096 Sequence 12
19	0	0.0	1	6	A96112	A96112 Sequence 14
20	0	0.0	1	6	A96112	A96112 Sequence 14
21	0	0.0	1	6	A96136	A96136 Sequence 16
22	0	0.0	1	6	A96136	A96136 Sequence 16
23	0	0.0	1	6	A96160	A96160 Sequence 19
24	0	0.0	1	6	A96160	A96160 Sequence 19
25	0	0.0	1	6	A96170	A96170 Sequence 20
26	0	0.0	1	6	A96170	A96170 Sequence 20
27	0	0.0	1	6	A96190	A96190 Sequence 22
28	0	0.0	1	6	A96190	A96190 Sequence 22
29	0	0.0	1	6	A96196	A96196 Sequence 22
30	0	0.0	1	6	A96196	A96196 Sequence 22
31	0	0.0	1	6	A96204	A96204 Sequence 23
32	0	0.0	1	6	A96204	A96204 Sequence 23
33	0	0.0	1	6	A96222	A96222 Sequence 25
34	0	0.0	1	6	A96222	A96222 Sequence 25
35	0	0.0	1	6	A96240	A96240 Sequence 27
36	0	0.0	1	6	A96240	A96240 Sequence 27
37	0	0.0	1	6	A96258	A96258 Sequence 29
38	0	0.0	1	6	A96258	A96258 Sequence 29
39	0	0.0	1	6	A96300	A96300 Sequence 33
40	0	0.0	1	6	A96300	A96300 Sequence 33
41	0	0.0	1	6	A96318	A96318 Sequence 35
42	0	0.0	1	6	A96318	A96318 Sequence 35
43	0	0.0	1	6	A96328	A96328 Sequence 36
44	0	0.0	1	6	A96328	A96328 Sequence 36
45	0	0.0	1	6	A96354	A96354 Sequence 38

ALIGNMENTS

RESULT	1					
A95992		A95992	1 bp	DNA	linear	PAT 07-SEP-2000
LOCUS		Sequence 25 from Patent WO924578.				
DEFINITION		A95992				
ACCESSION		A95992.1				
VERSION		GI:6779888				
KEYWORDS		unidentified.				
SOURCE		unclassified.				
ORGANISM		unclassified.				
REFERENCE		1 (bases 1 to 1)				
AUTHORS		Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.				
TITLE		Neisserial antigens				
JOURNAL		Patent: WO 924578-A 25 20-MAY-1999;				
		PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);				
		CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)				
FEATURES		Location/Qualifiers				
source		1				
		/organism="unidentified"				
		/db_xref="taxon:32644"				
BASE COUNT		0 a	0 c	0 g	0 t	1 others
ORIGIN						

```

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 2
LOCUS A95992/c A95992 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 25 from Patent WO9924578.
ACCESSION A95992
VERSION A95992.1 GI:6779888
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 9924578-A 25 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 3
LOCUS A96002 A96002 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 35 from Patent WO9924578.
ACCESSION A96002
VERSION A96002.1 GI:6779893
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 9924578-A 35 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 4
LOCUS A96002/c A96002 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 35 from Patent WO9924578.
ACCESSION A96002
VERSION A96002.1 GI:6779893
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 9924578-A 35 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 5
LOCUS A96012 A96012 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 45 from Patent WO9924578.
ACCESSION A96012
VERSION A96012.1 GI:6779898
KEYWORDS
SOURCE unidentified.
ORGANISM unidentified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 9924578-A 45 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)
FEATURES
source 1
/organism="unidentified"
/db_xref="taxon:32644"
BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match          0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 6
LOCUS A96012/c A96012 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 45 from Patent WO9924578.

```


BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

/organism="unidentified"
/db_xref="taxon:32644"

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 11
LOCUS A96058 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 91 from Patent WO924578.
ACCESSION A96058
VERSION A96058.1 GI:6779921
KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 91 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
1 Location/Qualifiers

source
/organism="unidentified"
/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 12
LOCUS A96058 1 bp DNA linear PAT 07-SEP-2000
DEFINITION Sequence 91 from Patent WO924578.
ACCESSION A96058
VERSION A96058.1 GI:6779921
KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 91 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
1 Location/Qualifiers

source
/organism="unidentified"
/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;

Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 13
LOCUS A96076 1 bp DNA linear PAT 08-SEP-2000
DEFINITION Sequence 109 from Patent WO924578.
ACCESSION A96076
VERSION A96076.1 GI:6779930
KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 109 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
1 Location/Qualifiers

source
/organism="unidentified"
/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 n 1

RESULT 14
LOCUS A96076/c 1 bp DNA linear PAT 08-SEP-2000
DEFINITION Sequence 109 from Patent WO924578.
ACCESSION A96076
VERSION A96076.1 GI:6779930
KEYWORDS
SOURCE unidentified.
ORGANISM unclassified.
REFERENCE 1 (bases 1 to 1)
AUTHORS Pizza, M., Scarlato, V., Rappuoli, R., Grandi, G. and Masignani, V.
TITLE Neisserial antigens
JOURNAL Patent: WO 924578-A 109 20-MAY-1999;
PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
CHIRON SPA (IT); GRANDI GUIDO (IT); MASIGNANI VEGA (IT)

FEATURES
1 Location/Qualifiers

source
/organism="unidentified"
/db_xref="taxon:32644"

BASE COUNT 0 a 0 c 0 g 0 t 1 others
ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
Best Local Similarity 100.0%; Pred. No. 0;
Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;


Qy 1 n 1
Db 1 n 1

RESULT 15
 A96086
 LOCUS A96086 1 bf DNA linear PAT 07-SEP-2000
 DEFINITION Sequence 119 from Patent WO9924578.
 ACCESSION A96086
 VERSION A96086.1 GI:6779935
 KEYWORDS
 SOURCE unidentified.
 ORGANISM unidentified.
 unclassified.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Pizza,M., Scarlato,V., Rappuoli,R., Grandi,G. and Massignani,V.
 TITLE Neisserial antigens
 JOURNAL Patent: WO 9924578-A 119 20-MAY-1999;
 PIZZA MARIAGRAZIA (IT); SCARLATO VINCENZO (IT); RAPPUOLI RINO (IT);
 CHIRON SPA (IT); GRANDI GUIDO (IT); MASNIGNANI VEGA (IT)
 FEATURES
 source
 1
 /organism="unidentified"
 /db_xref="taxon:3264"
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN

Query Match 0.0%; Score 0; DB 6; Length 1;
 Best Local Similarity 100.0%; Pred. Nc. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 N 1

Search completed: August 24, 2002, 21:54:45
 Job time: 22408 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model.

Run on: August 24, 2002, 22:08:17 ; Search time 623.77 seconds
(without alignments)
49.545 Million cell updates/sec

Title: US-10-077-383-33

Perfect score: 1

Sequence: 1 nnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 1736436 seqs, 858457221 residues

Total number of hits satisfying chosen parameters: 3472872

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

N_Geneseq_032802.*
1: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1980.DAT.*
2: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1981.DAT.*
3: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1982.DAT.*
4: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1983.DAT.*
5: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1984.DAT.*
6: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1985.DAT.*
7: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1986.DAT.*
8: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1987.DAT.*
9: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1988.DAT.*
10: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1989.DAT.*
11: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1990.DAT.*
12: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1991.DAT.*
13: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1992.DAT.*
14: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1993.DAT.*
15: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1994.DAT.*
16: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1995.DAT.*
17: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1996.DAT.*
18: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1997.DAT.*
19: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1998.DAT.*
20: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA1999.DAT.*
21: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA2000.DAT.*
22: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA2001A.DAT.*
23: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA2001B.DAT.*
24: /SIDSS/gcgdata/geneseq/geneseq-emb1/NA2002.DAT.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	0	0.0	1	20	AA57131
2	0	0.0	1	20	AA57131
3	0	0.0	3	9	AA57131
4	0	0.0	3	9	AA57131
5	0	0.0	3	16	AA57131
6	0	0.0	3	16	AA57131
7	0	0.0	3	17	AA57131
8	0	0.0	3	17	AA57131
9	0	0.0	3	21	AA57131

C	10	0	0.0	3	21	AA57131	Human TUB gene pro
C	11	0	0.0	3	22	AA57131	Human breast cance
C	12	0	0.0	3	22	AA57131	Human breast cance
C	13	0	0.0	4	16	AA57131	BRG1 binding oligo
C	14	0	0.0	4	16	AA57131	BRG1 binding oligo
C	15	0	0.0	4	16	AA57131	BRG1 binding oligo
C	16	0	0.0	4	16	AA57131	BRG1 binding oligo
C	17	0	0.0	4	18	AA57131	Probe for target n
C	18	0	0.0	4	18	AA57131	Immunostimulatory
C	19	0	0.0	4	18	AA57131	Immunostimulatory
C	20	0	0.0	4	18	AA57131	Human breast cance
C	21	0	0.0	4	22	AA57131	Human breast cance
C	22	0	0.0	4	22	AA57131	Human breast cance
C	23	0	0.0	4	22	AA57131	Human breast cance
C	24	0	0.0	4	22	AA57131	Human breast cance
C	25	0	0.0	4	22	AA57131	Cyclin binding ham
C	26	0	0.0	4	22	AA57131	Cyclin binding ham
C	27	0	0.0	5	10	AA57131	Synthetic probe fo
C	28	0	0.0	5	10	AA57131	Synthetic probe fo
C	29	0	0.0	5	15	AA57131	CH255 heavy chain
C	30	0	0.0	5	15	AA57131	CH255 heavy chain
C	31	0	0.0	5	16	AA57131	BRG1 binding oligo
C	32	0	0.0	5	16	AA57131	BRG1 binding oligo
C	33	0	0.0	5	16	AA57131	BRG1 binding oligo
C	34	0	0.0	5	16	AA57131	BRG1 binding oligo
C	35	0	0.0	5	17	AA57131	Cleavable replicab
C	36	0	0.0	5	17	AA57131	Cleavable replicab
C	37	0	0.0	5	19	AA57131	Fusarium sp. 18S r
C	38	0	0.0	5	19	AA57131	Fusarium sp. 18S r
C	39	0	0.0	5	19	AA57131	Fungal telomeric n
C	40	0	0.0	5	19	AA57131	Fungal telomeric n
C	41	0	0.0	5	20	AA57131	Oligonucleotide se
C	42	0	0.0	5	20	AA57131	Oligonucleotide se
C	43	0	0.0	5	20	AA57131	Oligonucleotide se
C	44	0	0.0	5	20	AA57131	Oligonucleotide se
C	45	0	0.0	5	20	AA57131	DNA enhancer seque

ALIGNMENTS

RESULT	1
AX57131	AX57131 standard; DNA; 1 BP.
ID	AX57131
XX	AX57131
AC	AX57131
XX	AX57131
DT	22-JUL-1999 (first entry)
XX	Human mutant KCNQ3 primer 26.
XX	KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis;
XX	benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy;
XX	JME; rolandic epilepsy; mutant; treatment; screening; epilepsy;
XX	detection; gene therapy; drug screening; primer; ss.
OS	Synthetic.
OS	Homo sapiens.
XX	WO9921875-A1.
PN	WO9921875-A1.
XX	06-MAY-1999.
PD	06-MAY-1999.
XX	23-OCT-1998; 98WO-US22375.
PF	23-OCT-1998; 98WO-US22375.
XX	24-OCT-1997; 97US-0063147.
PR	24-OCT-1997; 97US-0063147.
XX	(UTAH) UNIV UTAH RES FOUND.
PA	(UTAH) UNIV UTAH RES FOUND.
XX	Charlier C, Leppert MF, Singh NA;
PI	Charlier C, Leppert MF, Singh NA;
XX	WPI; 1999-312938/26.
DR	WPI; 1999-312938/26.
XX	Human TUB gene pro

PT Nucleic acid encoding potassium channels KCNQ2 and 3
 XX Claim 65; Page 151; 195pp; English.

CC This invention describes novel human and mouse potassium channel
 CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode
 CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
 CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
 CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
 CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
 CC proteins themselves in cell-free form) are used to screen for agents that
 CC can be used to treat or prevent these forms of epilepsy. Fragments of the
 CC encoding nucleic acids are used as probes or primers, either for
 CC detecting mutations or for isolation of related sequences, while the
 CC complete sequences may be used in gene therapy to provide wild-type
 CC protein. Antibodies specific for mutant or wild-type proteins are used
 CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
 CC are useful in rational design of drugs and therapeutically (in
 CC replacement therapies). The forms of epilepsy associated with mutations
 CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
 CC manifest), and better treatment options will be available.
 CC AAX57074-X57139 are primers used in the method of the invention.

XX Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 DB 1 a 1

RESULT 2
 AAX57131/C
 ID AAX57131 standard; DNA; 1 BP.

XX AAX57131;

DT 22-JUL-1999 (first entry)

DE Human mutant KCNQ3 primer 26.

XX KCNQ2; KCNQ3; human; murine; potassium channel; diagnosis; prognosis;
 KW benign familial neonatal epilepsy; BFNE; juvenile myotonic epilepsy;
 KW JME; rolandic epilepsy; mutant; treatment; screening; epilepsy;
 KW detection; gene therapy; drug screening; primer; ss.

XX Synthetic.

OS Homo sapiens.

XX WO9921875-A1.

PN 06-MAY-1999.

XX 23-OCT-1998; 98WO-US22375.

XX 24-OCT-1997; 97US-0063147.

XX (UTAH) UNIV UTAH RES FOUND.

XX Charlier C, Leppert MF, Singh NA;

XX WPI; 1999-312938/26.

XX Nucleic acid encoding potassium channels KCNQ2 and 3

XX Claim 65; Page 151; 195pp; English.

XX This invention describes novel human and mouse potassium channel
 CC proteins KCNQ2 and KCNQ3. Detecting mutations in sequences that encode

CC KCNQ2 or KCNQ3, or the loss of one copy of these genes, is used for
 CC diagnosis and prognosis of benign familial neonatal epilepsy (BFNE),
 CC juvenile myotonic epilepsy (JME) or rolandic epilepsy (RE). Cells (or
 CC transgenic animals) that express wild-type or mutant KCNQ2 or 3 (also the
 CC proteins themselves in cell-free form) are used to screen for agents that
 CC can be used to treat or prevent these forms of epilepsy. Fragments of the
 CC encoding nucleic acids are used as probes or primers, either for
 CC detecting mutations or for isolation of related sequences, while the
 CC complete sequences may be used in gene therapy to provide wild-type
 CC protein. Antibodies specific for mutant or wild-type proteins are used
 CC as diagnostic reagents and for drug screening. The KCNQ2 and 3 proteins
 CC are useful in rational design of drugs and therapeutically (in
 CC replacement therapies). The forms of epilepsy associated with mutations
 CC in KCNQ2 and 3 sequences can now be diagnosed early (before symptoms are
 CC manifest), and better treatment options will be available.
 CC AAX57074-X57139 are primers used in the method of the invention.

XX Sequence 1 BP; 1 A; 0 C; 0 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 20; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

DB 1 T 1

RESULT 3

AAN80743
 ID AAN80743 standard; DNA; 3 BP.

XX AAN80743;

DT 10-SEP-1990 (first entry)

XX Sequence encoding complete mature and precursor forms of human tissue
 DE factor heavy chain proteins (hutfh & pre-hutfh, respectively).

XX Human tissue factor heavy chain (hutfh); immunoassays;

XX precursor human tissue factor heavy chain (pre-hutfh);

XX human tissue factor detection.

XX Homo sapiens.

XX Key Location/Qualifiers

XX CDS 34..921

XX /*tag= a

XX /product=pre-hutfh

XX mat_peptide 130..921

XX /*tag= b

XX /product=hutfh

XX WO8807543-A.

XX 06-OCT-1988.

XX 29-MAR-1988; 88WO-US00998.

XX 25-JUN-1987; 87US-0067103.

XX (SCRI-) SCRIPPS CLINIC RES.

XX Eddington TS, Morrissey JH;

XX WPI; 1988-292837/41.

XX P-PSDB; AAP80713.

XX New DNA segment -

XX PT has gene encoding human tissue factor heavy chain protein and is

XX useful for inhibiting coagulation

PS Disclosure; ; pp; English.

XX A DNA segment with a nucleotide sequence from about 130 to about 918 of

CC the sequence given here is claimed. Also claimed are antibodies which

CC immunoreact with huTFH and the claimed peptides (given in AAP80713).

CC The antibodies may be used in immunoassays for detection of huTFH. The

CC claimed peptides may be used to inhibit the binding of huTFH to

CC coagulation factor VII/VIIa in vivo.

XX Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

SQ

Query Match 0.0%; Score 0; DB 9; Length 3;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1

DB 1 n 1

RESULT 4

AA080743/c

ID AA080743 standard; DNA; 3 BP.

XX

AC AA080743;

XX

DT 10-SEP-1990 (first entry)

XX

DE Sequence encoding complete mature and precursor forms of human tissue

DE factor heavy chain proteins (huTFH & pre-huTFH, respectively).

XX

KW Human tissue factor heavy chain (huTFH); immunoassays;

KW precursor human tissue factor heavy chain (pre-huTFH);

KW human tissue factor detection.

XX

OS Homo sapiens.

XX

FH Key Location/Qualifiers

FT 34..921

FT CDS /*tag= a

FT /*product=pre-huTFH

FT mat_peptide 130..921

FT /*tag= b

FT /*product=huTFH

XX

XX W08807543-A.

XX

XX 06-OCT-1988.

XX

XX 29-MAR-1988; 88WO-US00998.

XX

XX 25-JUN-1987; 87US-0067103.

XX

XX (SCRI-) SCRIPPS CLINIC RES.

XX

XX Eddington TS, Morrissey JH;

XX

XX WPI; 1988-292837/41.

XX P-PSDB; AAP80713.

XX

XX New DNA segment -

PT has gene encoding human tissue factor heavy chain protein and is

PT useful for inhibiting coagulation

XX

XX Disclosure; ; pp; English.

XX

CC A DNA segment with a nucleotide sequence from about 130 to about 918 of

CC the sequence given here is claimed. Also claimed are antibodies which

CC immunoreact with huTFH and the claimed peptides (given in AAP80713).

CC The antibodies may be used in immunoassays for detection of huTFH. The

CC claimed peptides may be used to inhibit the binding of huTFH to

CC coagulation factor VII/VIIa in vivo.

XX

SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

XX

Query Match 0.0%; Score 0; DB 9; Length 3;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1

DB 3 N 3

RESULT 5

AA085491

ID AA085491 standard; cDNA; 3 BP.

XX

AC AA085491;

XX

DT 18-AUG-1995 (first entry)

XX

DE Plasmid pEZZ318.thy2.

XX

KW OMTKY3; turkey ovomucoid third domain peptide inhibitor;

KW furin inhibitor; protease inhibitor; pEZZ318.thy2; probe;

KW Escherichia coli; ss.

XX

OS Synthetic.

XX

PN W09502055-A.

XX

PD 19-JAN-1995.

XX

XX 08-JUL-1994; 94WO-US07779.

PF

XX 09-JUL-1993; 93US-0089248.

PR

XX (ANDE/) ANDERSON S.

PA (LASK/) LASKOWSKI M.

XX

PI Anderson S, Laskowski M;

XX

XX WPI; 1995-066900/09.

DR

XX Protein inhibitors of serine proteinase(s), e.g. furin, deriv.

PT from turkey ovomucoid third domain - used as laboratory reagents

PT to study the proteinase(s), or as chemotherapeutic agents to

PT treat diseases associated with them

XX

PS Disclosure; Page 42-45; 66pp; English.

XX

CC In synthetic analogs of turkey ovomucoid domain protein (6-56)

CC (OMTKY3), given in AAR69818-24, the region immediately adjacent to

CC the reactive site peptide bond is mutated to include the consensus

CC sequence of furin or other serine protease. Polynucleotides

CC encoding such analogs are incorporated into pEZZ318.thy2 and

CC expressed in Escherichia coli RV308 (ATCC 31608).

XX

SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 16; Length 3;

Best Local Similarity 100.0%; Pred. No. 0;

Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

OY 1 n 1

DB 1 n 1

RESULT 6

AA085491/c

ID AA085491 standard; cDNA; 3 BP.

XX AC AA085491;
 XX DT 18-AUG-1995 (first entry)
 XX DE Plasmid pEZ2318.thy2.
 XX KW OMTKY3; turkey ovomucoid third domain peptide inhibitor;
 KW furin inhibitor; protease inhibitor; pEZ2318.thy2; probe;
 XX KW Escherichia coli; ss.
 XX OS Synthetic.
 XX PN W09502055-A.
 XX PD 19-JAN-1995.
 XX PF 08-JUL-1994; 94WO-US07779.
 XX PR 09-JUL-1993; 93US-0089248.
 XX PA (ANDE/) ANDERSON S.
 XX PA (LASK/) LASKOWSKI M.
 XX PI Anderson S, Laskowski M;
 XX DR WPI; 1995-066900/09.
 XX PT Protein inhibitors of serine proteinase(s), e.g. furin, deriv.
 PT from turkey ovomucoid third domain - used as laboratory reagents
 PT to study the proteinase(s), or as chemotherapeutic agents to
 PT treat diseases associated with them
 XX PS Disclosure; Page 42-45; 66pp; English.
 XX CC In synthetic analogs of turkey ovomucoid domain protein (6-56)
 CC (OMTKY3), given in AAR69818-24, the region immediately adjacent to
 CC the reactive site peptide bond is mutated to include the consensus
 CC sequence of furin or other serine protease. Polynucleotides
 CC encoding such analogs are incorporated into pEZ2318.thy2 and
 CC expressed in Escherichia coli RV308 (ATCC 31608).
 XX SQ Sequence 3 BP; 0 A; 0 C; 0 G; 0 T; 3 other;

Query Match 0.0%; Score 0; DB 16; Length 3;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 3 N 3

RESULT 7
 AAT33326
 ID AAT33326 standard; RNA; 3 BP.
 XX AC AAT33326;
 XX DT 12-NOV-1996 (first entry)
 XX DE CAPL trinucleotide.
 XX KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
 XX KW osteosarcoma; therapy; ss.
 XX OS Synthetic.
 XX PN W09625499-A1.
 XX PD 22-AUG-1996.
 XX PF 16-FEB-1996; 96WO-US02108.
 XX PR 17-FEB-1995; 95US-0391375.
 XX (HYBR-) HYBRIDON INC.
 XX (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 XX PI Von Hofe E;
 XX DR WPI; 1996-393400/39.
 XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX PS Claim 2; Page 56; 70pp; English.

PF 16-FEB-1996; 96WO-US02108.
 XX PR 17-FEB-1995; 95US-0391375.
 XX (HYBR-) HYBRIDON INC.
 XX (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 XX PI Von Hofe E;
 XX DR WPI; 1996-393400/39.
 XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX PS Claim 2; Page 56; 70pp; English.
 XX CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
 CC expression may include the trinucleotide GUC (AAT33326, given in 5'
 CC to 3' direction) found in codon 14 of CAPL mRNA. These and
 CC other antisense oligonucleotides (AAT33327-36) complementary to
 CC specific regions of the CAPL gene (see also AAT33345), as well as
 CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
 CC patient as a means of inhibiting metastatic cancer.
 XX SQ Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 17; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 c 1

RESULT 8
 AAT33326/c
 ID AAT33326 standard; RNA; 3 BP.
 XX AC AAT33326;
 XX DT 12-NOV-1996 (first entry)
 XX DE CAPL trinucleotide.
 XX KW CAPL; antisense oligonucleotide; ribozyme; cancer; metastasis;
 XX KW osteosarcoma; therapy; ss.
 XX OS Synthetic.
 XX PN W09625499-A1.
 XX PD 22-AUG-1996.
 XX PF 16-FEB-1996; 96WO-US02108.
 XX PR 17-FEB-1995; 95US-0391375.
 XX (HYBR-) HYBRIDON INC.
 XX (NORA-) NORWEGIAN RADIUM HOSPITAL RES FOUND.
 XX PI Agrawal S, Engebraaten O, Fodstad O, Hovig E, Maelandsmo GJ;
 XX PI Von Hofe E;
 XX DR WPI; 1996-393400/39.
 XX PT Synthetic oligo:nucleotide(s) inhibiting CAPL gene expression -
 PT useful to inhibit metastatic cancer, partic. osteosarcoma
 XX PS Claim 2; Page 56; 70pp; English.

CC Novel antisense oligonucleotides capable of inhibiting CAPL gene
 CC expression may include the trinucleotide GUC (AAT33326, given in 5'
 CC to 3' direction) found in codon 14 of CAPL mRNA. These and
 CC other antisense oligonucleotides (AAT33327-36) complementary to
 CC specific regions of the CAPL gene (see also AAT33345), as well as
 CC CAPL-specific ribozymes (AAT33337-40) can be administered to a
 CC patient as a means of inhibiting metastatic cancer.
 XX
 SQ Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 17; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 3 C 3

RESULT 9
 AAA94655
 ID AAA94655 standard; DNA; 3 BP.
 AC
 XX AAA94655;
 XX
 DT 15-JAN-2001 (first entry)
 XX
 DE Human TUB gene probe #2.
 DE
 XX Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 KW
 XX Homo sapiens.
 OS
 XX US6114502-A.
 PN
 XX 05-SEP-2000.
 PD
 XX 27-FEB-1998; 98US-0032365.
 PF
 XX 22-AUG-1996; 96US-0701380.
 PR 04-SEP-1996; 96US-0706292.
 PR 10-APR-1996; 96US-0630592.
 PR 17-SEP-1996; 96US-0714991.
 PR 30-APR-1997; 97US-0850218.
 PR 01-AUG-1997; 97US-0904699.
 PR 17-SEP-1997; 97US-0932306.
 XX
 PA (AXYS-) AXYS PHARM INC.
 XX
 PI North M, Nishina P, Noben-Trauth K, Naggert J;
 XX
 DR WPI; 2000-586483/55.
 XX
 XX Mammalian proteins expressed in retina and brain, useful for producing
 PT antibodies and for diagnosing neurosensory defects including cochlear
 PT degeneration, peripheral retinal degeneration and cone-rod retinal
 PT dystrophy -
 XX
 PS Disclosure; Columns 81-82; 61pp; English.
 XX
 CC The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel
 CC genes of the present invention.
 XX
 SQ Sequence 3 BP; 0 A; 1 C; 1 G; 1 U; 0 other;

CC genes of the present invention.
 SQ Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 21; Length 3;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
 Db 1 g 1

RESULT 10
 AAA94655/C
 ID AAA94655 standard; DNA; 3 BP.
 XX
 AC AAA94655;
 XX
 DT 15-JAN-2001 (first entry)
 XX
 DE Human TUB gene probe #2.
 DE
 XX Human; TULP; neurosensory defect; retina; retinal dystrophy; probe;
 KW TUB; ss.
 KW
 XX Homo sapiens.
 OS
 XX US6114502-A.
 PN
 XX 05-SEP-2000.
 PD
 XX 27-FEB-1998; 98US-0032365.
 PF
 XX 22-AUG-1996; 96US-0701380.
 PR 04-SEP-1996; 96US-0706292.
 PR 10-APR-1996; 96US-0630592.
 PR 17-SEP-1996; 96US-0714991.
 PR 30-APR-1997; 97US-0850218.
 PR 01-AUG-1997; 97US-0904699.
 PR 17-SEP-1997; 97US-0932306.
 XX
 PA (AXYS-) AXYS PHARM INC.
 XX
 PI North M, Nishina P, Noben-Trauth K, Naggert J;
 XX
 DR WPI; 2000-586483/55.
 XX
 XX Mammalian proteins expressed in retina and brain, useful for producing
 PT antibodies and for diagnosing neurosensory defects including cochlear
 PT degeneration, peripheral retinal degeneration and cone-rod retinal
 PT dystrophy -
 XX
 PS Disclosure; Columns 81-82; 61pp; English.
 XX
 CC The present invention relates to human and murine cDNAs from a
 CC neurosensory defect associated gene family. The novel cDNAs are mouse
 CC tub form I (see AAA94629), mouse tub form II (see AAA94630), human TUB
 CC form 6 (see AAA94632), human TUB form 1 (see AAA94633), human TULP1 (see
 CC AAA94635), human TULP2 (see AAA94636), human TULP3 (see AAA94637) and
 CC mouse TULP4 (see AAA94638). The novel coding sequences are useful as
 CC immunogens to raise antibodies that specifically identify TUB/TULP
 CC expressing cells and in drug screening assays directed at neurosensory
 CC defects. The novel proteins encoded by the present sequence can be used
 CC for the treatment of neurosensory degenerative conditions e.g. retinal
 CC dystrophies. The present sequence is a probe used to isolate the novel
 CC genes of the present invention.
 XX
 SQ Sequence 3 BP; 0 A; 0 C; 3 G; 0 U; 0 other;

Query Match 0.0%; Score 0; DB 21; Length 3;

```

Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 C 3

RESULT 11
AAL20244
ID AAL20244 standard; cDNA; 3 BP.
XX AC AAL20244;
XX DT 07-DEC-2001 (first entry)
XX XX Human breast cancer expressed polynucleotide 12701.
XX DE Human; breast cancer; cell marker; cytostatic; ss.
XX KW Homo sapiens.
XX OS WO200151628-A2.
XX PN 19-JUL-2001.
XX XX 10-JAN-2001; 2001WO-US00798.
XX PF 14-JAN-2000; 2000US-0176077.
XX PR 14-MAR-2000; 2000US-0189167.
XX PR 24-MAR-2000; 2000US-0192099.
XX PR 29-MAR-2000; 2000US-0193480.
XX PR 15-MAY-2000; 2000US-0205230.
XX PR 09-JUN-2000; 2000US-0211315.
XX PR 25-JUL-2000; 2000US-0220534.
XX XX (MILL-) MILLENNIUM PREDICTIVE MEDICINE INC.
XX PA Lillie J, Xu Y, Wang Y, Steinmann K;
XX PI WPI; 2001-451856/48.
XX DR New peptide useful as a marker for the diagnosis of breast cancer -
XX PT Claim 1; Page 2245; 3695pp; English.
XX PS The invention relates to human breast cancer expressed polynucleotides
XX CC (AAL07544-AAL26789) and methods of assessing whether a patient is
XX CC afflicted with breast cancer by examining the correlation between the
XX CC expression of certain markers and the cancerous state of breast cells.
XX CC The polynucleotides and encoded polypeptides are potential markers for
XX CC detecting, diagnosing, monitoring, characterising treating and
XX CC potentially preventing breast cancer. The polynucleotides and encoded
XX CC polypeptides are also useful for isolating compounds with cytostatic
XX CC activity.
XX SQ Sequence 3 BP; 1 A; 1 C; 0 G; 1 T; 0 other;

Query Match 0.0%; Score 0; DB 22; Length 3;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 3 A 3

RESULT 13
AAL081664
ID AAQ81664 standard; RNA; 4 BP.
XX AC AAQ81664;
XX DT 29-SEP-1995 (first entry)
XX DE bFGF binding oligomer core sequence #1.
XX KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
XX KW bubble structure; pseudoknot; receptor; heparin; competition;
XX KW inhibition; enhance; neovascularisation; solid tumour; cancer;
XX KW metastasis; diagnosis; gene therapy; ss.
XX OS Synthetic.
XX XX WO9500528-A.
XX PN

```

```

XX PD 05-JAN-1995.
XX PF 17-JUN-1994; 94WO-US06884.
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX PA (PHAR-) PHARMAGENICS INC.
XX PI Beutel BA, Joesten ME;
XX DR WPI; 1995-051992/07.
XX CC
XX CC The sequences given in AAQ81642-95 are oligonucleotides which modulate
XX CC the activity of basic fibroblast growth factor (bFGF) by binding
XX CC to the bFGF protein. Most esp. the sequences given in AAQ81644-67
XX CC represent core sequences of which at least one is present in each of
XX CC the binding oligos. These oligonucleotides may form a single
XX CC strand, double strand, a stem-loop structure, a bubble structure, a
XX CC pseudoknot or a closed, circular structure. bFGF binds to high
XX CC affinity receptor and low affinity heparin-like molecules on the
XX CC cell surface. These oligonucleotides bind to bFGF in competition
XX CC with its receptor and heparin. These oligonucleotides may inhibit
XX CC or enhance the activity of bFGF. Particularly, they inhibit
XX CC neovascularisation so they can be used to suppress growth of solid
XX CC tumours and to reduce the risk of metastasis. They can be used as
XX CC diagnostic reagents to determine the presence of thrombin, or used in
XX CC gene therapy.
XX SQ Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 1 g 1

RESULT 14
AAQ81644/C
ID AAQ81664 standard; RNA; 4 BP.
XX AC AAQ81664;
XX DT 29-SEP-1995 (first entry)
XX DE bFGF binding oligomer core sequence #1.
XX KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
XX KW bubble structure; pseudoknot; receptor; heparin; competition;
XX KW inhibition; enhance; neovascularisation; solid tumour; cancer;
XX KW metastasis; diagnosis; gene therapy; ss.
XX OS Synthetic.
XX PN WO9500528-A.
XX PD 05-JAN-1995.
XX PF 17-JUN-1994; 94WO-US06884.
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX PA (PHAR-) PHARMAGENICS INC.
XX PI Beutel BA, Joesten ME;
XX DR WPI; 1995-051992/07.
XX DR

```

```

XX PA (PHAR-) PHARMAGENICS INC.
XX PI Beutel BA, Joesten ME;
XX DR WPI; 1995-051992/07.
XX CC
XX CC New oligo-nucleotide(s) that bind to basic fibroblast growth
XX CC factor - modulating, esp. inhibiting, its activity, useful in
XX CC treating cancer, preventing metastasis, and diagnosis.
XX PS Claim 3; Page 25; 44pp; English.
XX CC
XX CC The sequences given in AAQ81642-95 are oligonucleotides which modulate
XX CC the activity of basic fibroblast growth factor (bFGF) by binding
XX CC to the bFGF protein. Most esp. the sequences given in AAQ81644-67
XX CC represent core sequences of which at least one is present in each of
XX CC the binding oligos. These oligonucleotides may form a single
XX CC strand, double strand, a stem-loop structure, a bubble structure, a
XX CC pseudoknot or a closed, circular structure. bFGF binds to high
XX CC affinity receptor and low affinity heparin-like molecules on the
XX CC cell surface. These oligonucleotides bind to bFGF in competition
XX CC with its receptor and heparin. These oligonucleotides may inhibit
XX CC or enhance the activity of bFGF. Particularly, they inhibit
XX CC neovascularisation so they can be used to suppress growth of solid
XX CC tumours and to reduce the risk of metastasis. They can be used as
XX CC diagnostic reagents to determine the presence of thrombin, or used in
XX CC gene therapy.
XX SQ Sequence 4 BP; 0 A; 1 C; 2 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1
Db 4 G 4

RESULT 15
AAQ81665
ID AAQ81665 standard; RNA; 4 BP.
XX AC AAQ81665;
XX DT 29-SEP-1995 (first entry)
XX DE bFGF binding oligomer core sequence #2.
XX KW Basic; fibroblast growth factor; bFGF; stem-loop structure;
XX KW bubble structure; pseudoknot; receptor; heparin; competition;
XX KW inhibition; enhance; neovascularisation; solid tumour; cancer;
XX KW metastasis; diagnosis; gene therapy; ss.
XX OS Synthetic.
XX PN WO9500528-A.
XX PD 05-JAN-1995.
XX PF 17-JUN-1994; 94WO-US06884.
XX PR 18-JUN-1993; 93US-0079677.
XX PR 07-JAN-1994; 94US-0179491.
XX PA (PHAR-) PHARMAGENICS INC.
XX PI Beutel BA, Joesten ME;
XX DR WPI; 1995-051992/07.
XX DR

```

PT New oligo-nucleotide(s) that bind to basic fibroblast growth
 PT factor - modulating, esp. inhibiting, its activity, useful in
 PT treating cancer, preventing metastasis, and diagnosis.

XX
 PS Claim 3; Page 25; 44pp; English.

XX
 CC The sequences given in AAQ81642-95 are oligonucleotides which modulate
 CC the activity of basic fibroblast growth factor (bFGF) by binding
 CC to the bFGF protein. Most esp. the sequences given in AAQ81664-67
 CC represent core sequences of which at least one is present in each of
 CC the binding oligos. These oligonucleotides may form a single
 CC strand, double strand, a stem-loop structure, a bubble structure, a
 CC pseudoknot or a closed, circular structure. bFGF binds to high
 CC affinity receptor and low affinity heparin-like molecules on the
 CC cell surface. These oligonucleotides bind to bFGF in competition
 CC with its receptor and heparin. These oligonucleotides may inhibit
 CC or enhance the activity of bFGF. Particularly, they inhibit
 CC neovascularisation so they can be used to suppress growth of solid
 CC tumours and to reduce the risk of metastasis. They can be used as
 CC diagnostic reagents to determine the presence of thrombin, or used in
 CC gene therapy.

XX
 SQ Sequence 4 BP; 0 A; 2 C; 1 G; 1 U; 0 other;

Query Match 0.0%; Score 0; DB 16; Length 4;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 c 1

Search completed: August 24, 2002, 22:08:17
 Job time: 8850 sec

GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:57:39 ; Search time 159.68 Seconds
(without alignments)
27.689 Million cell updates/sec

Title: US-10-077-383-33
Perfect score: 18
Sequence: 1 nnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC
Gapex 10.0 , Gapext 1.0

Searched: 383533 seqs, 122816752 residues

Total number of hits satisfying chosen parameters: 767066

Minimum DB seq length: 0
Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%
Maximum Match 100%
Listing first 45 summaries

Database : Issued_Patents_NA.*
1: /cgn2.6/ptodata/2/ina/ia-COMB.seq.*
2: /cgn2.6/ptodata/2/ina/ib-COMB.seq.*
3: /cgn2.6/ptodata/2/ina/ia-COMB.seq.*
4: /cgn2.6/ptodata/2/ina/ib-COMB.seq.*
5: /cgn2.6/ptodata/2/ina/ptus-COMB.seq.*
6: /cgn2.6/ptodata/2/ina/hackfiles1.seq.*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	ID	Description
1	0	0.0	1	5	PCT-US93-00977-702
2	0	0.0	1	5	PCT-US93-00977-702
3	0	0.0	2	1	US-08-268-679B-8
4	0	0.0	2	1	US-08-268-679B-8
5	0	0.0	2	1	US-08-457-274A-16
6	0	0.0	2	1	US-08-457-274A-16
7	0	0.0	2	1	US-08-484-192-16
8	0	0.0	2	1	US-08-484-192-16
9	0	0.0	2	2	US-08-726-464B-28
10	0	0.0	2	2	US-08-726-464B-28
11	0	0.0	2	3	US-09-016-520-35
12	0	0.0	2	3	US-09-016-520-35
13	0	0.0	2	4	US-09-130-973-35
14	0	0.0	2	4	US-09-130-973-35
15	0	0.0	2	4	US-09-477-902-35
16	0	0.0	2	4	US-09-477-902-35
17	0	0.0	2	4	US-08-361-024-3
18	0	0.0	2	4	US-08-361-024-3
19	0	0.0	2	4	US-09-411-862A-15
20	0	0.0	2	4	US-09-411-862A-15
21	0	0.0	2	4	US-09-411-862A-16
22	0	0.0	2	4	US-09-411-862A-16
23	0	0.0	2	5	PCT-US95-C5758-16
24	0	0.0	2	5	PCT-US95-C5758-16
25	0	0.0	3	1	US-07-791-213D-46
26	0	0.0	3	1	US-07-791-213D-46
27	0	0.0	3	1	US-07-791-213D-62

c 28 0 0.0 3 1 US-07-791-213D-62 Sequence 62, Appl
c 29 0 0.0 3 1 US-08-268-679B-7 Sequence 7, Appl
c 30 0 0.0 3 1 US-08-268-679B-7 Sequence 7, Appl
c 31 0 0.0 3 1 US-08-295-743-22 Sequence 22, Appl
c 32 0 0.0 3 1 US-08-295-743-22 Sequence 2, Appl
c 33 0 0.0 3 1 US-08-602-036A-2 Sequence 2, Appl
c 34 0 0.0 3 1 US-08-602-036A-2 Sequence 2, Appl
c 35 0 0.0 3 1 US-08-293-150A-46 Sequence 46, Appl
c 36 0 0.0 3 1 US-08-293-150A-46 Sequence 46, Appl
c 37 0 0.0 3 1 US-08-293-150A-62 Sequence 62, Appl
c 38 0 0.0 3 1 US-08-293-150A-62 Sequence 62, Appl
c 39 0 0.0 3 2 US-08-502-374A-2 Sequence 2, Appl
c 40 0 0.0 3 2 US-08-502-374A-2 Sequence 2, Appl
c 41 0 0.0 3 2 US-08-642-407A-2 Sequence 2, Appl
c 42 0 0.0 3 2 US-08-642-407A-2 Sequence 2, Appl
c 43 0 0.0 3 3 US-08-873-709-9 Sequence 9, Appl
c 44 0 0.0 3 3 US-08-873-709-9 Sequence 9, Appl
c 45 0 0.0 3 3 US-09-032-365A-36 Sequence 36, Appl

ALIGNMENTS

RESULT 1
PCT-US93-00977-702
; Sequence 702, Application PC/TUS9300977
; GENERAL INFORMATION:
; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
; NUMBER OF SEQUENCES: 711
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobel, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC Compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US93/00977
; FILING DATE: 19930129
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Altman, Daniel E.
; REGISTRATION NUMBER: 34,115
; REFERENCE/DOCKET NUMBER: HITACHI.006H
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 714-760-0404
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 702:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1
; TYPE: NUCLEIC ACID
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: cDNA to mRNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Caps 0;

Qy 1 n 1

Db 1 A 1

RESULT 2
PCT-US93-00977-702/c
; Sequence 702, Application PC/RUS9300977
; GENERAL INFORMATION:
; TITLE OF INVENTION: METHOD AND REAGENT FOR MEASURING MESSENGER RNA
; NUMBER OF SEQUENCES: 711
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Knobber, Martens, Olson, and Bear
; STREET: 620 Newport Center Dr. Sixteenth Floor
; CITY: Newport Beach
; STATE: CA
; COUNTRY: USA
; ZIP: 92660
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: Patent Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: PCT/US93/00977
; FILING DATE: 19930129
; CLASSIFICATION:
; ATTORNEY/AGENT INFORMATION:
; NAME: Altman, Daniel E.
; REGISTRATION NUMBER: 34,115
; REFERENCE/DOCKET NUMBER: HITACHI.006H
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 714-760-0404
; TELEFAX: 714-760-9502
; INFORMATION FOR SEQ ID NO: 702:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 1
; TYPE: NUCLEIC ACID
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: cdna to mRNA
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
PCT-US93-00977-702

Query Match 0.0%; Score 0; DB 5; Length 1;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 1; Gaps 0;

Qy 1 n 1
Db 1 T 1

RESULT 3
US-08-268-679B-8
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHTERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; SYNTHESIS OF PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:

; APPLICATION NUMBER: US/08/268,679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846,914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719,761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN
; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 0887-4095 US2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 758-4800
; TELEFAX: (212) 751-6849
; TELEX: 421792
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2
; TYPE: NUCLEIC ACID
; STRANDEDNESS: SINGLE
; TOPOLOGY: UNKNOWN
; MOLECULE TYPE:
; DESCRIPTION: OLIGONUCLEOTIDE
; HYPOTHETICAL: NO
; ANTI-SENSE: YES
; ORIGINAL SOURCE: N.A.
; POSITION IN GENOME: N.A.
US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 4
US-08-268-679B-8/c
; Sequence 8, Application US/08268679B
; Patent No. 5674729
; GENERAL INFORMATION:
; APPLICANT: WIMMER, ECKARD; MOLLA,
; APPLICANT: AKHTERUZZAMAN; PAUL, ANIKO V.
; TITLE OF INVENTION: DE NOVO CELL-FREE
; SYNTHESIS OF PICORNAVIRUS
; NUMBER OF SEQUENCES: 8
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: MORGAN & FINNEGAN, L.L.P.
; STREET: 345 PARK AVE.
; CITY: NEW YORK
; STATE: NEW YORK
; COUNTRY: USA
; ZIP: 10154
; COMPUTER READABLE FORM:
; MEDIUM TYPE: FLOPPY DISK
; COMPUTER: IBM PC COMPATIBLE
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: WORD PERFECT # 5.1
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/268,679B
; FILING DATE: 30-JUN-1994
; PRIOR APPLICATION DATA:
; APPLICATION NUMBER: 07\846,914
; FILING DATE: 06-MAR-1992
; CLASSIFICATION: 435
; APPLICATION NUMBER: 07\719,761
; FILING DATE: 24-JUN-1991
; ATTORNEY/AGENT INFORMATION:
; NAME: MARIA C.H. LIN

; REGISTRATION NUMBER: 29,323
; REFERENCE/DOCKET NUMBER: 0887-4095 US2
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: (212) 758-4800
; TELEFAX: (212) 751-6849
; TELEX: 421792
; INFORMATION FOR SEQ ID NO: 8:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2
; TYPE: NUCLEIC ACID
; STRANDEDNESS: SINGLE
; TOPOLOGY: UNKNOWN
; MOLECULE TYPE:
; DESCRIPTION: OLIGONUCLEOTIDE
; HYPOTHETICAL: NO
; ANTI-SENSE: YES
; ORIGINAL SOURCE: N.A.
; POSITION IN GENOME: N.A.
; US-08-268-679B-8

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 2 C 2

RESULT 5
US-08-457-274A-16
; Sequence 16, Application US/08457274A
; Patent No. 5734086
; GENERAL INFORMATION:
; APPLICANT: Scott, Jeffrey G.
; APPLICANT: Tomita, Takashi
; TITLE OF INVENTION: Cycochrome P450lpr Gene and Its Uses
; NUMBER OF SEQUENCES: 29
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Nixon, Hargrave, Devans & Doyle
; STREET: P.O. Box 1051, Clinton Square
; CITY: Rochester
; STATE: New York
; COUNTRY: USA
; ZIP: 14603
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/457,274A
; FILING DATE:
; CLASSIFICATION: 800
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldman, Michael L.
; REGISTRATION NUMBER: 30,727
; REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 716-263-1304
; TELEFAX: 716-263-1600
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE: Musca domestica

; STRAIN: Learn-Pyr
; DEVELOPMENTAL STAGE: Adult
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: Chromosome 1
; US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 A 1

RESULT 6
US-08-457-274A-16/c
; Sequence 16, Application US/08457274A
; Patent No. 5734086
; GENERAL INFORMATION:
; APPLICANT: Scott, Jeffrey G.
; APPLICANT: Tomita, Takashi
; TITLE OF INVENTION: Cycochrome P450lpr Gene and Its Uses
; NUMBER OF SEQUENCES: 29
; CORRESPONDENCE ADDRESS:
; ADDRESSEE: Nixon, Hargrave, Devans & Doyle
; STREET: P.O. Box 1051, Clinton Square
; CITY: Rochester
; STATE: New York
; COUNTRY: USA
; ZIP: 14603
; COMPUTER READABLE FORM:
; MEDIUM TYPE: Floppy disk
; COMPUTER: IBM PC compatible
; OPERATING SYSTEM: PC-DOS/MS-DOS
; SOFTWARE: PatentIn Release #1.0, Version #1.25
; CURRENT APPLICATION DATA:
; APPLICATION NUMBER: US/08/457,274A
; FILING DATE:
; CLASSIFICATION: 800
; ATTORNEY/AGENT INFORMATION:
; NAME: Goldman, Michael L.
; REGISTRATION NUMBER: 30,727
; REFERENCE/DOCKET NUMBER: 19603/240 (D-1519)
; TELECOMMUNICATION INFORMATION:
; TELEPHONE: 716-263-1304
; TELEFAX: 716-263-1600
; INFORMATION FOR SEQ ID NO: 16:
; SEQUENCE CHARACTERISTICS:
; LENGTH: 2 base pairs
; TYPE: nucleic acid
; STRANDEDNESS: double
; TOPOLOGY: linear
; MOLECULE TYPE: DNA (genomic)
; HYPOTHETICAL: NO
; ANTI-SENSE: NO
; ORIGINAL SOURCE: Musca domestica
; STRAIN: Learn-Pyr
; DEVELOPMENTAL STAGE: Adult
; POSITION IN GENOME:
; CHROMOSOME/SEGMENT: Chromosome 1
; US-08-457-274A-16

Query Match 0.0%; Score 0; DB 1; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 2 T 2

RESULT 7

US-08-484-192-16
 ; Sequence 16, Application US/08484192
 ; Patent No. 5756291
 ; GENERAL INFORMATION:
 ; APPLICANT: GRIFFIN, LINDA C.
 ; APPLICANT: ALBRECHT, GLENN
 ; APPLICANT: LATHAM, JOHN
 ; APPLICANT: LEUNG, LAWRENCE
 ; APPLICANT: VERMAAS, ERIC
 ; APPLICANT: TOOLE, JOHN J.
 ; TITLE OF INVENTION: APAMERS SPECIFIC FOR BIOMOLECULES AND
 ; METHODS OF MAKING
 ; NUMBER OF SEQUENCES: 181
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: MORRISON & FOERSTER
 ; STREET: 755 PAGE MILL ROAD
 ; CITY: PALO ALTO
 ; STATE: CALIFORNIA
 ; COUNTRY: USA
 ; ZIP: 94304
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/484,192
 ; FILING DATE:
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/934,387
 ; FILING DATE: 21-AUG-1992
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: GRACEY, NANCY J.
 ; REGISTRATION NUMBER: 28,216
 ; REFERENCE/DOCKET NUMBER: 246102002221
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 415-813-5600
 ; TELEFAX: 415-494-0792
 ; TELEX: 706141
 ; INFORMATION FOR SEQ ID NO: 16:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; FEATURE:
 ; NAME/KEY: misc_difference
 ; LOCATION: replace(1, "")
 ; OTHER INFORMATION: /note= "This is a biotin-17
 ; OTHER INFORMATION: nucleotide stretch of abasic residues."
 ; US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 N 1

RESULT 8

US-08-484-192-16/c
 ; Sequence 16, Application US/08484192
 ; Patent No. 5756291
 ; GENERAL INFORMATION:
 ; APPLICANT: GRIFFIN, LINDA C.
 ; APPLICANT: ALBRECHT, GLENN

; APPLICANT: LATHAM, JOHN
 ; APPLICANT: LEUNG, LAWRENCE
 ; APPLICANT: VERMAAS, ERIC
 ; APPLICANT: TOOLE, JOHN J.
 ; TITLE OF INVENTION: APAMERS SPECIFIC FOR BIOMOLECULES AND
 ; METHODS OF MAKING
 ; NUMBER OF SEQUENCES: 181
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: MORRISON & FOERSTER
 ; STREET: 755 PAGE MILL ROAD
 ; CITY: PALO ALTO
 ; STATE: CALIFORNIA
 ; COUNTRY: USA
 ; ZIP: 94304
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: PatentIn Release #1.0, Version #1.25
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/484,192
 ; FILING DATE:
 ; CLASSIFICATION: 435
 ; PRIOR APPLICATION DATA:
 ; APPLICATION NUMBER: US 07/934,387
 ; FILING DATE: 21-AUG-1992
 ; ATTORNEY/AGENT INFORMATION:
 ; NAME: GRACEY, NANCY J.
 ; REGISTRATION NUMBER: 28,216
 ; REFERENCE/DOCKET NUMBER: 246102002221
 ; TELECOMMUNICATION INFORMATION:
 ; TELEPHONE: 415-813-5600
 ; TELEFAX: 415-494-0792
 ; TELEX: 706141
 ; INFORMATION FOR SEQ ID NO: 16:
 ; SEQUENCE CHARACTERISTICS:
 ; LENGTH: 2 base pairs
 ; TYPE: nucleic acid
 ; STRANDEDNESS: single
 ; TOPOLOGY: linear
 ; FEATURE:
 ; NAME/KEY: misc_difference
 ; LOCATION: replace(1, "")
 ; OTHER INFORMATION: /note= "This is a biotin-17
 ; OTHER INFORMATION: nucleotide stretch of abasic residues."
 ; US-08-484-192-16

Query Match 0.0%; Score 0; DB 1; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 2 C 2

RESULT 9

US-08-726-464B-28
 ; Sequence 28, Application US/08726464B
 ; Patent No. 5932546
 ; GENERAL INFORMATION:
 ; APPLICANT: BARRETT, Ronald W.
 ; APPLICANT: DOWER, William J.
 ; APPLICANT: CWIRLA, Steven A.
 ; APPLICANT: JOHNSON, Sherril S.
 ; APPLICANT: WRIGHTON, Nicholas C.
 ; APPLICANT: DUFFIN, David J.
 ; APPLICANT: WAGSTROM, Christopher R.
 ; TITLE OF INVENTION: PEPTIDES AND COMPOUNDS THAT BIND TO THE
 ; TITLE OF INVENTION: THROMBOPOIETIN RECEPTOR
 ; NUMBER OF SEQUENCES: 58
 ; CORRESPONDENCE ADDRESS:

ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
 STREET: Two Embarcadero Center, 8th Floor
 CITY: San Francisco
 STATE: California
 COUNTRY: USA
 ZIP: 94111-3834
 COMPUTER READABLE FORM:
 MEDIUM TYPE: Floppy disk
 COMPUTER: IBM PC compatible
 OPERATING SYSTEM: PC-DOS/MS-DOS
 SOFTWARE: Patentin Release #1.0, Version #1.30
 CURRENT APPLICATION DATA:
 APPLICATION NUMBER: US/08/726.464B
 FILING DATE: 04-OCT-1996
 CLASSIFICATION: 514
 ATTORNEY/AGENT INFORMATION:
 NAME: Garrett-Wackowski, Eugenia
 REGISTRATION NUMBER: 37,330
 REFERENCE/DOCKET NUMBER: 16528A-024100
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: 415/576-0200
 TELEFAX: 415/576-0300
 INFORMATION FOR SEQ ID NO: 28:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 2 base pairs
 TYPE: nucleic acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 MOLECULE TYPE: nucleic acid
 US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 v 1

RESULT 10
 US-08-726-464B-28/G
 ; Sequence 28, Application US/08726464B
 ; Patent No. 5932546
 ; GENERAL INFORMATION:
 ; APPLICANT: BARRETT, Ronald W.
 ; APPLICANT: DOWER, William J.
 ; APPLICANT: CWIRLA, Steven A.
 ; APPLICANT: JOHNSON, Sherril S.
 ; APPLICANT: WRIGHTON, Nicholas C.
 ; APPLICANT: DUFFIN, David J.
 ; APPLICANT: WAGSTROM, Christopher R.
 ; TITLE OF INVENTION: PEPTIDES AND COMPOUNDS THAT BIND TO THE
 ; TITLE OF INVENTION: THROMBOPOIETIN RECEPTOR
 ; NUMBER OF SEQUENCES: 58
 ; CORRESPONDENCE ADDRESS:
 ; ADDRESSEE: TOWNSEND AND TOWNSEND AND CREW
 ; STREET: Two Embarcadero Center, 8th Floor
 ; CITY: San Francisco
 ; STATE: California
 ; COUNTRY: USA
 ; ZIP: 94111-3834
 ; COMPUTER READABLE FORM:
 ; MEDIUM TYPE: Floppy disk
 ; COMPUTER: IBM PC compatible
 ; OPERATING SYSTEM: PC-DOS/MS-DOS
 ; SOFTWARE: Patentin Release #1.0, Version #1.30
 ; CURRENT APPLICATION DATA:
 ; APPLICATION NUMBER: US/08/726.464B
 ; FILING DATE: 04-OCT-1996
 ; CLASSIFICATION: 514
 ; ATTORNEY/AGENT INFORMATION:

NAME: Garrett-Wackowski, Eugenia
 REGISTRATION NUMBER: 37,330
 REFERENCE/DOCKET NUMBER: 16528A-024100
 TELECOMMUNICATION INFORMATION:
 TELEPHONE: 415/576-0200
 TELEFAX: 415/576-0300
 INFORMATION FOR SEQ ID NO: 28:
 SEQUENCE CHARACTERISTICS:
 LENGTH: 2 base pairs
 TYPE: nucleic acid
 STRANDEDNESS: single
 TOPOLOGY: linear
 MOLECULE TYPE: nucleic acid
 US-08-726-464B-28

Query Match 0.0%; Score 0; DB 2; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 2 y 2

RESULT 11
 US-09-016-520-35
 ; Sequence 35, Application US/09016520A
 ; Patent No. 6127533
 ; GENERAL INFORMATION:
 ; APPLICANT: Cook, Phillip D
 ; APPLICANT: Manoharan, Muthiah
 ; APPLICANT: Kawasaki, Andrew
 ; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
 ; FILE REFERENCE: ISIS2824
 ; CURRENT APPLICATION NUMBER: US/09/016,520A
 ; CURRENT FILING DATE: 1998-01-30
 ; EARLIER APPLICATION NUMBER: 60/037,143
 ; EARLIER FILING DATE: 1997-02-14
 ; NUMBER OF SEQ ID NOS: 47
 ; SOFTWARE: Patentin Ver. 2.1
 ; SEQ ID NO 35
 ; LENGTH: 2
 ; TYPE: DNA
 ; ORGANISM: Artificial Sequence
 ; FEATURE:
 ; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
 ; OTHER INFORMATION: Sequence
 ; FEATURE:
 ; NAME/KEY: misc_feature
 ; LOCATION: (1)..(2)
 ; OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
 US-09-016-520-35

Query Match 0.0%; Score 0; DB 3; Length 2;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
 Db 1 t 1

RESULT 12
 US-09-016-520-35/c
 ; Sequence 35, Application US/09016520A
 ; Patent No. 6127533
 ; GENERAL INFORMATION:
 ; APPLICANT: Cook, Phillip D
 ; APPLICANT: Manoharan, Muthiah
 ; APPLICANT: Kawasaki, Andrew
 ; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides

```

; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/016,520A
; CURRENT FILING DATE: 1998-01-30
; EARLIER APPLICATION NUMBER: 60/037,143
; EARLIER FILING DATE: 1997-02-14
; NUMBER OF SEQ ID NOS: 47
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; OTHER INFORMATION: Sequence
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
; US-09-016-520-35

```

```

Query Match          0.0%; Score 0; DB 3; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 2 A 2

```

```

RESULT 13
US-09-130-973-35
; Sequence 35, Application US/09130973
; Patent No. 6172209
; GENERAL INFORMATION:
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Cook, Phillip Dan
; APPLICANT: Prakash, Thazha P
; APPLICANT: Kawasaki, Andrew M
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/130,973
; CURRENT FILING DATE: 1998-08-07
; NUMBER OF SEQ ID NOS: 58
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 2'-dimethylaminoxyethyl thymidine (T-2'-DMAOE)
; OTHER INFORMATION: Description of Artificial sequence: No. 6172209el
; OTHER INFORMATION: Sequence
; US-09-130-973-35

```

```

Query Match          0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 t 1

```

```

RESULT 14
US-09-130-973-35/c
; Sequence 35, Application US/09130973
; Patent No. 6172209
; GENERAL INFORMATION:

```

```

; APPLICANT: Manoharan, Muthiah
; APPLICANT: Cook, Phillip Dan
; APPLICANT: Prakash, Thazha P
; APPLICANT: Kawasaki, Andrew M
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides And Methods For
; FILE REFERENCE: ISIS2955
; CURRENT APPLICATION NUMBER: US/09/130,973
; CURRENT FILING DATE: 1998-08-07
; NUMBER OF SEQ ID NOS: 58
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 2'-dimethylaminoxyethyl thymidine (T-2'-DMAOE)
; OTHER INFORMATION: Description of Artificial Sequence: No. 6172209el
; OTHER INFORMATION: Sequence
; US-09-130-973-35

```

```

Query Match          0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 2 A 2

```

```

RESULT 15
US-09-477-902-35
; Sequence 35, Application US/09477902
; Patent No. 6194598
; GENERAL INFORMATION:
; APPLICANT: Cook, Phillip D
; APPLICANT: Manoharan, Muthiah
; APPLICANT: Kawasaki, Andrew
; TITLE OF INVENTION: Aminoxy-Modified Oligonucleotides
; FILE REFERENCE: ISIS2824
; CURRENT APPLICATION NUMBER: US/09/477,902
; CURRENT FILING DATE: 2000-01-05
; PRIOR APPLICATION NUMBER: 09/016,520
; PRIOR FILING DATE: 1998-01-30
; PRIOR APPLICATION NUMBER: 60/037,143
; PRIOR FILING DATE: 1997-02-14
; NUMBER OF SEQ ID NOS: 47
; SOFTWARE: PatentIn Ver. 2.1
; SEQ ID NO 35
; LENGTH: 2
; TYPE: DNA
; ORGANISM: Artificial Sequence
; FEATURE:
; OTHER INFORMATION: Description of Artificial Sequence: Synthetic
; OTHER INFORMATION: sequence
; NAME/KEY: misc_feature
; LOCATION: (1)..(2)
; OTHER INFORMATION: 5-methyl-2'-dimethylaminoxyethoxy
; US-09-477-902-35

```

```

Query Match          0.0%; Score 0; DB 4; Length 2;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

```

```

Qy 1 n 1
Db 1 t 1


```

Mon Aug 26 10:18:21 2002

us-10-077-383-33.rni

Page 7

Search completed: August 24, 2002, 21:57:39
Job time: 21597 sec



GenCore version 4.5
Copyright (c) 1993 - 2000 CompuGen Ltd.

OM nucleic - nucleic search, using sw model

Run on: August 24, 2002, 21:19:26 ; Search time 4810.92 Seconds
(without alignments)
50.499 Million cell updates/sec

Title: US-10-077-383-33

Perfect score: 18

Sequence: 1 nnnnnnnnnnnnnnnnn 18

Scoring table: IDENTITY_NUC

Gapop 10.0 , Gapext 1.0

Searched: 13736207 seqs, 6748477542 residues

Total number of hits satisfying chosen parameters: 27472414

Minimum DB seq length: 0

Maximum DB seq length: 2000000000

Post-processing: Minimum Match 0%

Maximum Match 100%

Listing first 45 summaries

Database :

EST:*

1: em_estba:*
2: em_esthum:*
3: em_estin:*
4: em_estmu:*
5: em_estov:*
6: em_estpl:*
7: em_estro:*
8: em_hic:*
9: gb_est1:*
10: gb_est2:*
11: gb_hic:*
12: gb_gss:*
13: em_gss_hum:*
14: em_gss_inv:*
15: em_gss_pln:*
16: em_gss_vrt:*

Pred. No. is the number of results predicted by chance to have a score greater than or equal to the score of the result being printed, and is derived by analysis of the total score distribution.

SUMMARIES

Result No.	Score	Query Match	Length	DB	ID	Description
1	0	0.0	1	2	HSM001740	AL037411 Homo sapi
2	0	0.0	1	2	HSM001740	AL037411 Homo sapi
3	0	0.0	1	2	HSM003869	AL039393 Homo sapi
4	0	0.0	1	2	HSM003869	AL039393 Homo sapi
5	0	0.0	1	2	HSM005008	AL040532 Homo sapi
6	0	0.0	1	2	HSM005008	AL040532 Homo sapi
7	0	0.0	1	2	HSM011115	AL046265 Homo sapi
8	0	0.0	1	2	HSM011115	AL046265 Homo sapi
9	0	0.0	1	2	HSM011270	AL046420 Homo sapi
10	0	0.0	1	2	HSM011270	AL046420 Homo sapi
11	0	0.0	1	2	HSM011922	AL047072 Homo sapi
12	0	0.0	1	2	HSM011922	AL047072 Homo sapi
13	0	0.0	1	10	BI416880	BI416880 hasp002xj
14	0	0.0	1	10	BI416880	BI416880 hasp002xj
15	0	0.0	1	10	BI817896	BI817896 G3-O23 Ax
16	0	0.0	1	10	BI817896	BI817896 G3-O23 Ax
17	0	0.0	1	10	BE401958	BE401958 CSB002H12

c	18	0	0.0	1	10	BE401958
c	19	0	0.0	1	10	BE402349
c	20	0	0.0	1	10	BE402349
c	21	0	0.0	1	10	BE402351
c	22	0	0.0	1	10	BE402351
c	23	0	0.0	1	10	BE402374
c	24	0	0.0	1	10	BE402374
c	25	0	0.0	1	10	BE402520
c	26	0	0.0	1	10	BE402520
c	27	0	0.0	1	10	BE402580
c	28	0	0.0	1	10	BE402580
c	29	0	0.0	1	10	BE402700
c	30	0	0.0	1	10	BE402700
c	31	0	0.0	1	10	BE402795
c	32	0	0.0	1	10	BE402795
c	33	0	0.0	1	10	BE402803
c	34	0	0.0	1	10	BE402803
c	35	0	0.0	1	10	BE441684
c	36	0	0.0	1	10	BE441684
c	37	0	0.0	1	12	AZ363337
c	38	0	0.0	1	12	AZ363337
c	39	0	0.0	1	12	CNS003FA
c	40	0	0.0	1	12	CNS003FA
c	41	0	0.0	1	12	CNS003FE
c	42	0	0.0	1	12	CNS004ZS
c	43	0	0.0	1	12	CNS004ZS
c	44	0	0.0	1	12	CNS00630
c	45	0	0.0	1	12	CNS00630

ALIGNMENTS

RESULT 1
HSM001740 standard; RNA; EST: 1 BP.

ID HSM001740 standard; RNA; EST: 1 BP.

AC AL037411;

SV AL037411.1

DT 12-WAR-1999 (Rel. 59, Created)

DT 12-WAR-1999 (Rel. 59, Last updated, Version 1)

DE Homo sapiens mRNA; EST DKFZp564L2071_s1 (from clone DKFZp564L2071)

EW EST; expressed sequence tag.

OS Homo sapiens (human)

OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;

OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]

RP 1-1

RA Bloecker H., Boecher M., Brandt P., Mewes W., Gassenhuber J., Wiemann S.;

RT Submitted (12-WAR-1999) to the EMBL/GenBank/DBJ databases.

RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY

XX Cloned from S. Wiemann, sequenced by GBF within the cDNA

CC sequencing consortium of the German Genome Project

CC No r1 sequence available

CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers

FT source 1..1

FT /db_xref="taxon:9606"

FT /organism="Homo sapiens"

FT /clone="DKFZp564L2071"

FT /clone_lib="564 (synonym: hfb2). Vector pAMP1; host

```

FT FT Xl-2blue; sites NotI + Sali"
FT /dev_stage="fetal"
FT /tissue_type="brain"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match      0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 C 1

RESULT 2
HSM001740/c
ID HSM001740 standard; RNA: EST; 1 BP.
XX AC AL037411;
XX SV AL037411.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKF2p564L2071_s1 (from clone DKF2p564L2071)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
[1]
RN 1-1
RA Duesterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RL Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by Qiagen within the cDNA
CC sequencing consortium of the German Genome Project
CC r1 sequence also available at the RZPD in Berlin
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FH source 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKF2p564L2071"
FT /clone_lib="564 (synonym: hfbr2). Vector pAMP1; host
FT Xl-2blue; sites NotI + Sali"
FT /dev_stage="fetal"
FT /tissue_type="brain"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match      0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 G 1

RESULT 3
HSM003869
ID HSM003869 standard; RNA: EST; 1 BP.
XX AC AL039393;
XX SV AL039393.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKF2p434J0410_s1 (from clone DKF2p434J0410)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
[1]
RN 1-1
RA Duesterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RL Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by Qiagen within the cDNA
CC sequencing consortium of the German Genome Project
CC r1 sequence also available at the RZPD in Berlin
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FH source 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKF2p434J0410"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites NotI + Sali"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other;

Query Match      0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 A 1

RESULT 4
HSM003869/c
ID HSM003869 standard; RNA: EST; 1 BP.
XX AC AL039393;
XX SV AL039393.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKF2p434J0410_s1 (from clone DKF2p434J0410)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

```

```

XX [1]
RN 1-1
RA Duisterhoeft A., Lauber J., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by Qiagen within the cDNA
CC sequencing consortium of the German Genome Project
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT source
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434J0410"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites Noti + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 1 A; 0 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
Db 1 T 1

RESULT 5
ID HSM005008 standard; RNA; EST; 1 BP.
XX
AC AL040532;
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214_r1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BNFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No s1 sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT source
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434H2214"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites Noti + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
Db 1 T 1

RESULT 5
ID HSM005008 standard; RNA; EST; 1 BP.
XX
AC AL040532;
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214_r1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BNFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No s1 sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers

```

```

FT source
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434H2214"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites Noti + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1
Db 1 C 1

RESULT 6
ID HSM005008 standard; RNA; EST; 1 BP.
XX
AC AL040532;
SV AL040532.1
XX
DT 12-MAR-1999 (Rel. 59, Created)
DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE Homo sapiens mRNA; EST DKFZp434H2214_r1 (from clone DKFZp434H2214)
XX
KW EST; expressed sequence tag.
XX
OS Homo sapiens (human)
OC Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
OC Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN [1]
RP 1-1
RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC Clone from S. Wiemann, sequenced by BNFZ within the cDNA
CC sequencing consortium of the German Genome Project
CC No s1 sequence available
CC This clone is available at the RZPD in Berlin
CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH Key Location/Qualifiers
FT source
FT 1..1
FT /db_xref="taxon:9606"
FT /organism="Homo sapiens"
FT /clone="DKFZp434H2214"
FT /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT DH10B; sites Noti + SalI"
FT /dev_stage="adult"
FT /tissue_type="testis"
XX
SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred. No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Oy 1 n 1

```

```

Db      1 G 1

RESULT 7
HSM011115
ID      HSM011115 standard; RNA; EST; 1 BP.
XX
AC      AL046265;
XX
SV      AL046265.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT      ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL      MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC      sequencing consortium of the German Genome Project
CC      No sl sequence available
CC      This clone is available at the RZPD in Berlin
CC      Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
CC      Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de
XX
FH      Key      Location/Qualifiers
FH      source      1. .1
FT      /db_xref="taxon:9606"
FT      /organism="Homo sapiens"
FT      /clone="DKFZp434G017"
FT      /clone_lib="434 (synonym: htes3). Vector pSport1; host
FT      DH10B; sites Noti + SalI"
FT      /dev_stage="adult"
FT      /tissue_type="testis"
XX
SQ      Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match      0.0%; Score 0; DB 2; Length 1;
Best Local Similarity 0.0%; Pred.No. 0;
Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy      1 n 1
Db      1 G 1

RESULT 9
HSM011270
ID      HSM011270 standard; RNA; EST; 1 BP.
XX
AC      AL046420;
XX
SV      AL046420.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)
XX
KW      EST; expressed sequence tag.
XX
OS      Homo sapiens (human)
OC      Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
OC      Eutheria; Primates; Catarrhini; Hominidae; Homo.
XX
RN      [1]
RP      1-1
RA      Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
RT      ; Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
RL      MIPS, Am Klopferspitz 18a D-82152 Martinsried, GERMANY
XX
CC      Clone from S. Wiemann, sequenced by BMFZ within the cDNA
CC      sequencing consortium of the German Genome Project
CC      No sl sequence available
CC      This clone is available at the RZPD in Berlin

Db      1 G 1

RESULT 8
HSM011115/c
ID      HSM011115 standard; RNA; EST; 1 BP.
XX
AC      AL046265;
XX
SV      AL046265.1
XX
DT      12-MAR-1999 (Rel. 59, Created)
DT      12-MAR-1999 (Rel. 59, Last updated, Version 1)
XX
DE      Homo sapiens mRNA; EST DKFZp434G017_r1 (from clone DKFZp434G017)
XX

```


CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key Location/Qualifiers

FT source 1. .1
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp434N037"
 FT /clone_lib="A34 (synonym: htes3). Vector pSport1; host
 FT DH10B; sites NotI + SalI"
 FT /dev_stage="adult"
 FT /tissue_type="testis"

XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match

Best Local Similarity 0.0%; Score 0; DB 2; Length 1;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

DB 1 C 1

RESULT 10

ID HSM011270 standard; RNA; EST; 1 BP.

XX AL046420;

XX AL046420.1

DT 12-MAR-1999 (Rel. 59, Created)

DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

XX Homo sapiens mRNA; EST DKFZp434N037_r1 (from clone DKFZp434N037)

XX EST; expressed sequence tag.

XX Homo sapiens (human)

OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;
 OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]

XX 1-1

RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;

RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.

RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY

XX Clone from S. Wiemann, sequenced by BMFZ within the cDNA

CC sequencing consortium of the German Genome Project

CC No sl sequence available

CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key

Location/Qualifiers

FT source 1. .1

FT /db_xref="taxon:9606"

FT /organism="Homo sapiens"

FT /clone="DKFZp434N037"

FT /clone_lib="A34 (synonym: htes3). Vector pSport1; host

FT DH10B; sites NotI + SalI"

FT /dev_stage="adult"

FT /tissue_type="testis"

XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

DB 1 G 1

RESULT 11

ID HSM011922 standard; RNA; EST; 1 BP.

XX AL047072;

XX AL047072.1

DT 12-MAR-1999 (Rel. 59, Created)

DT 12-MAR-1999 (Rel. 59, Last updated, Version 1)

XX Homo sapiens mRNA; EST DKFZp586P0817_r1 (from clone DKFZp586P0817)

XX EST; expressed sequence tag.

XX Homo sapiens (human)

OC Eukaryota; Metazoa; Chordata; Vertebrata; Euteleostomi; Mammalia;

OC Eutheria; Primates; Catarrhini; Hominidae; Homo.

XX [1]

XX 1-1

RA Koehrer K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;

RT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.

RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY

XX Clone from S. Wiemann, sequenced by BMFZ within the cDNA

CC sequencing consortium of the German Genome Project

CC No sl sequence available

CC This clone is available at the RZPD in Berlin

CC Please contact the RZPD: Ressourcenzentrum, Heubnerweg 6, 14059

CC Berlin-Charlottenburg, GERMANY; Email: clone@rzpd.de

XX Key

Location/Qualifiers

FT source 1. .1

FT /db_xref="taxon:9606"

FT /organism="Homo sapiens"

FT /clone="DKFZp586P0817"

FT /clone_lib="586 (synonym: htel). Vector pSport1; host

FT DH10B; sites NotI + SalI/MluI"

FT /dev_stage="adult"

FT /tissue_type="uterus"

XX Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;

Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

QY 1 n 1

DB 1 C 1

RESULT 12

ID HSM011922 standard; RNA; EST; 1 BP.

XX AL047072;

XX AL047072.1

DT 12-MAR-1999 (Rel. 59, Created)
 XX 12-MAR-1999 (Rel. 59, Last updated, Version 1)
 DE Homo sapiens mRNA; EST DKFZp586P0817_r1 (from clone DKFZp586P0817)
 XX EST; expressed sequence tag.
 KW Homo sapiens (human)
 OS Eukaryota; Metazoa; Chordata; Craniata; Vertebrata; Euteleostomi; Mammalia;
 CC Eutheria; Primates; Catarrhini; Hominidae; Homo.
 XX [1]
 RN 1-1
 RA Koehler K., Beyer A., Mewes W., Gassenhuber J., Wiemann S.;
 FT Submitted (12-MAR-1999) to the EMBL/GenBank/DBJ databases.
 RL MIPS, Am Klopferspitze 18a D-82152 Martinsried, GERMANY
 XX Clone from S. Wiemann, sequenced by BMFZ within the cDNA
 CC sequencing consortium of the German Genome Project
 CC No SI sequence available
 CC This clone is available at the R2PD in Berlin
 CC Please contact the R2PD: Ressourcenzentrum, Heubnerweg 6, 14059
 CC Berlin-Charlottenburg, GERMANY; Email: clone@r2pd.de
 XX Key Location/Qualifiers
 FH 1. .1
 FT source
 FT /db_xref="taxon:9606"
 FT /organism="Homo sapiens"
 FT /clone="DKFZp586P0817"
 FT /clone_lib="586 (synonym: hute1). Vector pSport1; host
 FT DH10B; sites NotI + SalI/MluI"
 FT /dev_stage="adult"
 FT /tissue_type="uterus"
 XX
 SQ Sequence 1 BP; 0 A; 1 C; 0 G; 0 T; 0 other;
 Query Match 0.0%; Score 0; DB 2; Length 1;
 Best Local Similarity 0.0%; Pred. No. 0;
 Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;
 QY 1 n 1
 DB 1 G 1
 RESULT 13
 BI416880 1 bp mRNA linear EST 15-AUG-2001
 LOCUS hasp002xj20f Heterobasidion annosum - Scots pine infection stage
 DEFINITION subtraction cDNA library (hasp) Pinus sylvestris/Heterobasidion
 annosum cDNA clone hasp002xj20f, mRNA sequence.
 ACCESSION BI416880
 VERSION BI416880.1 GI:15187903
 KEYWORDS EST
 SOURCE Pinus sylvestris/Heterobasidion annosum
 ORGANISM Eukaryota; mixed EST libraries.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Asiegbu, F.O., Nahalkova, J., Choi, W., Stenlid, J. and Dean, R.A.
 TITLE Expressed sequence tags of randomly selected cDNA clones from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se
 Seq primer: T7 primer.
 Location/Qualifiers
 1. .1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:163015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (FP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 n 1
 DB 1 n 1
 RESULT 14
 BI416880/c
 LOCUS hasp002xj20f Heterobasidion annosum - Scots pine infection stage
 DEFINITION subtraction cDNA library (hasp) Pinus sylvestris/Heterobasidion
 annosum cDNA clone hasp002xj20f, mRNA sequence.
 ACCESSION BI416880
 VERSION BI416880.1 GI:15187903
 KEYWORDS EST
 SOURCE Pinus sylvestris/Heterobasidion annosum
 ORGANISM Eukaryota; mixed EST libraries.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Asiegbu, F.O., Nahalkova, J., Choi, W., Stenlid, J. and Dean, R.A.
 TITLE Expressed sequence tags of randomly selected cDNA clones from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se
 Seq primer: T7 primer.
 Location/Qualifiers
 1. .1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:163015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (FP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Seq primer: T7 primer.
 Location/Qualifiers
 1. .1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:163015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (FP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;
 QY 1 n 1
 DB 1 n 1
 RESULT 14
 BI416880/c
 LOCUS hasp002xj20f Heterobasidion annosum - Scots pine infection stage
 DEFINITION subtraction cDNA library (hasp) Pinus sylvestris/Heterobasidion
 annosum cDNA clone hasp002xj20f, mRNA sequence.
 ACCESSION BI416880
 VERSION BI416880.1 GI:15187903
 KEYWORDS EST
 SOURCE Pinus sylvestris/Heterobasidion annosum
 ORGANISM Eukaryota; mixed EST libraries.
 REFERENCE 1 (bases 1 to 1)
 AUTHORS Asiegbu, F.O., Nahalkova, J., Choi, W., Stenlid, J. and Dean, R.A.
 TITLE Expressed sequence tags of randomly selected cDNA clones from the
 interaction of the root rot fungus (Heterobasidion annosum) with
 seedling roots of Scots pine (Pinus sylvestris)
 JOURNAL Unpublished (2001)
 COMMENT Contact: Fred O. Asiegbu
 Dept. of Forest Mycology & Pathology
 Swedish University of Agriculture, Box 7026, S-750 07, Uppsala,
 Sweden
 Tel: +46 18 67 15 98
 Fax: +46 18 30 92 45
 Email: Fred.Asiegbu@mykopat.slu.se
 Seq primer: T7 primer.
 Location/Qualifiers
 1. .1
 /organism="Pinus sylvestris/Heterobasidion annosum"
 /db_xref="taxon:163015"
 /clone="hasp002xj20f"
 /clone_lib="Heterobasidion annosum - Scots pine infection
 stage subtraction cDNA library (hasp)"
 /dev_stage="Seedling roots of scots pine were infected for
 6 days with H. annosum"
 /note="Vector: pT-Adv; Site_1: EcoRI; The subtractive
 hybridization cDNA library was constructed from scots
 pine roots infected for 6-days with mycelia of
 Heterobasidion annosum (FP5)."
 BASE COUNT 0 a 0 c 0 g 0 t 1 others
 ORIGIN
 Query Match 0.0%; Score 0; DB 10; Length 1;
 Best Local Similarity 100.0%; Pred. No. 0;
 Matches 1; Conservative 0; Mismatches 0; Indels 0; Gaps 0;

Qy 1 n 1
Db 1 N 1

RESULT 15

BI817896

LOCUS

BI817896 1 bp mRNA linear EST 04-OCT-2001
G3-O23 Axolotl Lambda Zap Library Ambystoma mexicanum cDNA similar
to putative heterochromatin-like protein 1, mRNA sequence.

ACCESSION

BI817896

VERSION

BI817896.1 GI:15951508

KEYWORDS

EST.

SOURCE

axolotl.

ORGANISM

Ambystoma mexicanum

REFERENCE

AUTHORS

1 (bases 1 to 1)

Voss,S.R., King,D., Maness,N., Smith,J.J., Rondet,M., Bryant,S.V.,

Gardiner,D.M. and Parichy,D.M.

Expressed sequence tags from an axolotl limb regeneration library

Unpublished (2001)

Contact: Voss SR

Department of Biology

Colorado State University

Fort Collins, CO 80523, USA

Tel: 970 491 4869

Fax: 970 491 0649

Email: srvoss@amar.colostate.edu

Single pass sequence from 5' end. Low quality sequence was trimmed

from the ends (PHRED error rate = 5%). Trace file available:

srvoss@amar.colostate.edu.

FEATURES

source

1..1

/organism="Ambystoma mexicanum"

/db_xref="taxon:8296"

/clone_lib="Axolotl Lambda Zap Library"

/tissue_type="Regenerating forelimb"

/dev_stage="Medium-bud blastema"

0 a 1 c 0 g 0 t

BASE COUNT

ORIGIN

Query Match 0.0%; Score 0; DB 10; Length 1;

Best Local Similarity 0.0%; Pred. No. 0;

Matches 0; Conservative 0; Mismatches 1; Indels 0; Gaps 0;

Qy 1 n 1

Db 1 C 1

Search completed: August 24, 2002, 21:19:26

Job time: 20529 sec

